

Interactions of ribonucleotides with aluminium and iron oxides under varying environmental conditions

Cécile Feuillie, Mathieu Pédrot, Dimitri A. Sverjensky, Robert M. Hazen

▶ To cite this version:

Cécile Feuillie, Mathieu Pédrot, Dimitri A. Sverjensky, Robert M. Hazen. Interactions of ribonucleotides with aluminium and iron oxides under varying environmental conditions. Deep carbon observatory meeting, Mar 2015, Munich, Germany. 2015. insu-02395395

HAL Id: insu-02395395 https://insu.hal.science/insu-02395395

Submitted on 5 Dec 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

INTERACTIONS OF RIBONUCLEOTIDES WITH ALUMINUM AND IRON OXIDES UNDER VARYING ENVIRONMENTAL CONDITIONS




<u>Cécile Feuillie</u>¹, Mathieu Pédrot², Dimitri A. Sverjensky³, Robert M. Hazen¹

1 : Geophysical Laboratory, Carnegie Institution of Washington; 2 : CNRS-UMR 6118, Géosciences Rennes, University of Rennes 1; 3: Department of Earth and Planetary Sciences, Johns Hopkins University


Introduction

Mineral surfaces might have concentrated building blocks of biomolecules in the context of the origin of life, facilitating their polymerization. Mineral surfaces have also been shown to protect biomolecules from degradation, facilitating their survival in soils. Previous work has highlighted the predominant role of the edges of mineral particles in the adsorption of nucleotides (Feuillie et al, 2013), implying *oxide-like adsorption sites.* The adsorption mechanism is not fully understood yet.

Here we present experimental and surface complexation modeling results on the adsorption of nucleotides with alumina and hematite, 2 oxide minerals presenting the same structure, as a function of pH, ionic strength and ligand-to-solid ratio.



Above : Crystal maker structure of α alumina Al_2O_3 (red = O, blue = Al) Below: TEM image of rhombohedral hematite nanoparticles used in this study.




Characteristics of alumina and hematite used in this study. a: Halter & Pfeifer, 2001; b: Fukushi & Sverjensky, 2007; c: Cornell & Schwertmann, 2003; d: Sverjensky, 2005


	Corundum - Al ₂ O ₃	Hematite - Fe ₂ O ₃
Provenance	Well studied commercial alumina a, b	Forced hydrolysis of acid Fe ^{III} salt solutions at 98°C following Schwertmann & Cornell (2000)
pH _{ZPC}	9.1 a, b	8.5 - 9.5 ^{c, d}
Particle size	~ 5 microns	~ 40 nm
Surface area	3.52 m ² /g	~ 52 m ² /g


Methods

- Experimental approach : batch adsorption experiments
 - Adsorption at room temperature until equilibrium
 - Wide range of pH (3 11), ionic strength
 - (from 0 to 0.1 M of NaCl), and surface loading Centrifugation and filtration of the supensions
 - Ion Chromatography analysis of the supernatant
 - (ICS-5000 Dionex; AminoPac PA10 column)




- Theoretical approach: surface complexation calculations using the **Extended Triple Layer Model (ETLM)**
 - 1 site model
 - Takes into account the electrical work linked to the desorption of chemisorbed water
 - Establish the speciation of surface species, the stoichiometry and the thermodynamic equilibrium constants for the adsorption of nucleotides on oxide minerals






2D structure of ribonucleotides and nucleobases; our study focuses on 5'-GMP (Guanosine MonoPhosphate)

Adsorption of GMP on Al₂O₃ (Feuillie et al, 2015) 5 g/L; equilibrium reached after 24 h of adsorption








(a) pH profiles of the adsorption of GMP at a constant ionic strength; NaCl 0.1 M. (b) Ionic strength effect on the adsorption of GMP on alumina, for a concentration of GMP of 100 µM. Alumina: 5 g/L. Experimental error is <0.2 μM of GMP. Symbols are experimental data and solid lines are modeling results.

High adsorption at low pH; maximum adsorption at pH 5; > 2 μ mol / m² No ionic strength effect above pH 5

Below pH 5, when ionic strength increases the adsorption decreases is similar to phosphate adsorption (He et al, 1997)








Adsorption of GMP on Fe₂O₃

0.2 g/L; equilibrium reached in under one hour of adsorption



pH profiles of the adsorption of GMP on hematite nanoparticles obtained at an ionic strength of (a) NaCl 0 M, (b) NaCl 0.01 M, and (c) NaCl 0.1 M. Experimental error is ~ 5%. Symbols are experimental data; dashed lines are guides for the eyes and do not represent modeling data.

High adsorption, similar to alumina: above 2 μmol / m² High adsorption at low pH; maximum adsorption at pH 5.5 – 6


Similar ionic strength effect at low pH

Contrary to alumina, hematite shows adsorption even at high pH

Surface complexation calculations coming soon...

Other nucleotides on Al₂O₃ (Feuillie et al, 2015)


5 g/L; equilibrium reached after 24 h of adsorption




pH profiles of the adsorption of AMP (a), CMP (b) and UMP (c); nucleotide concentration 50 μM; NaCl 0.1 M. Symbols are experimental data and black solid lines are modeling results. The monodentate inner-sphere is figured in red, the bidentate outer-sphere complex in blue.

Summary

- High adsorption of GMP on both Alumina and Hematite, above 2 μmol/m²
- Same behaviour at low pH for both minerals, but higher adsorption at high pH for hematite
- One mechanism for all nucleotides adsorption on alumina: 1 monodentate inner-sphere at low pH, 1 bidentate outer-sphere complex at high pH, involving phosphate groups
- More strongly bound at low pH: Availability of nucleotides for polymerization in the context of the origin of life and in modern soils?











References: Feuillie et al, 2013, GCA 120 97–108; Halter & Pfeifer, 2001, C. Appl. Geochem., 16 (7-8), 793–802; Fukushi & Sverjensky, 2007, GCA 71 (15), 3717–3745; Cornell & Schwertmann, 2003, The iron oxides: structures, properties, reactions, occurence and uses, p 85-86; Sverjensky, 2005, GCA 69 (2) 225–257; Feuillie et al, 2015, Langmuir 31 (1) 240–248; He et al, 1997, Soil Sci. Soc. Am. J., 61 (3), 784-793.