

# The environmental fate of nanoplastics: What we know and what we need to know about aggregation

Alice Pradel, Charlotte Catrouillet, Julien Gigault

## ▶ To cite this version:

Alice Pradel, Charlotte Catrouillet, Julien Gigault. The environmental fate of nanoplastics: What we know and what we need to know about aggregation. NanoImpact, 2023, 29, pp.100453. 10.1016/j.impact.2023.100453 . insu-03962181

# HAL Id: insu-03962181 https://insu.hal.science/insu-03962181

Submitted on 30 Jan 2023  $\,$ 

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

The environmental fate of nanoplastics: What we know and what we need to know about aggregation

NanoImpact

Alice Pradel, Charlotte Catrouillet, Julien Gigault

PII:	\$2452-0748(23)00004-6
DOI:	https://doi.org/10.1016/j.impact.2023.100453
Reference:	IMPACT 100453
To appear in:	NANOIMPACT
Received date:	20 October 2022
Revised date:	17 January 2023
Accepted date:	20 January 2023

Please cite this article as: A. Pradel, C. Catrouillet and J. Gigault, The environmental fate of nanoplastics: What we know and what we need to know about aggregation, *NANOIMPACT* (2023), https://doi.org/10.1016/j.impact.2023.100453

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

© 2023 Published by Elsevier B.V.

# The environmental fate of nanoplastics: What we know and what we need to know about aggregation

Alice Pradel<sup>*a,b*</sup>, Charlotte Catrouillet<sup>*a,c*</sup>, Julien Gigault<sup>*a,d*</sup>

<sup>a</sup>Univ. Rennes, CNRS, Géosciences Rennes - UMR 6118, F-35000 Rennes, France

<sup>b</sup>Institute of Biogeochemistry and Pollutant Dynamics (IBP), Department of

Environmental Systems Science, ETH Zürich, Switzerland

<sup>c</sup>Université Paris Cité, Institut de physique du globe de Paris, CNRS, F-75005 Paris, France

<sup>d</sup>TAKUVIK CNRS/Université Laval, IRL 3376, G1V 0A6 Québec, Canada

## Abstract

The presence of nanoplastics in the environment has been proven. There is now an urgent need to determine how nanoplastics react in the environment and to assess the risks they may pose. Here, we examine nanoplastic homo- and heteroaggregation, with a focus on environmentally relevant nanoplastic particle models. We made a systematic analysis of experimental studies, and ranked the environmental relevance of 377 different solution chemistries, and 163 different nanoplastic particle models. Since polymer latex spheres are not environmentally relevant (due to their monodisperse size, spherical shape, and smooth surface), their aggregation behavior in natural conditions is not transferable to nanoplastics. A few recent studies suggest that nanoplastic particle models that more closely mimic incidentally produced nanoplastics follow different homoaggregation pathways than latex sphere particle models. Howeve, beeroaggregation of environmentally relevant nanoplastic particle models has soldom been studied. Despite this knowledge gap, the current evidence suggests that prioplastics may be more sensitive to heteroaggregation than previously expected. We therefore provide an updated hypothesis about the likely environmental isto of nanoplastics. Our review demonstrates that it is essential to use enviror matally relevant nanoplastic particle models, such as those produced with top-down n.<sup>1</sup>.ods, to avoid biased interpretations of the fate and impact of nanoplastics. Fir.all, it will be necessary to determine how the heteroaggregation kinetics of nanoplastics ... pact their settling rate to truly understand nanoplastics' fate and effect in the environment.

3051

# **Graphical Abstract**



# **1. Introduction**

Plastics have become an inherent component of the modern industrial world, bringing both significant societal benefits and widespread environmental contamination (Andrady and Neal, 2009). By 2015, plastics were the third most-produced material, with a production estimated at 8.3 billion metric tonnes (Geyer et al., 2017), roughly twice the mass of all animals on Earth (Elhacham et al., 2020). Plastic debris originates from mismanaged plastic waste and from the use and aging of plastic materials (e.g., textiles, tire wear, paint coatings, etc.), which incidentally release plastic particles (Mitrano and Wohlleben, 2020). As plastics degrade, they produce microplastics (1 µm to 5 mm) (Chamas et al., 2020; Efimova et al., 2018; Gewert et al., 2015; Song et al., 2020), and nanoplastics (<1 µm) (Dawson et al., 2018; Gigault et al., 2015: Lambert and Wagner, 2016; Mattsson et al., 2021). Consequently, all of the Larch's environmental compartments are contaminated by microplastics: including freshwater lakes (Eriksen et al., 2013), rivers (Lechner et al., 2014), sediments (Kleir e. al., 2015), soils (Zubris and Richards, 2005), seas, oceans close to anthropogenic activity (Thompson, 2004), and those that are more remote (Lusher et al., 2015), as well as some of the deepest ocean sediments (Peng et al., 2020), the atmosphere (Allen et al., 2019), and the biosphere (Provencher et al., 2019). Nanoplastics are presenting soils (Wahl et al., 2021), freshwater (Li et al., 2022), seawater (Materić et al. 20. 2a; Ter Halle et al., 2017; Li et al., 2022), sea ice (Materić et al., 2022b), and snow (Materić et al., 2021). They are suspected to be present in many other environmental compartments also, but it is technically challenging to extract, characterize, and quant fy Jastic particles smaller than ~20 µm from environmental matrices (Ivleva, 2021)

As nanoplastics have only receively been discovered in the environment (Gigault et al., 2016; Ter Halle et al., 2017), and they are difficult to quantify in environmental matrices (Gigault et al., 2021), then effects on organisms and environmental processes is less clear than for microplastics. The colloidal properties of nanoplastics (Brownian motion and high surface reactivity) make them prone to aggregation (Gigault et al., 2021). They are also prone to leach additives and move through physiological barriers (Allan et al., 2022; Paul et al., 2020) more quickly than larger plastic particles, which can increase organisms' exposure to toxins, compared to the dangers of micro- and macroplastics that we knew about before. Consequently, the scientific community, the public, and policymakers expressed the urgent need to elucidate the environmental fate and impact of nanoplastics (Allan et al., 2020; GESAMP, 2015; SAPEA, 2019).

In this study, we elucidate relevant points about the nanoplastics ecological crisis (Koelmans et al., 2017; Persson et al., 2022; Rockström et al., 2009):

- i) what is known about the environmental fate of nanoplastics;
- ii) what further needs to be known (including more research on aggregation mechanisms); and
- iii) how to improve our understanding in a targeted way.

It is essential to assess the processes by which nanoplastics are transformed, transported, and accumulated in the environment, to assess their environmental fate. This study proposes up-to-date hypotheses of where nanoplastics are located, and where they accumulate in the environment based on a systematic review of nanoplastic homo- and heteroaggregation rates and processes. Aggregation (i.e., both homo- and heteroaggregation) is the focus of this study, because it is the primary process that dictates the transport of colloidal species in the environment. We focus on the behavior of environmentally relevant nanoplastic particle models. We interpret experiments through classical colloidal theory and compare then to studies of engineered nanomaterials. We also highlight a few knowledge gaps and identify strategic and efficient ways to move research forward.

## 2. Nanoplastic transport processe.

#### 2.1. The colloidal properties of nuroplastics

With decreasing size, particles transition away from motion dictated by gravitational forces (i.e., macro- to microparticle behavior) and towards motion dictated by Brownian motion and intermolecular forces (i.e., colloidal behavior) (Elimelech, 1998; Hiemenz and Rajagopalan, 1997). The transition to Brownian motion in water occurs when carbon-based particles are smaller than ~1  $\mu$ m (Hiemenz and Rajagopalan, 1997). Given a favorable (attractive) behavior molecules. The increase in dimension caused by the sorption of such species onto nanoplastics can cause them take on a gravity-driven motion again, the same as larger particles. Therefore, the colloidal stability of nanoplastics (i.e., their capacity to remain dispersed) is the primary determinant of their environmental fate (Filella, 2007; IUPAC, 1997; Stumm and Morgan, 1996), and the focus of this review. The review focuses on nanoplastic stability in the hydrosphere, since water has been identified as one of the major transport pathways of plastic debris (Brahney et al., 2021). Atmospheric transport processes will not be investigated here, because there are not yet many studies on this topic and since atmospheric plastics are

likely to re-enter the hydrosphere through precipitation (Allen et al., 2022, 2019; Bergmann et al., 2019; Wik and Dave, 2009).

#### 2.2. Physicochemical properties of environmental compartments

The stability of colloids is sensitive to the interplay between the properties of the dispersed phase (colloid) and the continuous phase (fluid) (Buffle et al., 1998; Filella, 2007; Hiemenz and Rajagopalan, 1997; Stumm and Morgan, 1996). It is therefore practical to categorize the environment into different compartments, defined by common physicochemical properties, to predict the fate of nanoplastics. Key parameters to consider are the composition, concentration, shape, and size of colloids and the ionic composition, pH, temperature, and velocity gradients of fluids (Baalousha, 2017; Hotze et al., 2010; Peijnenburg et al., 2015). In the aqueous environment, nanoplastics are more likely to encounter naturally occurring species in concentrations ranging from  $\mu g L^{-1}$  to mg L<sup>-1</sup> (Table 1) (Benner, 2002; Fraters et al., 2017; Libe , 2009; Stumm and Morgan, 1996), rather than other nanoplastics, since current and anticipated nanoplastic concentrations are currently in the range of pg  $L^{-1}$  to ug  $1^{-1}$  (Lenz et al., 2016; Li et al., 2022; Materić et al., 2022). Therefore, the stability of nanoplastics is mainly affected by the size and composition of natural species up the concentration and valence of electrolytes. In contaminated environments anthropogenic species such as pesticides and pharmaceuticals can also interact with hanoplastics to modify their environmental fate and their toxicity (Velzeboer et a<sup>1</sup>, 2014, Zarfl and Matthies, 2010).

Natural species have historically been c'assified based on size, as either solutes (<1 nm and in thermodynamic equilibriu, with the solvent), colloids (1 nm to 1  $\mu$ m), or particles (>1  $\mu$ m) (Buffle, 1992; Leed and Wilkinson, 2007; Stumm and Morgan, 1996). However, operational definitions have been adopted and consider molecules that pass through 0.45  $\mu$ m or 0.22 um filters as "dissolved". This definition is problematic since this size cut-off randomly splits the colloidal fraction into the dissolved and particulate fractions. Since the literature reviewed does not distinguish particulate, colloidal and truly dissolved species, we chose to remain coherent with the terminology used in the reviewed articles. Therefore, we define dissolved species as electrolytes and molecules smaller than 0.22 or 0.45  $\mu$ m. Particulate species are defined as solid species with defined geometrical dimensions and a high molar mass (approximately > 10<sup>6</sup> g mol<sup>-1</sup>). This broadened definition includes species smaller than 0.22  $\mu$ m (e.g., engineered nanomaterial).

A range of processes can lead to the aggregation of colloids in environmental systems. The probability of aggregation occurring can be predicted by the classical DLVO (Derjaguin Landau Verwey Overbeek) theory of colloidal stability and its extended version (XDLVO), which model surface interaction energies. The DLVO theory states that colloidal particles can aggregate when the repulsive electrostatic force is less strong than the attractive van der Waals force (Derjaguin and Landau, 1941; Verwey et al., 1948). Repulsive electrostatic force originates from the overlapping of the electronic double layer surrounding particles of equal charge. The global (i.e., average) surface charge of incidental nanoplastics is negative (El Hadri et al., 2020; Blancho et al., 2022).

The charge of particles is pH-dependent if it originates from hydrolyzable surface functional groups, such as carboxylic acids. As pH nears the point zero of charge, the absolute zeta potential decreases, causing a decrease in electrostatic repulsion (Israelachvili, 2015; Stumm and Morgan, 1996). Increasing iouic strength (IS) also screens the electrostatic repulsion between particles of equal charge, thereby reducing their stability. The XDLVO incorporates other interaction is such as hydrophobic (Lewis Acid-Base) interactions which originate from the fact that water molecules form intramolecular hydrogen bonds with other water molecules and with hydrophilic surfaces (e.g., carboxylic acids and phenols). H<sub>1</sub> is phobic nanoplastics tend to be less stable in water, and their surface tend to solve other hydrophobic species. However, not all aggregation processes are covered by the DLVO theory. For example, multivalent counterions (i.e., ions with an opposite charge than the particle) can also attract two oppositely charged surfaces and cause in specific interactions with surfaces (Labbez et al., 2009). As will be discussed below, the surface roughness of particles and surfaces and steric interactions are not entirely integrated in XDLVO models.

Table 1 presents typical concentrations of major chemical elements in surface water for five generic types of rivers, which were grouped to reflect a diversity of geologies, soil types, land use and climates (Hammes et al., 2013), as well as two soil pore water types (Fraters et al., 2017), and seawater (Benner, 2002; Libes, 2009). As illustrated in Figure 1A and B, due to electrostatic repulsion, nanoplastics with a given electronegativity and hydrophobicity are more stable in fresh water types with low IS and with many monovalent ions (e.g., Rivers 1&2 in Table 1) compared to brackish water (e.g., River 6 in Table 1) or seawater (Table 1).



Figure 1: Nanoplastic aggregation pathways investigated in the literature. A) Homo-aggregation caused by electrostatic screening at high ionic strength. B) Enverse 4 homo-aggregation due to electrostatic screening and cation bridging by multivalent catio.  $\mathcal{C}$  ) Hetero-aggregation of nanoplastics with particulate species (bottom) and reduced hetero aggregation in the addition of (macro)molecules (top) D) Destabilization by high molecular weight 'nacro)molecules bridging nanoplastics (bottom), stabilization by (macro)molecule at high IS dominated on monovalent salts (top left) and stabilization with a complete coating of (macro)molecules in the provence of divalent cations (top right)

The effect of (macro)molecules on panoplastic stability depends on the nature of the (macro)molecules and their c ncc. tration, as well as the type and concentration of electrolytes (Buffle et al., 1998, Yu et al., 2018). While natural organic matter generally has an overall negative charge, some humic substances and proteins contain positively charged sections (Bunde charge, some humic substances and proteins contain positively charged sections (Bunde charge), 1998; .Z. Dong et al., 2020; Dubin et al., 1994; X. Li et al., 2021b; Wheeler et al., 2021). On one hand, negatively charged molecules entirely sorbed onto a nanoplastic particle, can stabilize it against aggregation by electrostatic and steric repulsion (i.e., the reduction of entropy and increase in osmotic repulsion as two layers of molecules overlap) (Napper, 1977; Fritz et al., 2002) (Figure 1D, top). This layer of sorbed materials, called an eco-corona, is formed spontaneously as nanoplastics enter the environment (Wheeler et al., 2021). It lends nanoplastics new properties (i.e., size, shape, surface charge & composition), which can modify its surface interactions and toxicity (Kihara et al., 2020; Paul et al., 2020). On the other hand, macromolecules can destabilize nanoplastics when their sorption reduces their diffusion coefficient and increases their gravity-driven behavior (Buffle et al., 1998; Enfrin et al., 2019). This

occurs particularly when (macro)molecules form bridges between two particles (Fritz et al., 2002) (Figure 1D, bottom). These processes will cause nanoplastics to remain dispersed in water types that contain high dissolved organic carbon (DOC) content and low alkalinity, such as in Rivers 2 and 3 (Table 1). However, this stabilization depends on the geographic and seasonal variability of organic matter concentrations (Stumm, 2003), as well as the chemical properties of the organic matter (Buffle et al., 1998).

Finally, particulate species (whether organic, mineral or a mixture of both) can act as surfaces onto which nanoplastics can be attracted and attached in a process called heteroaggregation (Figure 1C). As is the case for engineered nanomaterials, heteroaggregation destabilizes nanoplastics and can accelerate their settling (Li et al., 2016; Quik et al., 2014). Yet despite the importance of particles in the environment, measurement of particle concentrations in natural water is not standard practice and is sometimes only assessed indirectly, for example with measurements of turbidity or dry weight.

Solution

Table 1: Typical chemical characteristics of river water (Hammes et al., 2013), soil pore water (Fraters et al., 2017) and seawater (Benner, 2002; Stumm and Morgan, 1996). Ion concentration and ionic strength (IS) are in mmol  $L^{-1}$ , and dissolved organic carbon (DOC) concentration is in mg  $L^{-1}$  (\*surface +deep ocean). IS was calculated as  $\frac{1}{2}\sum_{i=1}^{n} z_{i}^{2} n_{i}$ 

Type of water body	River water 1	River water 2	River water 3	River water 4	River water 5	River water 6	Soil pore water	Soil pore water	Seawater
Geology, climate and land use	Acidic rocks and moraine deposits. Alpine and Nordic regions. Pasture and grazing.	Acidic to neutral bedrocks and moraines. Pasture and grazing	Crystalline rocks. Agriculture	Calcareous rocks. Arid regions. Forestry and grazing.	Calcareous rocks and loess deposits. Agriculture.	Calcareous rocks and siliceous glacio-fluvial deposits. Some regions with high agricul iral ac vity	Loess soil. Temperate maritime rgion. Pasture.	Loess soil. Temperate maritime region. Agricultural crops.	
Water characteristics	Low IS, DOC and alkalinity.	Low IS and alkalinity. Relatively high DOC concentrations.	Moderate alkalinity and IS. High concentrations of monovalent ions and DOC.	Higher Mg <sup>2+</sup> , Ca <sup>2+</sup> and HCO <sub>3</sub> <sup>-</sup> concentrations compared tc Na <sup>+</sup> and K <sup>+</sup> . Low L CC conc an 'at jus.	'Ii h . 'ka init, ^d .3.	High alkalinity, IS and SO <sub>4</sub> <sup>2-</sup> content.			High salinity. High concentration of multivalent ions. Low DOC concentrations
pH	$7.31\pm0.85$	$6.50\pm0.78$	$7.11 \pm 0.62$	$9.0\ell \pm 1.18$	$7.98 \pm 0.39$	$7.88 \pm 0.40$	7.46	8.42	7.7 to 8.3
[HCO3 <sup>-</sup> ]	$0.109\pm0.084$	$0.231\pm0.142$	$1.16 \pm 1.15$	$2.5 \pm 1.46$	$4.00 \pm 1.59$	$5.10\pm2.69$	-	-	2.33
[Cl <sup>.</sup> ]	$0.020\pm0.013$	$0.062\pm0.091$	0.362 ± 0 47	$0.113 \pm 0.111$	$0.542\pm0.370$	$3.86 \pm 12.3$	0.477	0.382	546
[SO4 <sup>2-</sup> ]	$0.021\pm0.020$	$0.026 \pm 0.021$	0 135 ± 11 +8	$0.201\pm0.291$	$0.543 \pm 0.714$	$1.90 \pm 3.30$	0.189	0.221 to 0.546	28.25
[NO3 <sup>-</sup> ]	$0.002\pm0.004$	$0.004 \pm 0.009$	0.16 ± 0.163	$0.040\pm0.065$	$0.219\pm0.221$	$0.332\pm0.293$	3.24	0.10 to 3.97	-
[K <sup>+</sup> ]	$0.005\pm0.005$	$0.012 \pm 0.006$	$0.061 \pm 0.048$	$0.022\pm0.014$	$0.067\pm0.038$	$0.237 \pm 0.397$	0.013	0.011 to 0.018	10.2
[Na <sup>+</sup> ]	$0.040\pm0.018$	$0.094 \pm 0.074$	$0.389 \pm 0.337$	$0.156\pm0.145$	$0.515\pm0.364$	$4.16 \pm 15.81$	0.561	0.244 to 0.309	468
[Mg <sup>2+</sup> ]	$0.015\pm0.013$	$0.041\pm0.024$	$0.201\pm0.151$	$0.316\pm0.276$	$0.589 \pm 0.428$	$1.31 \pm 1.45$	0.091	0.066 to 0.286	53.1
[Ca <sup>2+</sup> ]	$0.050\pm0.046$	$0.088 \pm 0.057$	$0.573 \pm 0.55$	$1.17\pm0.71$	$2.09\pm0.91$	$3.17\pm2.14$	1.63	1.45 to 3.57	10.3
DOC	1.84 ± 2.64	12.48 ± 9.79	11.05 ± 10.84	1.75 ± 1.99	4.6 ± 3.96	8.6 ± 6.5	4.8	4.4	0.7 to 1.0* 0.4 to 0.5+
IS	0.25	0.43	2.3	3.16	6.47	16.5	6.8	4 to 10	$\approx 700$

#### **2.3.** Approaches to assess nanoplastic fate

Thorough assessment of the environmental fate of nanoplastics requires three complementary approaches:

- i) Undertaking experiments that model the transport of nanoplastics in environmental systems; this approach can identify and quantify the processes that control the environmental fate of nanoplastics (Hendren et al., 2015).
- ii) Numerically modeling the behavior of nanoplastics by combining the rates and probabilities obtained experimentally with estimates of nanoplastic concentrations; numerical simulations can either predict are environmental fate of nanoplastics (Besseling et al., 2017) or model all possible scenarios to determine the key processes controlling the fate of nanoplastics (Clavier et al., 2019).
- iii) Quantifying and characterizing nanoplastics in environmental samples; this field data can be used to assess the validity of experimental and numerical studies.

These approaches have been used successfully to study natural, engineered, and incidental particles (Hochella et al., 2019). However, not all approaches are feasible for nanoplastics. For instance, characterization and quantification of nanoplastics in environmental samples is challenging because both nanoplastics and natural organic matter (NOM) are carbon-based, and NOM is orders of magnitude more abundant than nanoplastics (c.f.: Table 1). Will'le most methods cannot quantify nanoplastics in environmental matrices due to the presence of NOM (Gigault et al., 2021; Ivleva, 2021), recent analytical development's have enabled such quantification (Materić et al., 2022a; Li et al., 2022).

Therefore, experimental approaches are currently the dominant way of investigating the environmental fate of nanoplastics. Indeed, 82 out of the 84 studies reported here were experimental studies. Of the two remaining studies, one characterized nanoplastics in the environment and the other modeled nanoplastic interaction with a peptide. For the first field study, polyethylene, polystyrene and polyvinyl chloride nanoplastics were extracted from contaminated soil. This study showed that the nanoplastics formed heteroaggregates with naturally occurring species, but did not quantify nanoplastics (Wahl et al., 2021). The numerical modeling study showed that oligoalanine, a small model peptide, can undergo conformational changes (denaturation) when it aggregates with low molecular weight PE and polyamide (Nylon) particles (Hollóczki, 2021). The insights obtained from field samples and numerical models concur with the experimental

observations described below. However, more evidence from these approaches would be beneficial to develop a complete understanding of nanoplastic fate. The following section first highlights the major trends in how experiments were designed, then describes the main findings of the experimental studies.

# **3.** Lessons learned from experiments with nanoplastic particle models

As when studying other nanomaterials in the environment (Dal, et al., 2015; Hammes et al., 2013), two complementary types of experimental usigns are used for nanoplastics: 1) those that aim to gain insight into  $agg_{agg}$ , size, type of function) or the matrix (e.g., cations, anions, pH); and 2) those that to mimic the fate of nanoplastics by selecting environmentally representative manoplastic particle models and natural matrices (e.g., natural river water, seawate<sub>1</sub>).

On one hand, mechanistic studies identify r one itions that cause aggregation, and provide explanations for more environmentally relevant studies. On the other hand, experiments performed with environmentally realized conditions can be extrapolated to true environmental conditions and can ra/ic ate mechanistic studies. To bridge the gap between these two types of experimental designs and to better identity where more knowledge is needed, we mapped the environmental relevance of the experiments performed, based on the proposed. Framework for Relevance and Methods Evaluation (FRAME) (Surette et al.,  $7.02^{1}$ ).

# 3.1.Environment<sup>a</sup> relevance of nanoplastic particle models and solution chemistries

To assess the nature of the evidence gathered, we reviewed the 82 experimental studies, which assessed the environmental relevance of 163 particles and 377 solution chemistries (i.e., different electrolytes, dissolved and particulate species, without accounting for the different concentrations and pH). The environmental relevance was mapped in a two-dimensional matrix that included one score for the particles' environmental relevance and one score for the solution's environmental relevance. The number of experiments performed with a specific combination of these scores was reported in the matrix (Figure 2 and detailed in Tables 2 and 3).

The more diverse the mixture of species in a solution, the better it mimics the real environment. This forms the basis of our environmental relevance score. The criteria used to develop the score are primarily a function of the electrolyte composition. The presence of each (macro)molecule or particle adds one point to the score of environmental relevance (Table 2). Artificial water is defined as a mixtures of several electrolytes which mimic natural water. Biological growth media, which are used to culture organisms (e.g., cells, algae etc.) are considered to be artificial water, since they contain a mixture of several electrolytes. In some cases they contain organic molecules, such as vitamins. However, these are present in low concent. tions, so the score remained 5, unless (macro)molecules or particles were added. Fina ly, natural water has a score of 7. Since most natural water types were filtered be fore being used, the score of environmental relevance was also increased to 8 when (maxro)molecules and/or particles were added. While this ranking does not precisely measure increases in environmental relevance, it allows a rapid assessment of the types of experiments performed.

Solution Environmental Relevance Score	Solutio. Properties
1	DI vater only
2	D <sup>1</sup> , ate, with (macro)molecules and/or particulate species
3	One el ectrolyte only (e.g., just NaCl)
4	On electrolyte with (macro)molecules and/or particulate species
5	Artificial water only
6	Artificial water with (macro)molecules and/or particulate species
7	Natural water only
8	Natural water with added (macro)molecules and/or particulate species

Table 2: Details of parameters used for the solution and immental relevance scores

The environmental releval ce scores for nanoplastic particle models (Figure 2 and Table 3) were based on our understanding of the processes that generate incidental (i.e., secondary) nanoplastics in the environment. Primary nanoplastics (e.g. intentionally produced in the medical or agricultural sectors) were excluded, since their total mass in the environment is expected to be negligible compared to the incidentally released nanoplastics (Gigault et al., 2021). Nanoplastic particle models are either synthesized with bottom-up or top-down methods.

The bottom-up approach uses molecular components as starting material and links them with chemical reactions to form nanostructures. Lower scores were given to particle models produced from bottom-up synthesis methods for two reasons. First, these methods use surfactants and/or additives which are not expected in incidental

nanoplastics. The presence of surfactants and additives in the solution reduces the affinity of nanoplastics for other surfaces by masking surface charges and/or causing steric repulsion (Fan et al., 2015; Jódar-Reyes et al., 2006; Romero-Cano et al., 2001). Therefore, this modifies aggregation behavior in experiments and leads to erroneous hypotheses about the environmental fate of nanoplastics. Second, the most common bottom-up synthesis method, emulsion-polymerization, generates smooth, spherical particles with monodisperse sizes, called latex spheres. However, incidental nanoplastics are expected to have rough surfaces, to be non-spherical and polydisperse since they originate from a variety of primary materials and are generated by a variety of processes (e.g., photo-degradation or mechanical fragmentation).

Concerning particles produced from bottom-up methods, sc mextudies use latex spheres grafted with chemical moieties such as carboxylate, amine, and sulfonate. We name latex spheres according to their composition, the functional group that they contain, and their charge. For example, PSL-COOH(-) is a negatively charged polystyrene latex sphere with carboxylic acid (COOH) functional groups or it surface. Each surface functional group has specific ionization and complementation constants. This generates a specific surface charge depending on the solution composition (mainly its pH, IS and the presence of ions that can form complementation functional groups). Therefore, the surface functionalization of nanoplastics governs the environmentation of studies.

- Particles produced from bettom up processes that have sulfonate (SO<sub>3</sub>) and amine (NO<sub>2</sub>) surface-fur cumulization were given a score of 1. Additionally, a score of 1 is given to latex pheres that are stabilized by sulfate (SO<sub>4</sub>) ions (e.g., sodium dodecyl sulfate) although the distinction between SO<sub>3</sub> and SO<sub>4</sub> is not always clearly indicated. Sulfur is not representative of nanoplastics since it is not a component of plastic polymers, nor is it generated during mechanical abrasion, photo-oxidation or hydrolysis of plastics (Mattsson et al., 2015). Nitrogen is a component of a few polymers (e.g., polyurethane, polyamide, acrylonitrile and acrylonitrile butadiene styrene) (Geyer et al., 2017; International Organization for Standardization, 2013). However, amine functional groups are often grafted in high surface concentrations onto polymer latex spheres compared to concentrations expected in environmental nanoplastics (Molecular Probes, 2004), which warrants giving them a low score of environmental relevance.
- Nanoplastic particle models synthesized without surface functionalization (NF for non-functionalized) or with carboxylic functional groups have a score of 2,

since nanoplastics generated from mechanical degradation retain their original polymer chemistry and those formed by photo-oxidation (and to a lesser extent digestion, and hydrolysis) have carboxylic functional groups (Gewert et al., 2015; Rowenczyk et al., 2020).

• Particles produced by bottom-up methods and that were aged in a way that mimics environmental aging processes (e.g., UV-irradiation) have a score of 3.

The top-down approach starts with large objects and reduces their dimensions (generally with physical methods) to achieve nanoscale materials (Cao and Wang, 2004). The environmental relevance scores of nanoplastic particle models increases when they are produced from top-down methods since those methods m mic environmental degradation processes. Nanoplastic particle models generated with top-down processes from pre-production plastics or un-aged plastic objects have a score of 4. Nanoplastic particle models generated with top-down methods using plastics found in the environment have a score of 5, since they are formed by environmental degradation and transformation processes. The highest score, 6, was given to nanoplastics extracted from the environment.

Particle Environmental Relevance Score	Partic: Properties
1	Bottom-Up, NH <sub>2</sub> or SO <sub>3</sub>
2	Bottom-Up, non-functionalized (NF) or COOH
3	Bottom-Up particles aged
4	Top-Down from pristine plastic
5	Top-Down from environmental plastic
6	Environmental nanoplastic

 Table 3: Details of parameters used for the particle en ironmental relevance scores

Using this classification, Figure 2 reveals that :

- There is a consistent lack of environmentally relevant nanoplastic particle models: 91% of the experiments used non-aged nanoplastic particle models produced by bottom-up processes (particle environmental relevance scores of 1 and 2).
- Particles produced with bottom-up processes (scores 1 and 2) have been studied in a range of solution chemistries, to understand mechanisms and also to mimic environmental conditions.

- Only 6% of nanoplastic particle models produced from bottom-up methods were aged (score 3). 3% of studies used nanoplastic particle models produced with top-down methods and un-aged plastics (score 4).
- No experiment was performed with particle models produced with top-down methods from environmental plastic (score 5). Nor were experiments performed with real nanoplastics (score 6) since these cannot yet be extracted from environmental matrices for experimental investigation.



Figure 2: Two-dimensional matrix illustrating the number of times aggregation data was obtained from a given combination of particle environmental relevance score and solution environmental relevance score.

The chemical composition of the nanoplastic dispersions is not environmentally relevant because 83% of the polymer latex spheres dispersions contained surfactants (80% of the nanoplastic dispersions). Furthermore, the composition of the nanoplastic particle models does not reflect the composition of plastic debris. As illustrated in Figure 3, 94% of nanoplastic particle models are composed of PS, and only 6% of plastic waste is composed of PS. Conversely, less than 2% of nanoplastic particle models were composed of either polypropylene (PP) or polyethylene (PE), although these polymers compose about half of the plastic waste generated (Geyer et al., 2017) and are the dominant types of plastic polymer found in the environment (Schwarz et al., 2019).



Figure 3: Distribution of the c mposition of nanoplastic particle models used in the reviewed studies (inner circle, with PET = 1%, PE = 1%, PP = 1% and Others = 3%) and of plastic waste composition in 2015 according to Geyer et al (2017) (outer circle).

55% of latex spheres used in the literature were functionalized. Carboxylic and amine functional groups were the most common (24% and 26%, respectively). Four studies artificially aged PSL particles by photo-oxidation to increase their environmental relevance (Liu et al., 2019; Y. Mao et al., 2020; Wang et al., 2020; Xu et al., 2021). While these particles were increasingly hydrophilic and had a rougher surface, compared to the original PSL, they generally remained spherical (Figures 4a and Figure 4b).

Six nanoplastic particle models were produced using top-down methods: two nanoplastic particle models were produced from laser ablation of un-aged PET and PS (Magrì et al.,

2018; Yu et al., 2019), while four fragmental nanoplastic particle models were produced from mechanical abrasion of un-aged polymers (Astner et al., 2020; S. Dong et al., 2020; Pradel et al., 2021; Venel et al., 2021). Astner et al. (2020) produced fragmental nanoplastic particle models from a biodegradable agricultural mulch composed of polybutyrate adipate-co-terephthalate (PBAT). Dong et al. (2020) studied fragmental PET, whereas Venel et al. (2021) and Pradel et al. (2021) studied fragmental PS particles, using the same method as El Hadri et al. (2020).

Since top-down methods are less controlled than emulsion-polymerization, the morphology of the particles is more heterogenous than that of *ictex* spheres. This is illustrated in Figure 4, which shows high polydispersity in sizes and the irregular shapes and surface roughness of the fragmental PS nanoplastics Fig. 4c), compared to aged (Fig. 4b) and non-aged PSL (Fig. 4a). PBAT nanoplastic particle models have a surface roughness of 12 nm, which is significantly higher than PS1 's surface roughness of 1 nm (Astner et al., 2020). This roughness can increase the surface area onto which dissolved species can sorb, thereby modifying the sensiti *i*'y of particles to dissolved species. Furthermore, top-down processes do not parnit a controlled surface chemistry. This explains the small but significant differences in zeta potential and stability of fragmental PS nanoplastics produced using the same method (El Hadri et al., 2020; Pradel et al., 2021). So nanoplastic particle models produced from top-down processes must be characterized in depth to gain thorough understanding of what particle properties (e.g., charge, roughness, hydrophobicity) control their behavior. Furthermore, modeling the surface interaction energies of particles that are non-spherical and have rough surfaces, requires the use of the surface element integration (SEI) method (Huang et al., 2010; Vold, 1954). So far, to the best of our knowledge, the SEI method is only applicable to the van der Waals and en ctrostatic forces (classical DLVO) and does not integrate hydrophobic forces (XDLVO).



*Figure 4: SEM images of a) non-aged PSL-NF(-), b) PSL-NF(-) that were aged by UV-irradiation and c) fragmental nanoplastic particle models produced from mechanical abrasion of pre-production PS pellets* 

using the method of El Hadri et al. (2020) Figures 4a and 4b were re-used with permission from Mao et al. (2020.)

So far, all the nanoplastics produced by top-down processes used clean, new plastic objects. On the contrary, nanoplastics in the environment are produced from aged plastics objects, and therefore have different properties (e.g., leached additives, oxidized surface, etc.). A recent method developed by Blancho et al. (2021) to extract nanoplastics from the weathered surface of marine plastic debris is a promising method to generate environmentally relevant nanoplastic particle models. However, one of the important difficulties of extracting nanoplastics from environmental matures is the process of removing the NOM coating without disturbing the nanoplastic the vistry (Treilles et al., 2020).

# **3.2.**Rapid aggregation of nanoplastic particle models produced with top-down methods

PSL have been used for decades to investigate obload processes and develop classical colloidal theory. Unsurprisingly, the cor clurions drawn from mechanistic studies of nanoplastic aggregation are largely in agreen. In with classical colloidal theory. These aggregation mechanisms have been revieired extensively for PSL (Alimi et al., 2018) and for engineered nanomaterials (Bactorsha, 2017) and therefore will only be briefly described here. To quantify particles' susceptibility to aggregation, studies often determine the critical coagulation concentration (CCC), which is the minimal concentration of a salt required to provoke the maximum aggregation rate of particles. Conversely, the attachment efficiency of particles, which is the aggregation rate normalized by the maximum aggregation rate in a specific solution chemistry, is useful a useful metric to use an numerical models (Grolimund et al., 2001). Although homoaggregation is less environmentally relevant than heteroaggregation, determining the CCC for homoaggregation of nanoplastic particle models is useful to compare their sensitivity to the solution chemistry (e.g., ionic composition, IS, and pH).

Due to their high surface electronegativity, latex spheres are stable up to hundreds of mmol  $L^{-1}$  of monovalent ions in the pH range of natural water types (5 to 8), in agreement with the DLVO theory of colloidal stability. At pH 5, PSL-NF(-) have a CCC of 311 mmol  $L^{-1}$  NaCl, which is typical for CCC values of bottom-up particle models (X. Li et al., 2021b). As the pH increases, particles are increasingly negatively charged, which increases electrostatic repulsion and therefore, increases the CCC. PSL-NF(-) have a

CCC of 450 mmol L<sup>-1</sup> and 591 mmol L<sup>-1</sup> NaCl at pH 6 (Liu et al., 2019) and 7.5 (Y. Mao et al., 2020), respectively. Also, as PSL-NF(-) were increasingly photo-oxidized (environmental relevance score of 3), their electronegativity increased and their hydrophobicity decreased. This increased their stability in monovalent salts, as predicted by DLVO theory (Liu et al., 2019; Y. Mao et al., 2020; Xu et al., 2021). However, surfactants can cause PSL to remain stable when the electrical double layer (EDL) at the particle' surface is entirely screened (e.g., > 1000 mmol L<sup>-1</sup> monovalent electrolytes) (González-Fernández et al., 2019; Y. Mao et al., 2020; Yu et al., 2019).

Multivalent ions strongly destabilized nanoplastics with opposite charge. A few mmol L<sup>-1</sup> of multivalent cations can effectively destabilize negatively charged polymer latex spheres, even if they are non-functionalized (NF) (X. Li et al., 2020, 2021b; Liu et al., 2019; Y. Mao et al., 2020; Wang et al., 2021, 2020). In C. Cl<sub>2</sub>, BaCl<sub>2</sub>, and MgCl<sub>2</sub>, PSL-NF(-) had CCCs ranging from  $\approx$  30 to 40 mmol L<sup>-1</sup> at pH 7.5 (Liu et al. 2019; Mao et al. (2020). In trivalent cations, destabilization is even stronger with a CCC that is one order of magnit trie ower than with divalent ions (Y. Mao et al., 2020). However, as will be explained below, if the speciation of cations is not measured, the actual concentration of electrolytes (especially trivalent cations) is often overestimated, which introduces some error in the determination of the CCC. Divalent or trivalent ions can bridge particles of opposite charge by forming surface complexes. For example, as the surface products of UV-aged PSL-NF(-) increased, their stability in CaCl<sub>2</sub> decreased. This thows that Ca(II) was more likely to create bridges because of the increase in catiox<sub>2</sub><sup>-1</sup> ic functional groups produced by oxidation (Liu et al., 2019).

Nanoplastic particle mooc's produced by top-down methods are globally less stable than polymer latex spheres in ooth monovalent and divalent electrolytes. For example, the CCC of fragmental PET particles was 54 and 55 mmol L<sup>-1</sup> NaCl and KCl, respectively and 2 mmol L<sup>-1</sup> for both CaCl<sub>2</sub> and MgCl<sub>2</sub>, which is consistently one order of magnitude lower than for PSL-NF(-) (S. Dong et al., 2020). This reduced stability can be attributed to several differences in particle properties:

i) The absence of surfactants in the more environmentally relevant particle models decreases stability. For example, after removing surfactants from PSL-NF(-), the CCC of 140 mmol  $L^{-1}$  NaCl at pH 6 (Singh et al., 2019), whereas PSL-NF(-)with surfactants had a CCC of 591 and 310 mmol  $L^{-1}$  NaCl at pH 7.5 and 7.4, respectively (Y. Mao et al., 2020; Yu et al., 2019).

- ii) Mechanical abrasion processes used to produce fragmental nanoplastic particle models generate lower surface charge than functionalized nanoplastic particle models (El Hadri et al., 2020). This lower electronegativity reduces electrostatic repulsion and makes them more prone to aggregate. Astner et al. (2020) noticed aggregation of fragmental PBAT nanoplastic particle models with slight agitation in deionized water. This could be attributed to the particles' relatively low zeta potential (-22 ± 3.6 mV) (Astner et al., 2020). However, Magrì et al. (2018) noted that PET produced from laser ablation were stable in monovalent salts (CCC = 700 mmol L<sup>-1</sup> NaCl). This is explained by the fact that laser oblation can provoke photochemical interactions that mimic environmental photo-degradation (Zafiropoulos et al., 2000). This generates carbo ylic functional groups which increase the electronegativity of the particles (-36 mV).
- iii) Particles that have nonspherical and irreg lar hapes are suspected to have lower stability. Veclin et al. (2022) found unat surfactant-free PSL with varying degrees of electronegativity, with phobicity and surface roughness are significantly more stable in synthetic seawater than fragmental PS particles. This showed that  $sha_{1} \rightarrow fad$  a greater influence on homoaggregation compared to charge or hydrophobicity. However, in other experiments it is often difficult to separate the effects of surfactants, charge and shape. For example, laser-ablated PS vere systematically less stable than PSL-NF(-), PSL-COOH(-) and PSL-NH<sub>2</sub>(-) containing surfactants, in NaCl and CaCl<sub>2</sub> (Yu et al., 2019). Similarly, Pradel et al. (2021) observed that PSL-COOH (-) with surfactants L<sup>-1</sup> lot aggregate even at 770 mmol L<sup>-1</sup> NaCl (at pH 5, 6.5 and 8), whereas fragmental PS nanoplastics had a CCC of 59 and 67 mmol L<sup>-</sup> <sup>1</sup> NaCl at pH 6.5 and 8, respectively. Interestingly, fragmental PET particles had similar CCC values to fragmental PS particles: 54 and 110 mmol L<sup>-1</sup> NaCl at pH 6 and 10, respectively (S. Dong et al., 2020).

So, the CCC of 2 mmol L<sup>-1</sup> for both CaCl<sub>2</sub> and MgCl<sub>2</sub> for fragmental PET particles suggests that in freshwater, nanoplastics are expected to aggregate rapidly in more alkaline conditions (e.g., river water types 5 and 6). The highest aggregation rate is expected in seawater, due to the combination of high IS ( $\approx 0.7 \text{ mol L}^{-1}$ ), a high concentration of multivalent ions (e.g., Mg<sup>2+</sup>), and a low NOM content (Table 1). However, the behavior of environmentally relevant nanoplastic particle models in artificial water types (environmental relevance score of 5 and 6) has barely been studied.

Only one study of laser-ablated PET showed that, similar to polymer latex spheres, PET rapidly aggregated in a biological growth medium containing multivalent ions (Magrì et al., 2018). However, it is unclear whether all top-down particle models follow the same trend. For example, in CaCl<sub>2</sub> fragmental PET aggregates less as the pH increases (CCC = 2.1, 4.5 and 5.6 mmol L<sup>-1</sup> CaCl<sub>2</sub> at pH 6, 8 and 10, respectively) despite having carboxyl and hydroxyl surface groups which can be deprotonated and could bridge with Ca<sup>2+</sup>. This is contrary to what is observed with polymer latex spheres, and shows that we need more evidence on the aggregation of environmentally relevant nanoplastic particle models, especially in artificial water types.

#### 3.3. What about elemental speciation?

When performing aggregation experiments, it is imperative to consider the speciation of elements in solution, since ions can form different aqueous complexes as a function of solution pH and ionic composition. This complexation modifies IS and the reactivity and solubility of the species, which in turn modifies (ggregation. When ions form covalent bonds, the overall charge of the newly formed aqueous complex is lower than that of the free ions, which reduces the solution's onic strength. As an example, the IS of an electrolyte composed of Na<sub>2</sub>SO<sub>4</sub> is calculated as

 $IS = 0.5([Na^+] + [SO_4^{2^-}] \times 2^2 + [NaSO_4] + [HSO_4^{-}] + [OH^-] + [H^+])$ (1) whereas without considering ion speciation, the ionic strength is calculated as

$$S = 0.5([Na^+] + [SO_4^{2^-}] \times 2^2)$$
(2)

Comparing Equations 1 and 2 shows that forgetting to account for aqueous complexes overestimates IS. Furthermore, the presence of  $HSO_4^-$  shows that the solution pH is an essential parameter of speciation.

Trivalent cations tend to precipitate as hydroxides at intermediate and high pHs (Brown and Ekberg, 2016). Therefore, aggregation of PSL-NF(-) in these solutions is more likely caused by heteroaggregation rather than homoaggregation. Mao et al. (2020) performed experiments at pH 7.5 with Al concentrations ranging from 0.25 to 10 mmol L<sup>-1</sup> and Fe(III) concentrations from 0.1 to 10 mmol L<sup>-1</sup>. We performed geochemical modeling of these experimental conditions using PHREEQC software and sit database, and without considering the potential Al and Fe complexation onto PSL. This predicted that >95% and 100% of Al(III) and Fe(III) are present in solid form due to precipitation. Similarly, Fe(III) is present in a solid form in 0.01 and 1 mmol L<sup>-1</sup> FeCl<sub>3</sub> at pH 5.4 (data from Cai et al., 2018).

Geochemical speciation models provide information about solids or complexes that can form in different environments if they contain the equilibrium constants of all complexes and solids considered. For example, Singh et al. (2019) calculated that Hg(II) occurred mainly in the Hg(0) form at pH 6, whereas using an updated database (Lian et al., 2020), we calculated that Hg(II) is mainly in the HgCl<sub>2</sub> and HgOHCl forms. Also, Ramirez Arenas et al. (2020) calculated that Fe(III) mostly occurred as  $Fe(OH)_2^+$  at pH 8.2. However, by including precipitation as a possible process in the models, we calculated that Fe(III) is mainly present in solid form.

### 3.4. Heteroaggregation must be further investigate 1

When nanoplastics are incidentally generated from a plash, object and released into the environment, they are most likely to encounter natur. ly cccurring species. In the case where they are released in the technosphere (e.g., landlills or wastewater treatment plants) they will encounter anthropogenic species, such as contaminants or sludge. However, literature shows that nanoplastic agregation is most often investigated without the addition of (macro)molecuity or particles (64% of the experimental conditions reported). A quarter of the experimental conditions contained (macro)molecules, while only 7% contained particulate species and 3% contained both (macro)molecules and particulate species. In solutions with added (macro)molecules and/or particles, figure 5 shows that environmental (macro)molecules are most studied (31%), followed by biological (macro)molecules (30%) and anthropogenic (macro)molecules (16%). Frying imental and anthropogenic particles were studied in 16 and 7% of these solution. respectively. The shortage of heteroaggregation studies is particularly notable for en ironmentally relevant nanoplastic particle models (scores 4 and 5). Particulate species are present in all ecosystems and abundant in terrestrial ecosystems, so their impact on nanoplastic aggregation must be better understood.



Figure 5: Frequency at which different types of varial and anthropogenic species were studied in experiments that contain natural or anthropogenic model materials.

Nanoplastics heteroaggregate with mm(a  $^{-1}$  species of opposite charge due to attractive electrostatic forces. Yu et al. (2021) compared the heteroaggregation rates of PSL with various surface functionalizations (1°F(-), COOH(-) and NH<sub>2</sub>(+)), with either hematite (positively charged) or kaolinite (negatively charged). As expected, hematite and kaolinite strongly heteroaggregated with nanoplastics of opposite charge, in both NaCl and in CaCl<sub>2</sub>. In the pH range of natural water, PSL-COOH(-) only aggregated with the positively charged magnet te, goethite, and Al<sub>2</sub>O<sub>3</sub> minerals, but did not aggregate with negatively charged kaolinite, montmorillonite, MnO<sub>2</sub> and SiO<sub>2</sub> (Zhang et al., 2020).

Nanoplastics also heteroaggregate with particles of equal but lower surface charge. Singh et al. (2019) noted that PSL-NF(-) heteroaggregated with bentonite (montmorillonite) clay which had a lower negative charge (Singh et al., 2019). This heteroaggregation can also be due to the presence of some positively charged edges on the bentonite clay, and to the hydrophobic nature of bentonite (Worrall, 1968). PSL-NF(-) were also found to sorb onto slightly negatively charged (-7 mV) flocs of biologically active sludge from a wastewater treatment plant, through van der Waals attraction and hydrophobic interactions (H. Li et al., 2020). Interestingly a more environmentally

relevant nanoplastic particle model (fragmental PBAT, score 4) strongly heteroaggregates with vermiculite even in the absence of electrolytes (Astner et al., 2020).

With the addition of (macro)molecules, heteroaggregation processes are less easy to predict, but generally point to increased stability. Suspended sediments, which are natural mixtures of organic and mineral species extracted from a river bottom, significantly heteroaggregated with PSL-SO<sub>4</sub>(-) and induced settling in 50 to 500 mmol L<sup>-1</sup> NaCl. The addition of 10 mg L<sup>-1</sup> humic acid (HA) decreased the heteroaggregation rate due to steric repulsion (Li et al., 2019). Even the addition of low concentrations of HA (1 mgC L<sup>-1</sup>, which is lower than the clisse'ved organic carbon content of rivers in Table 1) reduced heteroaggregation rates on veen negatively charged PSL and positive hematite, in up to 300 mmol L<sup>-1</sup> Na<sup>-1</sup> (Yu et al., 2021). Similar behavior was observed for multi walled carbon nanotul es, vince 0.5 mg L<sup>-1</sup> HA inhibited their heteroaggregation with hematite nanoparticles in  $\frac{1}{20}$  mmol L<sup>-1</sup> NaCl (Huynh et al., 2012).

Overall, current evidence suggests most that all rivers have NOM concentrations that can effectively slow down heteroaggregation, at least in monovalent salts (i.e., >1mgC  $L^{-1}$  in Table 1). However, in soil pore water and in freshwater bodies that contain high concentrations of suspended sediments and low concentrations of HA (e.g., after high intensity rainfall events, in agricultured watersheds with exposed soils), nanoplastics could quickly heteroaggregate with naturally occurring particles (Praetorius et al., 2012). In terrestrial ecosystems, ranoplastics are expected to be closely associated with wastewater treatment for baselids, for example, which can lead to important cotransport of nanoplastics with biosolids, in sludge-amended soils (Keller et al., 2019). The recently developed cuspended particulate matter models could be used to provide environmentally-relevant rates of heteroaggregation (Walch et al., 2022).

Interactions between nanoplastics, dissolved and particulate matter have not been investigated with divalent or multivalent cations, although these cations can have strong destabilizing effects even in the presence of environmental or biological (macro)molecules (c.f.: following section). Furthermore, these conclusions are drawn from nanoplastic particle models with low environmental relevance (score 1 or 2). The absence of heteroaggregation studies using environmentally relevant nanoplastic particle models leads to uncertainty about true heteroaggregation and settling rates.

#### **3.5.** (Macro)molecules can either stabilize or destabilize nanoplastics

Since the stabilizing effect of (macro)molecules against heteroaggregation has seldom been investigated, we can gain insight by investigating the stabilizing effect of (macro)molecules against homoaggregation. In monovalent electrolytes, (macro)molecules have a stabilizing effect on nanoplastics due to electrostatic repulsion and, when sorbed onto particles, due to steric repulsion (Liu et al., 2019; Y. Mao et al., 2020; Singh et al., 2019). Various types of organic macromolecules effectively increased the stability of 10 mg  $L^{-1}$  PSL-NF(-) in 500 mmol L-1 NaCl at pH 6 (Liu et al., 2020). The stabilizing effect was most pronounced for HA, followed by cryine serum albumin (BSA), a protein which is abundant in blood plasma, extracellu ar polymeric substances, and sodium alginate (SA). Stabilization was attributed to steric repulsion, as supported by the measurement of the eco-corona thickness by XPS while differences in stability were attributed to the conformation of the differen m cromolecules. Interestingly, extracellular polymeric substances, which contain, mixture of proteins and polysaccharides, have a stabilizing effect interrediate between BSA and the polysaccharide SA (Liu et al., 2020). Similar ti nds in stability were observed for more environmentally relevant nanoplastic par 1clf models. Fragments of PS particles were more effectively stabilized by HA than SA (Tradel et al., 2021). The addition of fetal bovine serum, which contains a mixture of biological molecules (e.g., hormones, lipids, sugars, etc.), increased the CCC of las(r-iblated PET from 700 to over 4 000 mmol L<sup>-1</sup> NaCl (Magrì et al., 2018).

In the presence of divalent counterions, macromolecules either stabilized or destabilized nanoplastic particle models, depending on the relative concentration of divalent counterions, macromolecules and nanoplastics, the surface functional groups of the nanoplastics, and the macromolecule chemical and physical properties. For example, in 20 mmol L<sup>-1</sup> CaCl<sub>2</sub> at pH 6, the homoaggregation rate of 10 mg L<sup>-1</sup> PSL-NF(-) alone was lower than with (macro)molecules. Then, homoaggregation rate was higher in 1 and 2 mgC L<sup>-1</sup> of BSA and HA compared to 5 mgC L<sup>-1</sup> (Liu et al., 2020). This was due to bridging at low concentrations of (macro)molecules, and by a more complete coverage of particle surface at higher (macro)molecule concentration which increases steric repulsion. Similarly, at pH 7.4, 1 mgC L<sup>-1</sup> HA increased aggregation of 10 mg L<sup>-1</sup> PSL-NF(-) and larger concentrations (5 and 10 mgC L<sup>-1</sup>) reduced aggregation in CaCl<sub>2</sub> (Yu et al., 2019).

For more environmentally relevant particles, 1 mg  $L^{-1}$  HA was enough to increase stability of 10 mg  $L^{-1}$  fragmental PET in both NaCl (Figure 6b) and CaCl<sub>2</sub> at pH 6. This suggests that even in rivers with higher IS and hardness (3, 4 and 5), and in soil porewater, low concentrations of NOM can increase nanoplastic stability. However, whether these molecules effectively reduce heteroaggregation rates remains to be verified.



Figure 6: The effect of humic acid (HA) on attachment efficiencies of PSL-NF(-) (top) and fragmental PET (bottom) as a function of NaCl concentration. The arrows indicate increased stability. (Reproduced with permission from Yu et al. (2019) and S. Dong et al., (2020))

A couple of considerations should be kept in mind about the stabilizing effect of (macro)molecules. First, it is essential to reason in terms of particle number and surface area to compare studies. Collision rates are particle-number-dependent and (macro)molecule's sorption capacity is surface area-dependent. For nanoplastic particle models produced from top-down processes, a rigorous analysis of size distribution using several complementary techniques is essential to convert the mass of particles to the number and surface area of particles (Baalousha and Lead, 2012; Caputo et al., 2021). Second, while studying a range of (macro)molecule concentrations provides insight into

mechanisms, ultimately, mass concentrations of naturally occurring species that are lower or equal to nanoplastic mass concentrations has little environmental relevance. Indeed, bridging two nanoplastics by an organic (macro)molecule is an unlikely event, except at the surface of an aging plastic object. Finally, the eco-corona should also be tightly adsorbed onto the particle surface for steric repulsion to be effective in the environment, since other naturally occurring species (e.g., ligands, metal oxides, etc.) can compete for these (macro)molecules. Modeling steric repulsion provided by the ecocorona with the XDLVO theory is complicated by the fact that the solubility of molecules and the thickness of the coating must be known, but are difficult to determine for natural molecules in environmental systems (Fritz et al., 2002; Mapper, D.H., 1977). Indeed, as nanoplastics travel through different compartments (e.g., rivers, estuaries, ingestion by organisms, biofilms) their eco-corona evolves, thereby modifying their chemical identity and their environmental fate (Wheeler et al., 2021).

#### 3.6. Nanoplastic aggregation in naturar water types

Studying nanoplastic aggregation and setting matural water types is essential to validate the mechanisms investigated in  $sim_{\rm F}$  for solutions and to confirm our hypothesis about the environmental fate of nanoplastics. 37% of the experiments used natural water types (with environmental relevance scores of 7 and 8). Most (65%) of the studies were done with freshwater (mostly lakes, rivers, and aquifers, with only a few studies of rainwater and wastewater) and 2.5% of natural water samples came from seas and oceans (Figure 7). However, all of the experiments involved non-aged polymer latex spheres as the nanoplastic particle mode' (scores of 1 and 2).



*Figure 7: Relative proportion of different types of wate: .n. thich nanoplastic particle models were studied.* 

While negatively charged PSL aggregate rap. <sup>4</sup>ly in seawater (Grassi et al., 2020; Manfra et al., 2017; Tallec et al., 2019), their agg. <sup>a</sup>gation in freshwater is very dependent on the IS, on the concentrations of divalent chions, and of environmental and biological (macro)molecules (X. Li et al., 2021a, Wang et al., 2021). Indeed, Manfra et al. (2017) observed rapid aggregation of I SL COOH(-) in Mediterranean seawater, which had a high organic carbon concentration (13 mg L<sup>-1</sup>) despite having been filtered at 0.45  $\mu$ m. Other studies found that cath cellular polymeric substances, decreased the aggregation rate of both PSL-NF(-) (Summers et al., 2018) and PSL-COOH(-) (Grassi et al., 2020) in seawater. Interestingly, *P*LS-NH<sub>2</sub>(+) was often stable in seawater (Della Torre et al., 2014; Tallec et al., 2019). This stresses the fact that using nanoplastic particle models that are not environmentally relevant can lead to incorrect conclusions about their environmental fate.

In the presence of CeO<sub>2</sub> nanoparticles, negatively charged PSL aggregated rapidly in seawater. In freshwater they were generally more stable: no heteroaggregation was observed in river water, while some heteroaggregation was observed in lake water that had a low pH (5.35) and groundwater that had a very high IS (712 mmol L<sup>-1</sup>) (X. Li et al., 2020). In another study, PSL-NF(-) was more stable against homoaggregation in groundwater than in river water. While the IS of the groundwater was approximately

double the IS of the river water, the organic carbon concentration was almost double in the groundwater (3.33 mg  $L^{-1}$  vs. 1.90 mg  $L^{-1}$  in the river), which provided a stabilizing effect (Singh et al., 2019). Therefore, nanoplastics are expected to have longer residence times in freshwater types that are near neutral, and have a high NOM content, and a low water hardness (e.g., rivers 1, 2 and 3).

# 4. What we know about nanoplastic aggregation and what we need to know

We use the evidence gathered, to propose some hypotleses about nanoplastic aggregation pathways and their subsequent environmental fails. These are shown in Figure 8. Some uncertainty is caused by current knowle age gaps and illustrated with question marks. Homoaggregation has been shaded to illustrate that it has a low probability of occurring in the environment due to low nanoplastic concentrations (parts A and B, Fig. 8). However, studying homoalgregation in the presence of (macro)molecules has shown that the homoaggregation rate of nanoplastics is highly sensitive to the nature and concentration of classolved species (part D, Fig. 8). While it has been shown that (macro)molecules, such as HA, can effectively stabilize these particles in simple solution cheristications, the effect of (macro)molecules on heteroaggregation in artificial and matures water types must be investigated. There are very few studies of heteroaggregation, and only one study with environmentally relevant nanoplastic particle models. Despire this, current evidence suggests that particulate species strongly heteroaggregation and matures and may accelerate the settling rate (part C, Fig. 8).



Figure 8: Nanoplastics homoaggregation is n, likely to occur in A) monovalent and B) divalent electrolytes. Investigating homoaggregation is only relevant to characterize environmentally relevant nanoplastic particle models and understand be effect of naturally occurring species. C) The effect of particles on nanoplastic aggregation mist v, investigated in more depth, especially in the presence of (macro)molecules. D) Bridging of nanoplatics is a an unlikely event (bottom). It remains to be understood the extent to which nanoplastics can be stabilized by an eco-corona in the presence of monovalent cations (top left) and divalent cations (top righ.)

To gain a full picture of the environmental fate of nanoplastics, we suggest focusing on environmentally relevant nanoplastics, instead of exploring all particle properties. Nanoplastic particle models produced from pre-production plastics or un-aged plastic objects (environmental relevance score 4) are more sensitive to aggregation than commonly used polymer latex spheres (scores 1 to 3). To understand whether nanoplastics that are released from weathered plastic debris are also more sensitive to aggregation would require nanoplastic particle models produced with top-down methods from environmental plastics (score of 5). Methods to generate these nanoplastic particle models are being developed and provide hope for a better quantification of aggregation rates (Blancho et al., 2021; Villacorta et al., 2022).

Important insight can be gained by comparing the aggregation and settling rates of nanoplastics with those of natural colloids with similar physicochemical properties. For example, the body of knowledge about the environmental fate of engineered or natural carbon particles (e.g., graphene or carbon black, respectively) can inform us about the fate of nanoplastics (Sigmund et al., 2018). To develop a better understanding of aggregation processes requires a detailed characterization of the dissolved, colloidal, and particulate species present. Studies should move beyond considering filtration as a method that creates homogenous solutions and dispersions, and instead characterize the speciation of ionic species and the molecular weight, surface potential, and polydispersity of colloids.

A relationship between the nanoplastic heteroaggregation state and settling rates needs to be established to quantify nanoplastic flux to sedimen. (Waldschläger et al., 2022; Zhang et al., 2021). Indeed, the speed at which aggregates settle is highly dependent on aggregate porosity and fractal dimension (Johnson et  $\varepsilon_{1.1}$ , 1296). Without agitation, some aggregates can remain stable in a water column for a certain time (Rowenczyk et al., 2021; Wegner et al., 2012). With turbulence, whear stress breaks aggregates, thereby resuspending them (Adler, 1979; Chen et al., 2018; Summers et al., 2018). Therefore, investigating nanoplastic aggregation in dynamic systems can reveal insights about natural settling rates.

Developing the XDLVO model v incorporating the effects of surface roughness, nonspherical shape, and steric vacilization by macromolecules will help to advance the study of homo- and heteroage gation. The XDLVO model is limited to van der Waals, electrostatic and hydro, holic interactions for smooth and spherical particles. Interactions between nonspherical and/or rough particles does not integrate hydrophobic or steric interactions. Coupling chemical interactions (e.g., surface complexation) with the XLDVO physical interactions would greatly improve our ability to predict particle aggregation in natural water.

Finally, the development of numerical models underpinned by high-quality experimental research is a promising way to assess the fate of nanoplastics in the environment (Besseling et al., 2017; C. Li et al., 2021; Lins et al., 2022; Wang et al., 2021). The experimental designs and the metrics used (e.g., collision rate and attachment efficiency) should be discussed with modelers to make sure results can be used in their models. Experimental studies should report the experimental and analytical conditions used

according to the suggested guidelines (Kokalj et al., 2021) to facilitate comparison of results.

Our review of homoaggregation studies shows that nanoplastic particle models that are more environmentally relevant have higher attachment efficiencies. This is also expected to be the case for heteroaggregation. This has important implications since numerical simulations of the transport of nanoplastics are sensitive to attachment efficiencies. For example, a study that modeled the transport and retention of micro- and nanoplastic heteroaggregates in a river showed that increasing the attachment efficiency above 0.01 significantly reduced the retention of plastic particles smaller than 4  $\mu$ m in a riverbed (Besseling et al., 2017). In parallel to these experimenta, an 1 modeling efforts, overcoming the analytical challenges to quantify nanoplastics in environmental matrices will be essential to verify our hypothesis about the environmental fate of nanoplastics (Ivleva, 2021).

## 5. Method

All original research articles that were present in the Web of Science search engine on August  $16^{\text{th}}2021$  and containing the words nanoplastic(s) and stability, or nanoplastic(s) and aggregation, or nanoplastic(s) and  $\partial_{\mathcal{B}_{s}}$ -lomeration in either the article's title, abstract or keywords were collected.

This resulted in 87 articles, or which 3 were excluded. Two of them were excluded because they did not actually investigate the aggregation of nanoplastics, while one pertained to the aggregation at the interface between plant leaves and air. Of the remaining 84 articles, only two were not experimental studies. Within the 82 experimental studies a total of 163 different particle types were studied (Alimi et al., 2021; Astner et al., 2020; Bergami et al., 2019; Cai et al., 2018; Canesi et al., 2016; Chakraborty et al., 2021; Chen et al., 2018, 2020; Cunha et al., 2020; de Oliveira et al., 2020; Della Torre et al., 2014; S. Dong et al., 2020; Dong et al., 2019a, 2019b; Z. Dong et al., 2020; Eliso et al., 2020; Fadare et al., 2019; Frankel et al., 2020; Ganguly and Ariya, 2019; González-Fernández et al., 2021; H. Li et al., 2020; X. Li et al., 2021a, 2021b, 2020; Li et al., 2019; Z. Li et al., 2020; Ling Liu et al., 2021; Liuqingqing Liu et al., 2021; Q. Liu et al., 2021; Magrì et al., 2018; Manfra et al., 2017; Y. Mao et al., 2020; Mekaru, 2020; Mishra et al., 2019; Murano et al., 2021; Nolte

et al., 2017; Okshevsky et al., 2020; Oriekhova and Stoll, 2018; Pradel et al., 2021; Ramirez Arenas et al., 2020; Ramirez et al., 2019; Reynolds et al., 2019; Ripken et al., 2020; Rowenczyk et al., 2021; Saavedra et al., 2019; Schampera et al., 2021; Sendra et al., 2020, 2019; Seoane et al., 2019; Shiu et al., 2020a, 2020b; Shupe et al., 2021; Silva et al., 2020; Singh et al., 2021, 2019; Song et al., 2019; Summers et al., 2018; H. Sun et al., 2020; X.-D. Sun et al., 2020; Tallec et al., 2019; Trevisan et al., 2019; Vaz et al., 2021; Venel et al., 2021; Wang et al., 2021, 2020; Wegner et al., 2012; Wu et al., 2021, 2019; Xu et al., 2021; Yu et al., 2021, 2019; Zhang et al., 2019, 2018, 2020; Zheng et al., 2021). A few of the particles could come from the same provider and have the same properties but it was impossible to verify if they came from the same batches, therefore they were all considered to be distinct. These particles were 'lisp' rsed in a total of at least 377 different solution chemistries. A solution chemistry corresponds to a given combination of dissolved and particulate species but does not take into account all of the pH values or the varying concentrations .

The primary focus of most of the articles was ag\_r.g. tion and sedimentation processes (48% particles and 70% solution chemistries); to:'owed by studies of (eco)toxicity, (35% particles and 21% solutions); transport anc' dc position (9% particles and 5% solutions); and interaction with biogeochemic.<sup>1</sup> processes (8% particles and 4% solution chemistries). A summary of the 82 encoded studied is presented in the supplementary information.

# Acknowledgements

This work was supported by the French Ministry of Higher Education and Research, the French ANR through the program PLASTI-SCARE and the French Brittany Council through MONANO (SAD-Attractivité). Thank you to Mandy Ducy from Agence IMPAKT Scientifik Inc. for the illustrations. Thank you to Christa Bedwin for editing our work.

### References

- Adler, P.M., 1979. A Study of disaggregation effects in sedimentation. AIChE J. 25, 487–493. https://doi.org/10.1002/aic.690250314
- Alimi, O.S., Farner Budarz, J., Hernandez, L.M., Tufenkji, N., 2018. Microplastics and Nanoplastics in Aquatic Environments: Aggregation, Deposition, and Enhanced Contaminant Transport. Environmental Science & Technology 52, 1704–1724. https://doi.org/10.1021/acs.est.7b05559
- Alimi, O.S., Farner, J.M., Tufenkji, N., 2021. Exposure of nanoplastics to freeze-thaw leads to aggregation and reduced transport in model groundwater environments. Water Research 189, 116533. https://doi.org/10.1016/j.watres.2020.116533
- Allan, I.J., Samanipour, S., Manoli, K., Gigault, J., Fatta-Kassinos, D., 2022. Examining the Relevance of the Microplastic-Associated Additive Fraction in Environmental Compartments. ACS EST Water 2, 405–413. https://doi.org/10.1021/acsestwater.1c00310
- Allan, J., Sokull-Kluettgen, B., Patri, A., 2020. Global Symmit on Regulatory Science 2019 Nanotechnology and Nanoplastics. Publications Office of the European Union.
- Allen, D., Allen, S., Abbasi, S., Baker, A., Bergmann, M., Brahney, J., Butler, T., Duce, R.A., Eckhardt, S., Evangeliou, N., Jickells, T., Karakidou, M., Kershaw, P., Laj, P., Levermore, J., Li, D., Liss, P., Liu, K., Mahovalu, N., Masque, P., Materić, D., Mayes, A.G., McGinnity, P., Osvath, I., Prather, Y. A., Prospero, J.M., Revell, L.E., Sander, S.G., Shim, W.J., Slade, J., Stein, A., Tarawa, O., Wright, S., 2022. Microplastics and nanoplastics in the marine-atmas<sub>1</sub> here environment. Nat Rev Earth Environ. https://doi.org/10.1038/s43017-627-/0292-x
- Allen, S., Allen, D., Phoenix, V.R., Le Roux, G., Durántez Jiménez, P., Simonneau, A., Binet, S., Galop, D., 2019. Atmospheric transport and deposition of microplastics in a remote mountain catchment. Nature Gradicience. https://doi.org/10.1038/s41561-019-0335-5
- Andrady, A.L., Neal, M.A., 2009 Applications and societal benefits of plastics. Phil. Trans. R. Soc. B 364, 1977–1984 https://doi.org/10.1098/rstb.2008.0304
- Astner, A.F., Hayes, D.G., Pingali, S.V., O'Neill, H.M., Littrell, K.C., Evans, B.R., Urban, V.S., 2020. Effects of soil particles and convective transport on dispersion and aggregation of nanoplactics via small-angle neutron scattering (SANS) and ultra SANS (USANS). PLoS ON) 15, e0235893. https://doi.org/10.1371/journal.pone.0235893
- Baalousha, M., 2017. Ftrect of nanomaterial and media physicochemical properties on nanomaterial aggregation kinetics. NanoImpact 6, 55–68. https://doi.org/10.1016/j.impact.2016.10.005
- Baalousha, M., Lead, J.R., 2012. Rationalizing Nanomaterial Sizes Measured by Atomic Force Microscopy, Flow Field-Flow Fractionation, and Dynamic Light Scattering: Sample Preparation, Polydispersity, and Particle Structure. Environ. Sci. Technol. 46, 6134– 6142. https://doi.org/10.1021/es301167x
- Benner, R., 2002. Chapter 3 Chemical Composition and Reactivity, in: Hansell, D.A., Carlson, C.A. (Eds.), Biogeochemistry of Marine Dissolved Organic Matter. Academic Press, San Diego, pp. 59–90. https://doi.org/10.1016/B978-012323841-2/50005-1
- Bergami, E., Krupinski Emerenciano, A., González-Aravena, M., Cárdenas, C.A., Hernández, P., Silva, J.R.M.C., Corsi, I., 2019. Polystyrene nanoparticles affect the innate immune system of the Antarctic sea urchin Sterechinus neumayeri. Polar Biol 42, 743–757. https://doi.org/10.1007/s00300-019-02468-6

- Bergmann, M., Mützel, S., Primpke, S., Tekman, M.B., Trachsel, J., Gerdts, G., 2019. White and wonderful? Microplastics prevail in snow from the Alps to the Arctic. Sci. Adv. 5, eaax1157. https://doi.org/10.1126/sciadv.aax1157
- Besseling, E., Quik, J.T.K., Sun, M., Koelmans, A.A., 2017. Fate of nano- and microplastic in freshwater systems: A modeling study. Environmental Pollution 220, 540–548. https://doi.org/10.1016/j.envpol.2016.10.001
- Blancho, F., Davranche, M., Fumagalli, F., Ceccone, G., Gigault, J., 2021. A reliable procedure to obtain environmentally relevant nanoplastic proxies. Environ. Sci.: Nano Accepted.
- Blancho, F., Davranche, M., Marsac, R., Léon, A., Dia, A., Grassl, B., Reynaud, S., Gigault, J., 2022. Metal-binding processes on nanoplastics: rare earth elements as probes. Environ. Sci.: Nano 9, 2094–2103. https://doi.org/10.1039/D2EN00048B
- Brahney, J., Mahowald, N., Prank, M., Cornwell, G., Klimont, Z., Matsui, H., Prather, K.A., 2021. Constraining the atmospheric limb of the plastic cycle. Proc. Natl. Acad. Sci. U.S.A. 118, e2020719118. https://doi.org/10.1073/pnas.2020719118
- Brown, P.L., Ekberg, C., 2016. Hydrolysis of metal ions. Wilzy-VCH Verlag GmbH & Co. KGaA.
- Buffle, J., , Leeuwen, Herman P. van., 1992. Environmer tai particles. Volume 1 Volume 1. Lewis, Boca Raton (Fla.).
- Buffle, J., Wilkinson, K.J., Stoll, S., Filella, M., Zhang J., 1998. A Generalized Description of Aquatic Colloidal Interactions: The Three-c Iloi lal Component Approach. Environ. Sci. Technol. 32, 2887–2899. https://doi.org/10.1021/es980217h
- Cai, L., Hu, L., Shi, H., Ye, J., Zhang, Y., Kim, J. 2018. Effects of inorganic ions and natural organic matter on the aggregation of complastics. Chemosphere 197, 142–151. https://doi.org/10.1016/j.chemosphere.2218.01.052
- Canesi, L., Ciacci, C., Fabbri, R., Balbi, T. Salis, A., Damonte, G., Cortese, K., Caratto, V., Monopoli, M.P., Dawson, K., Bergani, E., Corsi, I., 2016. Interactions of cationic polystyrene nanoparticles with marine bivalve hemocytes in a physiological environment: Role of soluble hemolymph proteins. Environmental Research 150, 73– 81. https://doi.org/10.1016/j.envies.2016.05.045
- Cao, G., Wang, Y., 2004. Na. ostructures and nanomaterials: Synthesis, properties and applications.
- Caputo, F., Vogel, R., Savage, J. Vella, G., Law, A., Della Camera, G., Hannon, G., Peacock, B., Mehn, D., Ponti, J., Geiss, O., Aubert, D., Prina-Mello, A., Calzolai, L., 2021. Measuring particle size distribution and mass concentration of nanoplastics and microplastics: a dressing some analytical challenges in the sub-micron size range. Journal of Colloid and Interface Science 588, 401–417. https://doi.org/10.1016/j.jcis.2020.12.039
- Catrouillet, C., Mazeaud, B., Grassl, B., Blancho, F., Gigault, J., Speciation of metals in solution: a new paradigm for the nanoplastics aggregation evaluation (Submitted)
- Chakraborty, D., Naik, S., Kumar, S., Chandrasekaran, N., Mukherjee, A., 2021. Exploring the interactions between protein coronated CdSe quantum dots and nanoplastics. New J. Chem. 45, 7951–7958. https://doi.org/10.1039/D1NJ00441G
- Chamas, A., Moon, H., Zheng, J., Qiu, Y., Tabassum, T., Jang, J.H., Abu-Omar, M., Scott, S.L., Suh, S., 2020. Degradation Rates of Plastics in the Environment. ACS Sustainable Chem. Eng. 8, 3494–3511. https://doi.org/10.1021/acssuschemeng.9b06635
- Chen, C.-S., Le, C., Chiu, M.-H., Chin, W.-C., 2018. The impact of nanoplastics on marine dissolved organic matter assembly. Science of The Total Environment 634, 316–320. https://doi.org/10.1016/j.scitotenv.2018.03.269

- Chen, Z., Liu, J., Chen, C., Huang, Z., 2020. Sedimentation of nanoplastics from water with Ca/Al dual flocculants: Characterization, interface reaction, effects of pH and ion ratios. Chemosphere 126450. https://doi.org/10.1016/j.chemosphere.2020.126450
- Clavier, A., Praetorius, A., Stoll, S., 2019. Determination of nanoparticle heteroaggregation attachment efficiencies and rates in presence of natural organic matter monomers. Monte Carlo modelling. Science of The Total Environment 650, 530–540. https://doi.org/10.1016/j.scitotenv.2018.09.017
- Cunha, C., Silva, L., Paulo, J., Faria, M., Nogueira, N., Cordeiro, N., 2020. Microalgal-based biopolymer for nano- and microplastic removal: a possible biosolution for wastewater treatment. Environmental Pollution 263, 114385. https://doi.org/10.1016/j.envpol.2020.114385
- Dale, A.L., Casman, E.A., Lowry, G.V., Lead, J.R., Viparelli, E., Baalousha, M., 2015. Modeling Nanomaterial Environmental Fate in Aquatic Systems. Environ. Sci. Technol. 49, 2587–2593. https://doi.org/10.1021/es505076w
- Dawson, A.L., Kawaguchi, S., King, C.K., Townsend, K A. King, R., Huston, W.M., Bengtson Nash, S.M., 2018. Turning microplastics into na ioplastics through digestive fragmentation by Antarctic krill. Value Communications 9. https://doi.org/10.1038/s41467-018-03465-9
- de Oliveira, T.T.S., Andreu, I., Machado, M.C., Vimbela, G., Tripathi, A., Bose, A., 2020. Interaction of Cyanobacteria with Nanomete, and Micron Sized Polystyrene Particles in Marine and Fresh Water Langmuir 36, 3963–3969. https://doi.org/10.1021/acs.langmuir.9b036 4
- Della Torre, C., Bergami, E., Salvati, A., Fale i, Cirino, P., Dawson, K.A., Corsi, I., 2014. Accumulation and Embryotoxicity of Polystyrene Nanoparticles at Early Stage of Development of Sea Urchin Embryor *Paracentrotus lividus*. Environ. Sci. Technol. 48, 12302–12311. https://doi.org/10.1021/es502569w
- Derjaguin, B., Landau, L., 1941. Theory of the stability of strongly charged lyophobic sols and of the adhesion of strongly charged particles in solutions of electrolytes. Progress in Surface Science 43, 30–59
- Dong, S., Cai, W., Xia, J., Sheng, L., Wang, W., Liu, H., 2020. Aggregation kinetics of fragmental PET nanople stics in aqueous environment: Complex roles of electrolytes, pH and humine acid. Environmental Pollution 115828. https://doi.org/10.1016/j.envpol.2020.115828
- Dong, Z., Hou, Y., Hai, W., Liu, M., Wang, J., Qiu, Y., 2020. Protein corona-mediated transport of nanoplastics in seawater-saturated porous media. Water Research 182, 115978. https://dc.org/10.1016/j.watres.2020.115978
- Dong, Z., Zhang, W., Qiu, Y., Yang, Z., Wang, J., Zhang, Y., 2019a. Cotransport of nanoplastics (NPs) with fullerene (C60) in saturated sand: Effect of NPs/C60 ratio and seawater salinity. Water Research 148, 469–478. https://doi.org/10.1016/j.watres.2018.10.071
- Dong, Z., Zhu, L., Zhang, W., Huang, R., Lv, X., Jing, X., Yang, Z., Wang, J., Qiu, Y., 2019b.
   Role of surface functionalities of nanoplastics on their transport in seawater-saturated sea sand. Environmental Pollution 255, 113177.
   https://doi.org/10.1016/j.envpol.2019.113177
- Dubin, P.L., Gao, J., Mattison, K., 1994. Protein Purification by Selective Phase Separation with Polyelectrolytes. Separation and Purification Methods 23, 1–16. https://doi.org/10.1080/03602549408001288

- Efimova, I., Bagaeva, M., Bagaev, A., Kileso, A., Chubarenko, I.P., 2018. Secondary Microplastics Generation in the Sea Swash Zone With Coarse Bottom Sediments: Laboratory Experiments. Front. Mar. Sci. 5, 313. https://doi.org/10.3389/fmars.2018.00313
- El Hadri, H., Gigault, J., Maxit, B., Grassl, B., Reynaud, S., 2020. Nanoplastic from mechanically degraded primary and secondary microplastics for environmental assessments. NanoImpact 100206. https://doi.org/10.1016/j.impact.2019.100206
- Elhacham, E., Ben-Uri, L., Grozovski, J., Bar-On, Y.M., Milo, R., 2020. Global human-made mass exceeds all living biomass. Nature 588, 442–444. https://doi.org/10.1038/s41586-020-3010-5
- Elimelech, M. (Ed.), 1998. Particle deposition and aggregation: measurement, modelling and simulation, Colloid and surface engineering series. Butterworth-Heinemann, Oxford.
- Eliso, M.C., Bergami, E., Manfra, L., Spagnuolo, A., Corsi, I., 2020. Toxicity of nanoplastics during the embryogenesis of the ascidian Ciona "busta (Phylum Chordata). Nanotoxicology 14, 1415–1431. https://doi.org/10.1080/17-35390.2020.1838650
- Enfrin, M., Dumée, L.F., Lee, J., 2019. Nano/microplastics in water and wastewater treatment processes Origin, impact and potential solutions. Vater Research 161, 621–638. https://doi.org/10.1016/j.watres.2019.06.049
- Eriksen, M., Mason, S., Wilson, S., Box, C., Zellers, A Ldwards, W., Farley, H., Amato, S., 2013. Microplastic pollution in the surface waters of the Laurentian Great Lakes. Marine Pollution Bull tin 77, 177–182. https://doi.org/10.1016/j.marpolbul.2013.11.007
- Fadare, O.O., Wan, B., Guo, L.-H., Xin, Y., Qin, V., Yang, Y., 2019. Humic acid alleviates the toxicity of polystyrene nanople in particles to Daphnia magna. Environ. Sci.: Nano 6, 1466–1477. https://doi.org/10..03//C8EN01457D
- Fan, W., Jiang, X., Lu, Y., Huo, M., Lin, S., Ceng, Z., 2015. Effects of surfactants on graphene oxide nanoparticles transport n. saturated porous media. Journal of Environmental Sciences 35, 12–19. https://doi.org/10.1016/j.jes.2015.02.007
- Filella, M., 2007. Colloidal Properties of Submicron Particles in Natural Waters, in: Wilkinson, K.J., Lead, J.R. (Eds.), E. vironmental Colloids and Particles. John Wiley & Sons, Ltd, Chichester, UK, pp. 17-93. https://doi.org/10.1002/9780470024539.ch2
- Frankel, R., Ekvall, M.T., Kelpsiene, E., Hansson, L.-A., Cedervall, T., 2020. Controlled protein mediated agg. gation of polystyrene nanoplastics does not reduce toxicity towards *Dapi nia magna*. Environ. Sci.: Nano 7, 1518–1524. https://doi.org/10.1039/C9EN01236B
- Fraters, D., Boom, G.J.F.L., Boumans, L.J.M., de Weerd, H., Wolters, M., 2017. Extraction of soil solution by drainage centrifugation—effects of centrifugal force and time of centrifugation on soil moisture recovery and solute concentration in soil moisture of loess subsoils. Environmental Monitoring and Assessment 189, 83. https://doi.org/10.1007/s10661-017-5788-7
- Fritz, G., Schädler, V., Willenbacher, N., Wagner, N.J., 2002. Electrosteric Stabilization of Colloidal Dispersions. Langmuir 18, 6381–6390. https://doi.org/10.1021/la015734j
- Ganguly, M., Ariya, P.A., 2019. Ice Nucleation of Model Nanoplastics and Microplastics: A Novel Synthetic Protocol and the Influence of Particle Capping at Diverse Atmospheric Environments. ACS Earth Space Chem. 3, 1729–1739. https://doi.org/10.1021/acsearthspacechem.9b00132

- GESAMP, 2015. Sources, fate and effects of microplastics in the marine environment: a global assessment, GESAMP Reports & Studies Series. GESAMP (Group of Experts on the Scientific Aspects of Marine Environmental Protection).
- Gewert, B., Plassmann, M.M., MacLeod, M., 2015. Pathways for degradation of plastic polymers floating in the marine environment. Environmental Science: Processes & Impacts 17, 1513–1521. https://doi.org/10.1039/C5EM00207A
- Geyer, R., Jambeck, J.R., Law, K.L., 2017. Production, use, and fate of all plastics ever made. Science Advances 3, e1700782. https://doi.org/10.1126/sciadv.1700782
- Gigault, J., El Hadri, H., Nguyen, B., Grassl, B., Rowenczyk, L., Tufenkji, N., Feng, S., Wiesner, M., 2021. Nanoplastics are neither microplastics nor engineered nanoparticles. Nature Nanotechnology 16, 501–507. https://doi.org/10.1038/s41565-021-00886-4
- Gigault, J., Pedrono, B., Maxit, B., Halle, A.T., 2016. Marine plastic litter: the unanalyzed nano-fraction. Environ. Sci.: Nano 3, 346–350. https://api.org/10.1039/C6EN00008H
- González-Fernández, C., Toullec, J., Lambert, C., Le Goïc, M. Seoane, M., Moriceau, B., Huvet, A., Berchel, M., Vincent, D., Courcot, L., Sou lant P., Paul-Pont, I., 2019. Do transparent exopolymeric particles (TEP) affect the toxicity of nanoplastics on Chaetoceros neogracile? Environmental Pollution 250, 873–882. https://doi.org/10.1016/j.envpol.2019.04.093
- Grassi, G., Gabellieri, E., Cioni, P., Paccagnini, E., F. <sup>1</sup>eri, C., Lupetti, P., Corsi, I., Morelli, E., 2020. Interplay between extracellular poly lei r substances (EPS) from a marine diatom and model nanoplastic through *cc*-corona formation. Science of The Total Environment 725, 138457. https://doi.org/10.1016/j.scitotenv.2020.138457
- Grolimund, D., Elimelech, M., Borkovec, M., 2001. Aggregation and deposition kinetics of mobile colloidal particles in Astrial porous media. Colloids and Surfaces A: Physicochemical and Engineering Aspects 191, 179–188. https://doi.org/10.1016/S0927-7.57(01)00773-7
- Hammes, J., Gallego-Urrea, J.A., Passellöv, M., 2013. Geographically distributed classification of surface water chemical parameters influencing fate and behavior of nanoparticles and colloid facilitated contaminant transport. Water Research 47, 5350– 5361. https://doi.org/10.1010/j.watres.2013.06.015
- Hendren, C.O., Lowry, G.V., Unrine, J.M., Wiesner, M.R., 2015. A functional assay-based strategy for nanomaterial risk forecasting. Science of The Total Environment 536, 1029–1037. https://dci.org/10.1016/j.scitotenv.2015.06.100
- Hiemenz, P.C., Rajago<sub>1</sub> lan, Raj., 1997. Principles of colloid and surface chemistry. Dekker, New York; Basel. Hong Kong.
- Hochella, M.F., Mogk, D.W., Ranville, J., Allen, I.C., Luther, G.W., Marr, L.C., McGrail, B.P., Murayama, M., Qafoku, N.P., Rosso, K.M., Sahai, N., Schroeder, P.A., Vikesland, P., Westerhoff, P., Yang, Y., 2019. Natural, incidental, and engineered nanomaterials and their impacts on the Earth system. Science 363, eaau8299. https://doi.org/10.1126/science.aau8299
- Hollóczki, O., 2021. Evidence for protein misfolding in the presence of nanoplastics. Int J Quantum Chem 121. https://doi.org/10.1002/qua.26372
- Hotze, E.M., Phenrat, T., Lowry, G.V., 2010. Nanoparticle Aggregation: Challenges to Understanding Transport and Reactivity in the Environment. Journal of Environment Quality 39, 1909. https://doi.org/10.2134/jeq2009.0462

- Huang, X., Bhattacharjee, S., Hoek, E.M.V., 2010. Is Surface Roughness a "Scapegoat" or a Primary Factor When Defining Particle–Substrate Interactions? Langmuir 26, 2528– 2537. https://doi.org/10.1021/la9028113
- Huynh, K.A., McCaffery, J.M., Chen, K.L., 2012. Heteroaggregation of Multiwalled Carbon Nanotubes and Hematite Nanoparticles: Rates and Mechanisms. Environ. Sci. Technol. 46, 5912–5920. https://doi.org/10.1021/es2047206
- International Organization for Standardization, 2013. Plastics ISO 472:2013(E/F).
- Israelachvili, J.N., 2015. Intermolecular and surface forces.
- IUPAC, 1997. Colloidally Stable, in: Compendium of Chemical Terminology (the "Gold Book"). Second Edition. Compiled by A. D. McNaught and A. Wilkinson. Blackwell Scientific Publications.
- Ivleva, N.P., 2021. Chemical Analysis of Microplastics and Nanoplastics: Challenges, Advanced Methods, and Perspectives. Chem. Rev. https://doi.org/10.1021/acs.chemrev.1c00178
- Jódar-Reyes, A.B., Ortega-Vinuesa, J.L., Martín-Rodríguez, A., 2026. Electrokinetic behavior and colloidal stability of polystyrene latex coated w th ionic surfactants. Journal of Colloid and Interface Science 297, 170–181. https://doi.org/10.1016/j.jcis.2005.10.033
- Johnson, C.P., Li, X., Logan, B.E., 1996. Settling Velocitica of Fractal Aggregates. Environ. Sci. Technol. 30, 1911–1918. https://doi.org/10.1021/es950604g
- Keller, A.S., Jimenez-Martinez, J., Mitrano, D.M., 2<sup>1</sup>19. Transport of nano- and microplastic through unsaturated porous media from se wag<sup>2</sup> sludge application. Environ. Sci. Technol. acs.est.9b06483. https://doi.org 11.1021/acs.est.9b06483
- Khoshnamvand, M., Hanachi, P., Ashtiani, S., Waltor, T.R., 2021. Toxic effects of polystyrene nanoplastics on microalgae Chloral volgaris: Changes in biomass, photosynthetic pigments and morphology. Chemosphere 280, 130725. https://doi.org/10.1016/j.chemosphere 2021.130725
- Kihara, S., Köper, I., Mata, J.P., McGhl'ivray, D.J., 2020. Reviewing nanoplastic toxicology: It's an interface problem. A gences in Colloid and Interface Science 102337. https://doi.org/10.1016/j.cic 2020.102337
- Kihara, S., van der Heijden, N.J., Seal, C.K., Mata, J.P., Whitten, A.E., Köper, I., McGillivray, D.J., 2019. Soft and Hard Interactions between Polystyrene Nanoplastics and Human Serum Albumin Protein Corona. Bioconjugate Chem. 30, 1067–1076. https://doi.org/10.1021/c.cs.bioconjchem.9b00015
- Klein, S., Worch, E., Kn pper, T.P., 2015. Occurrence and Spatial Distribution of Microplastics n. Kiver Shore Sediments of the Rhine-Main Area in Germany. Environmental Science & Technology 49, 6070–6076. https://doi.org/10.1021/acs.est.5b00492
- Koelmans, A.A., Besseling, E., Foekema, E., Kooi, M., Mintenig, S., Ossendorp, B.C., Redondo-Hasselerharm, P.E., Verschoor, A., van Wezel, A.P., Scheffer, M., 2017. Risks of Plastic Debris: Unravelling Fact, Opinion, Perception, and Belief. Environ. Sci. Technol. 51, 11513–11519. https://doi.org/10.1021/acs.est.7b02219
- Kokalj, A.J., Hartmann, N.B., Drobne, D., Potthoff, A., Kühnel, D., 2021. Quality of nanoplastics and microplastics ecotoxicity studies: Refining quality criteria for nanomaterial studies. Journal of Hazardous Materials 415, 125751. https://doi.org/10.1016/j.jhazmat.2021.125751
- Labbez, C., Jönsson, B., Skarba, M., Borkovec, M., 2009. Ion–Ion Correlation and Charge Reversal at Titrating Solid Interfaces. Langmuir 25, 7209–7213. https://doi.org/10.1021/la900853e

- Lambert, S., Wagner, M., 2016. Characterisation of nanoplastics during the degradation of polystyrene. Chemosphere 145, 265–268. https://doi.org/10.1016/j.chemosphere.2015.11.078
- Lead, J.R., Wilkinson, K.J., 2007. Environmental Colloids and Particles: Current Knowledge and Future Developments, in: Wilkinson, K.J., Lead, J.R. (Eds.), Environmental Colloids and Particles. John Wiley & Sons, Ltd, Chichester, UK, pp. 1–15. https://doi.org/10.1002/9780470024539.ch1
- Lechner, A., Keckeis, H., Lumesberger-Loisl, F., Zens, B., Krusch, R., Tritthart, M., Glas, M., Schludermann, E., 2014. The Danube so colourful: a potpourri of plastic litter outnumbers fish larvae in Europe's second largest river. Environmental pollution (Barking, Essex : 1987) 188, 177—181. https://doi.org/10.1016/j.envpol.2014.02.006
- Lenz, R., Enders, K., Nielsen, T.G., 2016. Microplastic exposure studies should be environmentally realistic. Proceedings of the National Academy of Sciences 113, E4121–E4122. https://doi.org/10.1073/pnas.160661511.
- Li, C., Ma, Y., Liu, X., Huang, R., Su, R., Qi, W., Che, J., He, Z., 2021. Synergistic effect of polystyrene nanoplastics and contaminants on the promotion of insulin fibrillation. Ecotoxicology and Environmental Catety 214, 112115. https://doi.org/10.1016/j.ecoenv.2021.112115
- Li, H., Xu, S., Wang, S., Yang, J., Yan, P., Chen, Y., Guo, J., Fang, F., 2020. New insight into the effect of short-term exposure to polystyrence nanoparticles on activated sludge performance. Journal of Water Process Engineering 38, 101559. https://doi.org/10.1016/j.jwpe.2020.1015.39
- Li, L., Sillanpää, M., Risto, M., 2016. Influer ce. of water properties on the aggregation and deposition of engineered titarium dioxide nanoparticles in natural waters. Environmental Pollution 219, 132-158. https://doi.org/10.1016/j.envpol.2016.09.080
- Li, X., He, E., Jiang, K., Peijnenburg, W.J.C. M., Qiu, H., 2021a. The crucial role of a protein corona in determining the aggregation kinetics and colloidal stability of polystyrene nanoplastics. Wat r Research 190, 116742. https://doi.org/10.1016/j.wetre. 2020.116742
- Li, X., He, E., Xia, B., Liu, Y., Zhang, P., Cao, X., Zhao, L., Xu, X., Qiu, H., 2021b. Protein corona-induced aggregation of differently sized nanoplastics: impacts of protein type and concentration. Environ. Sci.: Nano 8, 1560–1570. https://doi.org/10.1052/D1EN00115A
- Li, X., He, E., Xia, B., Van Gestel, C.A.M., Peijnenburg, W.J.G.M., Cao, X., Qiu, H., 2020. Impact of CeO<sub>2</sub> panoparticles on the aggregation kinetics and stability of polystyrene nanoplastics: Importance of surface functionalization and solution chemistry. Water Research 186, 116324. https://doi.org/10.1016/j.watres.2020.116324
- Li, Y., Wang, X., Fu, W., Xia, X., Liu, C., Min, J., Zhang, W., Crittenden, J.C., 2019. Interactions between nano/micro plastics and suspended sediment in water: Implications on aggregation and settling. Water Research 161, 486–495. https://doi.org/10.1016/j.watres.2019.06.018
- Li, Z., Feng, C., Wu, Y., Guo, X., 2020. Impacts of nanoplastics on bivalve: Fluorescence tracing of organ accumulation, oxidative stress and damage. Journal of Hazardous Materials 392, 122418. https://doi.org/10.1016/j.jhazmat.2020.122418
- Li, Q., Lai, Y., Li, P., Liu, X., Yao, Z., Liu, J., Yu, S., 2022. Evaluating the Occurrence of Polystyrene Nanoparticles in Environmental Waters by Agglomeration with Alkylated Ferroferric Oxide Followed by Micropore Membrane Filtration Collection and Py-

GC/MS Analysis. Environ. Sci. Technol. 56, 8255–8265. https://doi.org/10.1021/acs.est.2c02033

- Lian, P., Guo, L., Devarajan, D., Parks, J.M., Painter, S.L., Brooks, S.C., Smith, J.C., 2020. The AQUA-MER databases and aqueous speciation server: A web resource for multiscale modeling of mercury speciation. J Comput Chem 41, 147–155. https://doi.org/10.1002/jcc.26081
- Libes, S.M., 2009. Introduction to marine biogeochemistry, 2nd ed. ed. Academic Press, Amsterdam; Boston.
- Lins, T.F., O'Brien, A.M., Zargartalebi, M., Sinton, D., 2022. Nanoplastic State and Fate in Aquatic Environments: Multiscale Modeling. Environ. Sci. Technol. 56, 4017–4028. https://doi.org/10.1021/acs.est.1c03922
- Liu, L., Fokkink, R., Koelmans, A.A., 2016. Sorption of polycyclic aromatic hydrocarbons to polystyrene nanoplastic: Sorption of PAHs to nanoplastic. Environ Toxicol Chem 35, 1650–1655. https://doi.org/10.1002/etc.3311
- Liu, Ling, Song, J., Zhang, M., Jiang, W., 2021. Aggregation and Deposition Kinetics of Polystyrene Microplastics and Nanoplastics in Aquatic Environment. Bulletin of Environmental Contamination and Toxicology. http://doi.org/10.1007/s00128-021-03239-y
- Liu, Liuqingqing, Zheng, H., Luan, L., Luo, X., Wang, X., Lu, H., Li, Y., Wen, L., Li, F., Zhao, J., 2021. Functionalized polystyrene na oplistic-induced energy homeostasis imbalance and the immunomodulation dysfur stice of marine clams (*Meretrix meretrix*) at environmentally relevant concentrations. Environ. Sci.: Nano 8, 2030–2048. https://doi.org/10.1039/D1EN00212K
- Liu, Q., Li, L., Zhao, X., Song, K., 2021 An evaluation of the effects of nanoplastics on the removal of activated-sludge nutrient, and production of short chain fatty acid. Process Safety and Environment.! Protection 148, 1070–1076. https://doi.org/10.1016/j.psep.2021.02.029
- Liu, Y., Hu, Y., Yang, C., Chen, C. Puong, W., Dang, Z., 2019. Aggregation kinetics of UV irradiated nanoplastics in aquatic environments. Water Research 163, 114870. https://doi.org/10.1016/i..vatres.2019.114870
- Liu, Y., Huang, Z., Zhou, J., Tang, J., Yang, C., Chen, C., Huang, W., Dang, Z., 2020. Influence of environmental and biological macromolecules on aggregation kinetics of nanoplastics in equatic systems. Water Research 186, 116316. https://doi.org/10.1015/j.watres.2020.116316
- Lusher, A.L., Tirelli, V., O Connor, I., Officer, R., 2015. Microplastics in Arctic polar waters: the first reported values of particles in surface and sub-surface samples. Scientific Reports 5, 14947. https://doi.org/10.1038/srep14947
- Magrì, D., Sánchez-Moreno, P., Caputo, G., Gatto, F., Veronesi, M., Bardi, G., Catelani, T., Guarnieri, D., Athanassiou, A., Pompa, P.P., Fragouli, D., 2018. Laser Ablation as a Versatile Tool To Mimic Polyethylene Terephthalate Nanoplastic Pollutants: Characterization and Toxicology Assessment. ACS Nano 12, 7690–7700. https://doi.org/10.1021/acsnano.8b01331
- Manfra, L., Rotini, A., Bergami, E., Grassi, G., Faleri, C., Corsi, I., 2017. Comparative ecotoxicity of polystyrene nanoparticles in natural seawater and reconstituted seawater using the rotifer Brachionus plicatilis. Ecotoxicology and Environmental Safety 145, 557–563. https://doi.org/10.1016/j.ecoenv.2017.07.068
- Mao, R., Lang, M., Yu, X., Wu, R., Yang, X., Guo, X., 2020. Aging mechanism of microplastics with UV irradiation and its effects on the adsorption of heavy metals.

Journal of Hazardous Materials 122515. https://doi.org/10.1016/j.jhazmat.2020.122515

- Mao, Y., Li, H., Huangfu, X., Liu, Y., He, Q., 2020. Nanoplastics display strong stability in aqueous environments: Insights from aggregation behaviour and theoretical calculations. Environmental Pollution 258, 113760. https://doi.org/10.1016/j.envpol.2019.113760
- Materić, D., Holzinger, R., Niemann, H., 2022a. Nanoplastics and ultrafine microplastic in the Dutch Wadden Sea The hidden plastics debris? Science of The Total Environment 846, 157371. https://doi.org/10.1016/j.scitotenv.2022.157371
- Materić, D., Kjær, H.A., Vallelonga, P., Tison, J.-L., Röckmann, T., Holzinger, R., 2022b. Nanoplastics measurements in Northern and Southern polar ice. Environmental Research 208, 112741. https://doi.org/10.1016/j.envres.2022.112741
- Materić, D., Ludewig, E., Brunner, D., Röckmann, T., Holzinger, R., 2021. Nanoplastics transport to the remote, high-altitude Alps. Environmental Pollution 288, 117697. https://doi.org/10.1016/j.envpol.2021.117697
- Mattsson, K., Björkroth, F., Karlsson, T., Hassellöv, M. 2(21. Nanofragmentation of Expanded Polystyrene Under Simulated Environmental Weathering (Thermooxidative Degradation and Hydrodynamic Turbulence). Cont. Mar. Sci. 7, 578178. https://doi.org/10.3389/fmars.2020.578178
- Mattsson, K., Hansson, L.-A., Cedervall, T., 2015. 1 and plastics in the aquatic environment. Environmental Science: Processes & Impacts 17, 1712–1721. https://doi.org/10.1039/C5EM00227C
- Mekaru, H., 2020. Effect of Agitation Method on the Nanosized Degradation of Polystyrene Microplastics Dispersed in Water. ACS Omega 5, 3218–3227. https://doi.org/10.1021/acsomega.9b'/3278
- Mishra, P., Vinayagam, S., Duraisamv, K., F. til, S.R., Godbole, J., Mohan, A., Mukherjee, A., Chandrasekaran, N., 2019. Distinctive impact of polystyrene nano-spherules as an emergent pollutant toward the chvironment. Environ Sci Pollut Res 26, 1537–1547. https://doi.org/10.1007/s1135t C18-3698-z
- Mitrano, D.M., Wohlleben, W., 2020. Microplastic regulation should be more precise to incentivize both innovation and environmental safety. Nat Commun 11, 5324. https://doi.org/10.1038/.41467-020-19069-1
- Molecular Probes, 2004. Working With FluoSpheres Fluorescent Microspheres.
- Murano, C., Bergami, I., I. beratori, G., Palumbo, A., Corsi, I., 2021. Interplay Between Nanoplastics and the Immune System of the Mediterranean Sea Urchin Paracentrotus lividus. Front. Mp... Sci. 8, 647394. https://doi.org/10.3389/fmars.2021.647394
- Napper, D.H., 1977. Steric stabilization. Journal of Colloid and Interface Science 58, 390–407. https://doi.org/10.1016/0021-9797(77)90150-3
- Nolte, T.M., Hartmann, N.B., Kleijn, J.M., Garnæs, J., van de Meent, D., Jan Hendriks, A., Baun, A., 2017. The toxicity of plastic nanoparticles to green algae as influenced by surface modification, medium hardness and cellular adsorption. Aquatic Toxicology 183, 11–20. https://doi.org/10.1016/j.aquatox.2016.12.005
- Okshevsky, M., Gautier, E., Farner, J.M., Schreiber, L., Tufenkji, N., 2020. Biofilm formation by marine bacteria is impacted by concentration and surface functionalization of polystyrene nanoparticles in a species-specific manner. Environmental Microbiology Reports 12, 203–213. https://doi.org/10.1111/1758-2229.12824

- Oriekhova, O., Stoll, S., 2018. Heteroaggregation of nanoplastic particles in the presence of inorganic colloids and natural organic matter. Environ. Sci.: Nano 5, 792–799. https://doi.org/10.1039/C7EN01119A
- Paul, M.B., Stock, V., Cara-Carmona, J., Lisicki, E., Shopova, S., Fessard, V., Braeuning, A., Sieg, H., Böhmert, L., 2020. Micro- and nanoplastics – current state of knowledge with the focus on oral uptake and toxicity. Nanoscale Adv. 10.1039.D0NA00539H. https://doi.org/10.1039/D0NA00539H
- Peijnenburg, W.J.G.M., Baalousha, M., Chen, J., Chaudry, Q., Von der kammer, F., Kuhlbusch, T.A.J., Lead, J., Nickel, C., Quik, J.T.K., Renker, M., Wang, Z., Koelmans, A.A., 2015. A Review of the Properties and Processes Determining the Fate of Engineered Nanomaterials in the Aquatic Environment. Critical Reviews in Environmental Science and Technology 45, 2084–2134. https://doi.org/10.1080/10643389.2015.1010430
- Peng, G., Bellerby, R., Zhang, F., Sun, X., Li, D., 2020. The ocoun's ultimate trashcan: Hadal trenches as major depositories for plastic pollution. Waker Research 168, 115121. https://doi.org/10.1016/j.watres.2019.115121
- Persson, L., Carney Almroth, B.M., Collins, C.D., Cornel', S., de Wit, C.A., Diamond, M.L., Fantke, P., Hassellöv, M., MacLeod, M., Ryler, M.W., Søgaard Jørgensen, P., Villarrubia-Gómez, P., Wang, Z., Hauschild, M Z., 2022. Outside the Safe Operating Space of the Planetary Boundary for Novel E vitil s. Environ. Sci. Technol. 56, 1510– 1521. https://doi.org/10.1021/acs.est.1c04158
- Pradel, A., Ferreres, S., Veclin, C., El Hadri, F., Gautier, M., Grassl, B., Gigault, J., 2021. Stabilization of Fragmental Polystyrenc Nurceplastic by Natural Organic Matter: Insight into Mechanisms. AC: EST Water 1, 1198–1208. https://doi.org/10.1021/acsestwa.cr.Cc00283
- Praetorius, A., Scheringer, M., Hungerbühle., K., 2012. Development of Environmental Fate Models for Engineered Nanopa. ticles—A Case Study of TiO2 Nanoparticles in the Rhine River. Environ. Sci. T ct., ?!. 46, 6705–6713. https://doi.org/10.1021/es204530n
- Provencher, J.F., Ammendolia, J., Rechman, C.M., Mallory, M.L., 2019. Assessing plastic debris in aquatic food webs: what we know and don't know about uptake and trophic transfer. Environ. Rev. 27, 304–317. https://doi.org/10.1139/er-2018-0079
- Quik, J.T.K., Velzeboer, I., Vouterse, M., Koelmans, A.A., van de Meent, D., 2014. Heteroaggregation and cedimentation rates for nanomaterials in natural waters. Water Research 48, 269–271. https://doi.org/10.1016/j.watres.2013.09.036
- Ramirez Arenas, L., Ramseier Gentile, S., Zimmermann, S., Stoll, S., 2020. Coagulation of TiO<sub>2</sub>, CeO<sub>2</sub> nand particles, and polystyrene nanoplastics in bottled mineral and surface waters. Effect of water properties, coagulant type, and dosage. Water Environment Research 92, 1184–1194. https://doi.org/10.1002/wer.1313
- Ramirez, L., Ramseier Gentile, S., Zimmermann, S., Stoll, S., 2019. Behavior of TiO2 and CeO2 Nanoparticles and Polystyrene Nanoplastics in Bottled Mineral, Drinking and Lake Geneva Waters. Impact of Water Hardness and Natural Organic Matter on Nanoparticle Surface Properties and Aggregation. Water 11, 721. https://doi.org/10.3390/w11040721
- Reynolds, A., Giltrap, M., Chambers, G., 2019. Evaluation of non-invasive toxicological analysis of nano-polystyrene in relative *in vivo* conditions to *D. magna*. Environ. Sci.: Nano 6, 2832–2849. https://doi.org/10.1039/C9EN00434C
- Ripken, C., Khalturin, K., Shoguchi, E., 2020. Response of Coral Reef Dinoflagellates to Nanoplastics under Experimental Conditions Suggests Downregulation of Cellular

Metabolism. Microorganisms 8, https://doi.org/10.3390/microorganisms8111759

- Rockström, J., Steffen, W., Noone, K., Persson, Å., Chapin, F.S., Lambin, E.F., Lenton, T.M., Scheffer, M., Folke, C., Schellnhuber, H.J., Nykvist, B., de Wit, C.A., Hughes, T., van der Leeuw, S., Rodhe, H., Sörlin, S., Snyder, P.K., Costanza, R., Svedin, U., Falkenmark, M., Karlberg, L., Corell, R.W., Fabry, V.J., Hansen, J., Walker, B., Liverman, D., Richardson, K., Crutzen, P., Foley, J.A., 2009. A safe operating space for humanity. Nature 461, 472–475. https://doi.org/10.1038/461472a
- Romero-Cano, M.S., Martín-Rodríguez, A., de las Nieves, F.J., 2001. Electrosteric Stabilization of Polymer Colloids with Different Functionality. Langmuir 17, 3505-3511. https://doi.org/10.1021/la0016591
- Rowenczyk, L., Dazzi, A., Deniset-Besseau, A., Beltran, V., Goudounèche, D., Wong-Wah-Chung, P., Boyron, O., George, M., Fabre, P., Roux, C., Mingotaud, A.-F., ter Halle, A., 2020. Microstructure characterization of oceanic polyethylene debris. Environ. Sci. Technol. acs.est.9b07061. https://doi.org/10.1021/acs.ect 9u07061
- Rowenczyk, L., Leflaive, J., Clergeaud, F., Minet, A., Ferrol, J., Gauthier, L., Gigault, J., Mouchet, F., Ory, D., Pinelli, E., Albignac, M., Roux, C., Mingotaud, A.F., Silvestre, J., Ten-Hage, L., ter Halle, A., 2021. Heteroaggre and of Polystyrene Nanospheres and Organic Matter: Preparation, Characterization and Evaluation of Their Toxicity to Algae in Environmentally Relevant Conditions. Nanomaterials 11. 482. https://doi.org/10.3390/nano11020482
- Saavedra, J., Stoll, S., Slaveykova, V.I., 2019. Ir nv ence of nanoplastic surface charge on ecocorona formation, aggregation and tox ci. 2 to freshwater zooplankton. Environmental Pollution 252, 715–722. https://do<sup>:</sup>.o.g/19.1016/j.envpol.2019.05.135
- SAPEA, (Science Advice for Policy by Lyr pean Academies), 2019. A Scientific Perspective on Microplastics in Nature and Socie.y. Berlin: SAPEA.
- Schampera, C., Wolinska, J., Bacheliei, J.B., de Souza Machado, A.A., Rosal, R., González-Pleiter, M., Agha, R., 2021. Lix Soure to nanoplastics affects the outcome of infectious disease in phytoplankten. Environmental Pollution 277. 116781. https://doi.org/10.1016/i. vvpol.2021.116781
- Schwarz, A.E., Ligthart, T.N., Poukris, E., van Harmelen, T., 2019. Sources, transport, and accumulation of differen.<sup>+</sup> types of plastic litter in aquatic environments: A review study. Pollition 92-100. Marine Bulletin 143. https://doi.org/10 101 5/j.marpolbul.2019.04.029
- Sendra, M., Carrasco-ы ganza, M.I., Yeste, P.M., Vila, M., Blasco, J., 2020. Immunotoxicity of polystyrene .anoplastics in different hemocyte subpopulations of Mytilus galloprovincialis. Sci Rep 10, 8637. https://doi.org/10.1038/s41598-020-65596-8
- Sendra, M., Staffieri, E., Yeste, M.P., Moreno-Garrido, I., Gatica, J.M., Corsi, I., Blasco, J., 2019. Are the primary characteristics of polystyrene nanoplastics responsible for toxicity and ad/absorption in the marine diatom Phaeodactylum tricornutum? Environmental Pollution 249, 610–619. https://doi.org/10.1016/j.envpol.2019.03.047
- Seoane, M., González-Fernández, C., Soudant, P., Huvet, A., Esperanza, M., Cid, Á., Paul-Pont, I., 2019. Polystyrene microbeads modulate the energy metabolism of the marine Chaetoceros Environmental diatom neogracile. Pollution 251, 363-371. https://doi.org/10.1016/j.envpol.2019.04.142
- Shiu, R.-F., Vazquez, C.I., Chiang, C.-Y., Chiu, M.-H., Chen, C.-S., Ni, C.-W., Gong, G.-C., Quigg, A., Santschi, P.H., Chin, W.-C., 2020a. Nano- and microplastics trigger secretion of protein-rich extracellular polymeric substances from phytoplankton.

Science of The Total Environment 748, 141469. https://doi.org/10.1016/j.scitotenv.2020.141469

- Shiu, R.-F., Vazquez, C.I., Tsai, Y.-Y., Torres, G.V., Chen, C.-S., Santschi, P.H., Quigg, A., Chin, W.-C., 2020b. Nano-plastics induce aquatic particulate organic matter (microgels) formation. Science of The Total Environment 706, 135681. https://doi.org/10.1016/j.scitotenv.2019.135681
- Shupe, H.J., Boenisch, K.M., Harper, B.J., Brander, S.M., Harper, S.L., 2021. Effect of Nanoplastic Type and Surface Chemistry on Particle Agglomeration over a Salinity Gradient. Environ Toxicol Chem 40, 1820–1826. https://doi.org/10.1002/etc.5030
- Sigmund, G., Jiang, C., Hofmann, T., Chen, W., 2018. Environmental transformation of natural and engineered carbon nanoparticles and implications for the fate of organic contaminants. Environ. Sci.: Nano 5, 2500–2518. https://doi.org/10.1039/C8EN00676H
- Silva, M.S.S., Oliveira, M., Valente, P., Figueira, E., Martins, M., Pires, A., 2020. Behavior and biochemical responses of the polychaeta Hedisto alversicolor to polystyrene nanoplastics. Science of The Total Environment 707, 134434. https://doi.org/10.1016/j.scitotenv.2019.134434
- Singh, N., Bhagat, J., Tiwari, E., Khandelwal, N., Darb'ia, C.K., Shyama, S.K., 2021. Metal oxide nanoparticles and polycyclic aromatic hydrocarbons alter nanoplastic's stability and toxicity to zebrafish. Journal of Ha: ardous Materials 407, 124382. https://doi.org/10.1016/j.jhazmat.2020.124382
- Singh, N., Tiwari, E., Khandelwal, N., Darbhe, G.K., 2019. Understanding the stability of nanoplastics in aqueous environments: e1.20. of ionic strength, temperature, dissolved organic matter, clay, and heavy mctals. Environ. Sci.: Nano 6, 2968–2976. https://doi.org/10.1039/C9EN00.57/
- Song, Y.K., Hong, S.H., Eo, S., Han, G.M., Jhim, W.J., 2020. Rapid Production of Micro- and Nanoplastics by Fragmentation of Expanded Polystyrene Exposed to Sunlight. Environ. Sci. Technol. 54, 11191–112 JC. https://doi.org/10.1021/acs.est.0c02288
- Song, Z., Yang, X., Chen, F., Zhoo Y., Zhao, Y., Ruan, L., Wang, Y., Yang, Y., 2019. Fate and transport of nanoplastics in complex natural aquifer media: Effect of particle size and surface functionalization. Science of The Total Environment 669, 120–128. https://doi.org/10.1016/j.scitotenv.2019.03.102
- Stumm, W., 2003. Chemical per cesses regulating the composition of lake waters, in: The Lakes Handbook. (ohn Wiley & Sons, Ltd, pp. 79–106. https://doi.org/10/1002/9780470999271.ch4
- Stumm, W., Morgan, J J, 1996. Aquatic chemistry: chemical equilibria and rates in natural waters. Wiley, New York.
- Summers, S., Henry, T., Gutierrez, T., 2018. Agglomeration of nano- and microplastic particles in seawater by autochthonous and de novo-produced sources of exopolymeric substances. Marine Pollution Bulletin 130, 258–267. https://doi.org/10.1016/j.marpolbul.2018.03.039
- Sun, H., Jiao, R., Wang, D., 2020. The difference of aggregation mechanism between microplastics and nanoplastics: Role of Brownian motion and structural layer force. Environmental Pollution 115942. https://doi.org/10.1016/j.envpol.2020.115942
- Sun, X.-D., Yuan, X.-Z., Jia, Y., Feng, L.-J., Zhu, F.-P., Dong, S.-S., Liu, J., Kong, X., Tian, H., Duan, J.-L., Ding, Z., Wang, S.-G., Xing, B., 2020. Differentially charged nanoplastics demonstrate distinct accumulation in Arabidopsis thaliana. Nat. Nanotechnol. 15, 755–760. https://doi.org/10.1038/s41565-020-0707-4

- Surette, M.C., Nason, J.A., Harper, S., Mitrano, D.M., 2021. What is "Environmentally relevant"? A framework to advance research on the environmental fate and effects of engineered nanomaterials. Environ. Sci.: Nano. https://doi.org/10.1039/D1EN00162K
- Tallec, K., Blard, O., González-Fernández, C., Brotons, G., Berchel, M., Soudant, P., Huvet, A., Paul-Pont, I., 2019. Surface functionalization determines behavior of nanoplastic solutions in model aquatic environments. Chemosphere 225, 639–646. https://doi.org/10.1016/j.chemosphere.2019.03.077
- Ter Halle, A., Jeanneau, L., Martignac, M., Jardé, E., Pedrono, B., Brach, L., Gigault, J., 2017. Nanoplastic in the North Atlantic Subtropical Gyre. Environmental Science & Technology 51, 13689–13697. https://doi.org/10.1021/acs.est.7b03667
- Thompson, R.C., 2004. Lost at Sea: Where Is All the Plastic? Science 304, 838–838. https://doi.org/10.1126/science.1094559
- Treilles, R., Cayla, A., Gaspéri, J., Strich, B., Ausset, P., Tassin, B., 2020. Impacts of organic matter digestion protocols on synthetic, artificial and natural raw fibers. Science of The Total Environment 748, 141230. https://doi.org/10.1016/j.scitotenv.2020.141230
- Trevisan, R., Voy, C., Chen, S., Di Giulio, R.T., 2019. Nanop last cs Decrease the Toxicity of a Complex PAH Mixture but Impair Mitochondria Energy Production in Developing Zebrafish. Environ. Sci. Tech.ol. 53, 8405–8415. https://doi.org/10.1021/acs.est.9b02003
- Vaz, V.P., Nogueira, D.J., Vicentini, D.S., Matia, V.G., 2021. Can the sonication of polystyrene nanoparticles alter the acute tox cit, and swimming behavior results for Daphnia magna? Environmental Science and Pollution Research 28, 14192–14198. https://doi.org/10.1007/s11356-021-12.45.
- Veclin, C., Desmet, C., Pradel, A., Valseria, A., Ponti, J., El Hadri, H., Maupas, T., Pellerin, V., Gigault, J., Grassl, B., Reynard S., 2022. Effect of the Surface Hydrophobicity– Morphology–Functionality of Nano<sub>P</sub> astics on Their Homoaggregation in Seawater. ACS EST Water acsestwater.1cC0263. https://doi.org/10.1021/acsestwater.1c00263
- Velzeboer, I., Kwadijk, C.J.A.F., Korlmans, A.A., 2014. Strong Sorption of PCBs to Nanoplastics, Microplastics, Corbon Nanotubes, and Fullerenes. Environ. Sci. Technol. 48, 4869–4876. https://dc.org/10.1021/es405721v
- Venel, Z., Tabuteau, H., Prade, A., Pascal, P.-Y., Grassl, B., El Hadri, H., Baudrimont, M., Gigault, J., 2021. Environmental Fate Modeling of Nanoplastics in a Salinity Gradient Using a Lab-on-2-Chip: Where Does the Nanoscale Fraction of Plastic Debris Accumulate? Environ. Sci. Technol. 55, 3001–3308. https://doi.org/101021/acs.est.0c07545
- Verwey, E.J.W., Overbeek, J.Th.G., Van Nes, K., 1948. Theory of the stability of lyophobic colloids: the interaction of sol particles having an electric double layer. Elsevier, Amsterdam [etc].
- Villacorta, A., Rubio, L., Alaraby, M., López-Mesas, M., Fuentes-Cebrian, V., Moriones, O.H., Marcos, R., Hernández, A., 2022. A new source of representative secondary PET nanoplastics. Obtention, characterization, and hazard evaluation. Journal of Hazardous Materials 439, 129593. https://doi.org/10.1016/j.jhazmat.2022.129593
- Vold, M.J., 1954. Van der Waals' attraction between anisometric particles. Journal of Colloid Science 9, 451–459. https://doi.org/10.1016/0095-8522(54)90032-X
- Wahl, A., Le Juge, C., Davranche, M., El Hadri, H., Grassl, B., Reynaud, S., Gigault, J., 2021. Nanoplastic occurence in a soil amended with plastic debris. Chemosphere 262, 127784. https://doi.org/10.1016/j.chemosphere.2020.127784

- Walch, H., Praetorius, A., von der Kammer, F., Hofmann, T., 2022. Generation of Reproducible Model Freshwater Particulate Matter Analogues to Study the Interaction with Particulate Contaminants. (preprint). Environmental Chemistry. https://doi.org/10.31223/X5ZW7Q
- Waldschläger, K., Brückner, M.Z.M., Carney Almroth, B., Hackney, C.R., Adyel, T.M., Alimi, O.S., Belontz, S.L., Cowger, W., Doyle, D., Gray, A., Kane, I., Kooi, M., Kramer, M., Lechthaler, S., Michie, L., Nordam, T., Pohl, F., Russell, C., Thit, A., Umar, W., Valero, D., Varrani, A., Warrier, A.K., Woodall, L.C., Wu, N., 2022. Learning from natural sediments to tackle microplastics challenges: A multidisciplinary perspective. Earth-Science Reviews 228, 104021. https://doi.org/10.1016/j.earscirev.2022.104021
- Wang, J., Zhao, X., Wu, A., Tang, Z., Niu, L., Wu, F., Wang, F., Zhao, T., Fu, Z., 2021. Aggregation and stability of sulfate-modified polystyrene nanoplastics in synthetic and natural waters. Environmental Pollucion 268, 114240. https://doi.org/10.1016/j.envpol.2020.114240
- Wang, X., Li, Y., Zhao, J., Xia, X., Shi, X., Duan, J., Zhang, W 2020. UV-induced aggregation of polystyrene nanoplastics: effects of radical, surface functional groups and electrolyte. Environ. Sci.: Nano 7, 3914–3926. https://loi.org/10.1039/D0EN00518E
- Wegner, A., Besseling, E., Foekema, E.M., Kamermans, F. Koelmans, A.A., 2012. Effects of nanopolystyrene on the feeding behavior c: the blue mussel (*Mytilus edulis* L.). Environmental Toxicology and Chemistry 31, 2490–2497. https://doi.org/10.1002/etc.1984
- Wheeler, K.E., Chetwynd, A.J., Fahy, K.M., Hong, J.S., Tochihuitl, J.A., Foster, L.A., Lynch, I., 2021. Environmental dimensions of u. protein corona. Nat. Nanotechnol. 16, 617–629. https://doi.org/10.1038/s41555-j21-00924-1
- Wik, A., Dave, G., 2009. Occurrence and encets of tire wear particles in the environment A critical review and an initial nick assessment. Environmental Pollution 157, 1–11. https://doi.org/10.1016/j.env.jou.7008.09.028
- Worrall, W.E., 1968. Clays: their nature, origin and general properties,. Maclaren, London.
- Wu, J., Jiang, R., Lin, W., Ou ang, G., 2019. Effect of salinity and humic acid on the aggregation and toxicity of polystyrene nanoplastics with different functional groups and charges. Environmental Pollution 245, 836–843. https://doi.org/10.1010/?j.envpol.2018.11.055
- Wu, J., Jiang, R., Liu Q. Ou ang, G., 2021. Impact of different modes of adsorption of natural organic matter or the environmental fate of nanoplastics. Chemosphere 263, 127967. https://doi.org/10.016/j.chemosphere.2020.127967
- Xu, Y., Ou, Q., He, Q., Wu, Z., Ma, J., Huangfu, X., 2021. Influence of dissolved black carbon on the aggregation and deposition of polystyrene nanoplastics: Comparison with dissolved humic acid. Water Research 196, 117054. https://doi.org/10.1016/j.watres.2021.117054
- Yu, S., Li, Q., Shan, W., Hao, Z., Li, P., Liu, J., 2021. Heteroaggregation of different surfacemodified polystyrene nanoparticles with model natural colloids. Science of The Total Environment 784, 147190. https://doi.org/10.1016/j.scitotenv.2021.147190
- Yu, S., Liu, J., Yin, Y., Shen, M., 2018. Interactions between engineered nanoparticles and dissolved organic matter: A review on mechanisms and environmental effects. Journal of Environmental Sciences 63, 198–217. https://doi.org/10.1016/j.jes.2017.06.021
- Yu, S., Shen, M., Li, S., Fu, Y., Zhang, D., Liu, H., Liu, J., 2019. Aggregation kinetics of different surface-modified polystyrene nanoparticles in monovalent and divalent

electrolytes. Environmental Pollution 255, 113302. https://doi.org/10.1016/j.envpol.2019.113302

- Zafiropoulos, V., Galyfianaki, A., Boyatzis, S., Fostiridou, A., Ioakimogoulo, E., 2000. UVlaser Ablation of Polymerized Resin Layers and Possible Oxidation Processes in Oil-Based Painting Media, in: Optics and Lasers in Biomedicine and Culture, Contributions to the Fifth International Conference on Optics Within Life Sciences OWLS V.
- Zarfl, C., Matthies, M., 2010. Are marine plastic particles transport vectors for organic pollutants to the Arctic? Marine Pollution Bulletin 60, 1810–1814. https://doi.org/10.1016/j.marpolbul.2010.05.026
- Zhang, F., Wang, Z., Wang, S., Fang, H., Wang, D., 2019. Aquatic behavior and toxicity of polystyrene nanoplastic particles with different functional groups: Complex roles of pH, dissolved organic carbon and divalent cations. Chemosphere 228, 195–203. https://doi.org/10.1016/j.chemosphere.2019.04.115
- Zhang, Q., Qu, Q., Lu, T., Ke, M., Zhu, Y., Zhang, M., Zhang, Z., Du, B., Pan, X., Sun, L., Qian, H., 2018. The combined toxicity effect of perophetics and glyphosate on Microcystis aeruginosa growth. Environmental Pollution 243, 1106–1112. https://doi.org/10.1016/j.envpol.2018.09.073
- Zhang, Y., Luo, Y., Guo, X., Xia, T., Wang, T., Jia, H., Zhu, L., 2020. Charge mediated interaction of polystyrene nanoplastic (PSNP) with minerals in aqueous phase. Water Research 178, 115861. https://doi.org/10.101<sup>-/</sup>/j.watres.2020.115861
- Zhang, S., Nielsen, P., Perrochet, P., Xu, B., Jia, Y., 'Ven. M., 2021. Derivation of settling velocity, eddy diffusivity and pick-up rate 1.0m field-measured suspended sediment concentration profiles in the horizontally children but vertically unsteady scenario. Applied Ocean Research 107, 102/05. https://doi.org/10.1016/j.apor.2020.102485
- Zheng, X., Yuan, Y., Li, Y., Liu, X., Warg, X., Fan, Z., 2021. Polystyrene nanoplastics affect growth and microcystin production of Microcystis aeruginosa. Environ Sci Pollut Res 28, 13394–13403. https://doi.org/10.1007/s11356-020-10388-w
- Zubris, K.A.V., Richards, B.K., 2005. Somethic fibers as an indicator of land application of sludge. Environmental Pollution 138, 201–211. https://doi.org/10.1016/j.cnvpol.2005.04.013

# Credit author statement

Alice Pradel: Conceptualization, Formal analysis, Methodology, Writing- Original draft preparation. Charlotte Catrouillet.: Writing- Reviewing and Editing. Julien Gigault: Conceptualization, Writing- Reviewing and Editing, Supervision Funding acquisition

Solution of the second second

#### **Declaration of interests**

 $\boxtimes$  The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

□The authors declare the following financial interests/personal relationships which may be considered as potential competing interests:



### Highlights

- What is known about nanoplastics' environmental fate, and what needs to be known;
- A systematic review of nanoplastic aggregation rates and processes.
- Up-to-date hypotheses of where nanoplastics are accumulated in the environment
- Determine how nanoplastics' aggregation state impacts their settling rate.
- Nanoplastics models needed for the interpretations of nanoplastics' fate and impact.