



HAL
open science

Experimental solubility of silica in nano-pores

Lionel Mercury, Majda Bouzid, Jean-Michel Matray

► **To cite this version:**

Lionel Mercury, Majda Bouzid, Jean-Michel Matray. Experimental solubility of silica in nano-pores. 20th annual V.M. Goldschmidt Conference, Jun 2012, Montréal, Canada. insu-01291793

HAL Id: insu-01291793

<https://insu.hal.science/insu-01291793v1>

Submitted on 23 Mar 2016

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Experimental solubility of silica in nano-pores

LIONEL MERCURY^{1,*}, MAJDA BOUZID^{2,3}, JEAN-MICHEL MATRAY³

¹ Institut des Sciences de la Terre d'Orléans, UMR 7327 Université d'Orléans/CNRS/BRGM, 1A rue de la Férollerie, 45071 Orléans Cedex, France. (* presenting author)

² IDES, UMR 8148 CNRS/Université Paris-Sud, bâtiment 504, 91405 Orsay cedex, France

³ IRSN, DEI/SARG/LETS, BP 17, 92262 Fontenay-aux-Roses cedex, France

We used a pressure membrane extractor (Model 1020, Soil Moisture Equipment Corp.) to study the silica content at equilibrium with the decreasing pore sizes of amorphous silica. The principle is to extract the aqueous solution through a sequential process from the larger (micrometric) pores to the thinner (some nm) pores. Each extraction step is followed by an equilibration period.

The measurements confirmed earlier observations [1,2] that the concentration in dissolved silica decreases when the extraction pressure increases. The direct conclusion is that the silica solubility is pore-size dependent. These results are interpreted with the Young-Laplace relationship, at constant silica-solution surface tension, which means to attribute an elasto-capillary pressure to the solid.




Figure 1: Decreasing silica solubility extracted from pores having decreasing radii.

The geological implication can be illustrated using a simple scheme (e.g. [3]), wherein aquifer compartments with changing pore sizes are successively put along a flowing line (in series). Depending on the modeling assumption (pore sizes, succession type, equilibrium state of the solution), this process can result in a preferential cementation of the thin or the large pores.

Our experiments demonstrate that the negative curvature of the solids has a geochemical feed-back on the solid-solution interactions, with a threshold size at around 0.1 μm .

[1] Dandurand J.-L., Mizele J., Schott J., Bourgeat F., Valles V., and Tardy Y. (1982) *Sci. Géol. Bull.* **35**, 71–79. [2] Emmanuel S. and Berkowitz B. (2007) *Geophys. Research Letters* **34**, L06404. [3] Mizele J., Dandurand J.-L., and Schott J. (1985) *Surf. Sci.* **162**, 830–837.