

Validation of the HITRAN 2016 and GEISA 2015 line lists using ACE-FTS solar occultation observations

Kevin Olsen, C. D. Boone, G. C. Toon, Franck Montmessin, A. A. Fedorova, O. Korablev, Alexander Trokhimovskiy

► To cite this version:

Kevin Olsen, C. D. Boone, G. C. Toon, Franck Montmessin, A. A. Fedorova, et al.. Validation of the HITRAN 2016 and GEISA 2015 line lists using ACE-FTS solar occultation observations. Journal of Quantitative Spectroscopy and Radiative Transfer, 2019, 236, pp.art. 106590. 10.1016/j.jqsrt.2019.106590. insu-02237353

HAL Id: insu-02237353 https://insu.hal.science/insu-02237353v1

Submitted on 20 Dec 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

Highlights

- Updated versions of GEISA 2015 and HITRAN 2016 line lists are validated using terrestrial solar occultation spectra from ACE-FTS.
- Spectroscopic parameters for CO₂ and H₂O are improved in both line lists.
- The primary difference we observe between the two line lists comes from O_3 absorption features near 3850 cm⁻¹ and from several CH4 absorption lines in the regions 2800-3200 cm⁻¹ and 4000-4300 cm⁻¹.

Validation of the HITRAN 2016 and GEISA 2015 line lists using ACE-FTS solar occultation observations

K. S. Olsen^{a,*}, C. D. Boone^b, G. C. Toon^c, F. Montmessin^a, A. A. Fedorova^d, O. Korablev^d, A. Trokhimovskiy^d

^aLaboratoire Atmosphères, Milieux, Observations Spatiales (LATMOS), Université Versailles St Quentin en Yvelines, Guyancourt 78280, France.

^bDepartment of Chemistry, University of Waterloo, Waterloo ON N2L 3G1, Canada. ^cJet Propulsion Laboratory (JPL), California Institute of Technology, Pasadena CA 91109. USA.

^dSpace Research Institute (IKI), Russian Academy of Sciences, Moscow 117997, Russia.

Abstract

The ExoMars Trace Gas Orbiter (TGO) began its nominal science phase at Mars in April 2018, following releases of editions to two major spectroscopic line lists: GEISA 2015 (Gestion et Etude des Informations Spectroscopiques Atmosphériques: Management and Study of Atmospheric Spectroscopic Information), and HITRAN 2016 (High Resolution Transmission). This work evaluates both line lists over the spectral region between 2325–4350 cm⁻¹ using terrestrial solar occultation observations made by the Atmospheric Chemistry Experiment Fourier Transform Spectrometer (ACE-FTS). This spectral region is targeted on Mars by two complementary solar occultation instruments on TGO that will monitor temperature and pressure, aerosols,

Preprint submitted to Journal of Quantitative Spectroscopy and Radiative TransferJuly 30, 2019

^{*}Corresponding author

Email addresses: kevin.olsen@latmos.ipsl.fr (K. S. Olsen), cboone@scisat.ca (C. D. Boone), geoffrey.c.toon@jpl.nasa.gov (G. C. Toon),

 $[\]verb|franck.montmessin@latmos.ipsl.fr~(F.~Montmessin), \verb|fedorova@iki.rssi.ru||$

⁽A. A. Fedorova), korab@iki.rssi.ru (O. Korablev), trokh@iki.rssi.ru

⁽A. Trokhimovskiy)

the abundance of CO_2 , CO, H_2O , HDO, CH_4 , and other undetected trace gases. Major updates to GEISA 2015 and HITRAN 2016, with respect to previous editions, have been focused on CO_2 absorption features in support of Earth-observing missions to monitor greenhouse. Since CO_2 is the dominant absorber on Mars, making up 96.5% of the atmosphere, validating the updated line lists is critically important before their deployment for ExoMars. We report that updated CO_2 parameters make significant improvements to spectral fits made when using both line lists. Several updates to H_2O lines in both line lists also show improvement. The primary difference we observe between the two line lists comes from O_3 absorption features near $3850 \,\mathrm{cm}^{-1}$ and from several CH_4 absorption lines in the regions $2800-3200 \,\mathrm{cm}^{-1}$ and $4000-4300 \,\mathrm{cm}^{-1}$. Because of these differences, we find that using HITRAN 2016 tends to result in better spectral fits, especially below 30 km, than using GEISA 2015 in this spectral region. Differences are strongly reduced with increasing altitude (> 40 km) as pressure and gas abundance falls off. It was also discovered that several new errors in both new editions of GEISA and HITRAN were introduced since the HITRAN 2012. Keywords: ACE-FTS, HITRAN, GEISA, ExoMars, line-list

1 1. Introduction

New editions of two major spectroscopic line lists have been recently released: Gestion et Etude des Informations Spectroscopiques Atmosphériques:
Management and Study of Atmospheric Spectroscopic Information (GEISA)
in 2015 (Jacquinet-Husson et al., 2016); and High Resolution Transmission
(HITRAN) in 2016 (Gordon et al., 2017). Here, we present a comparison

of spectral fits to solar occultation measurements of the Earth's atmosphere 7 made by the Canadian Space Agency's (CSA's) Atmospheric Chemistry Ex-8 eriment (ACE) Fourier transform spectrometer (FTS) using both line lists. р 9 This work was motivated by the arrival of the European Space Agency (ESA) 10 and Roscosmos' ExoMars Trace Gas Orbiter (TGO) at Mars in October 2016. 11 The TGO carries two infrared remote sensing instrument suites, the Atmo-12 spheric Chemistry Suite (ACS) (Korablev et al., 2018) and the Nadir and 13 Occultation for Mars Discovery (NOMAD) (Vandaele et al., 2018). Both 14 instrument suites carry channels dedicated to making solar occultation ob-15 servations at Mars in the infrared wavenumber range of $2325-4350 \,\mathrm{cm}^{-1}$. 16

The controversial observation of methane (CH_4) in the Martian atmo-17 sphere (Formisano et al., 2004; Krasnopolsky et al., 2004; Mumma et al., 18 2009; Webster et al., 2015, 2018; Giuranna et al., 2019) is one of the key mo-19 tivations of the ExoMars mission (Zurek et al., 2011; Vandaele et al., 2015; 20 Korablev et al., 2018). NOMAD and ACS will search for CH_4 by making 21 solar occultation observations of its ν_2 vibration-rotation band centred near 22 3000 cm^{-1} , which hosts the strongest absorption features available to both 23 instruments. A key benefit of searching for CH_4 in this region is that it is 24 relatively clear of interfering absorption lines from CO_2 . There is a recently-25 observed, weak vibration-rotation band of carbon dioxide (CO_2) that overlaps 26 CH_4 in this region (Bertaux et al., 2008; Villanueva et al., 2008) and one of 27 our specific objectives was to evaluate its spectroscopic parameters in GEISA 28 2015 and HITRAN 2016. 29

ACS and NOMAD will also make detailed measurements of water vapour (H₂O), having the capability of distinguishing isotopologues. The ratio of HDO to H₂O has been used as a critical indicator of the Martian climate in the ancient past (e.g., Encrenaz et al., 2018; Krasnopolsky, 2015). The relative abundance of HDO on Mars is enriched relative to Earth, which supports mechanisms for hydrogen escape from the atmosphere, which are preferential towards the lighter isotope (Clarke et al., 2017). ACS and NOMAD will be able measure the vertical structure of H₂O isotopologues, and monitor their ratios seasonally, spatially, and vertically.

In support of the study of Earth's contemporary climate, and the carbon 39 cycle, with the Orbiting Carbon Observatory (OCO-2) (Crisp et al., 2004, 40 2017), the Greenhouse gases Observing SATellite (GOSAT) (Yokota et al., 41 2009), and the Total Carbon Column Observing Network (TCCON) (Wunch 42 et al., 2011), a large effort has been undertaken to refine and reduce the un-43 certainty of the spectroscopic parameters of CO_2 . While the surface pressure 44 of Mars is only between 550–720 Pa, roughly 0.5–0.7% of Earth's, the vol-45 ume mixing ratio of CO_2 is 0.965, or 2400 times that on Earth (400 ppmv). 46 Therefore, CO_2 absorption lines in Mars solar occultation spectra will be 47 deeper and broader than for spectra recorded at Earth, and small changes in 48 the spectroscopic parameters may have a large impact on trace gas retrievals 49 made at Mars. 50

⁵¹ Our goal was to evaluate the new CO₂, H₂O, and CH₄ parameters by ⁵² looking at whether their impact when fitting terrestrial spectra was positive ⁵³ or negative. We have performed spectral fitting for 125 sets of ACE-FTS ⁵⁴ occultation spectra (resolution of 0.02 cm^{-1}) over 50 spectral windows cover-⁵⁵ ing the spectral range of 2430–4450 cm⁻¹ using the HITRAN 2012, HITRAN ⁵⁶ 2016, and GEISA 2015 line lists.

HITRAN 2016 and GEISA 2015 are compilations of data sources, many 57 of which are shared. One of our most important results is that the updated 58 CO₂ parameters for some of the stronger vibration-rotation bands, especially 59 those centred at 3550 cm^{-1} result in strongly improved spectral fits when 60 using either HITRAN 2016 or GEISA 2015. However, we have also found 61 that there are large differences in the spectroscopic parameters of ozone (O_3) , 62 CH_4 , and H_2O between the two data sets, and that using HITRAN 2016 leads 63 to improved spectral fits compared to GEISA 2015. This result is significant 64 since methane is one of the strongest absorbers in the Earth's atmosphere, 65 and is one of the most variable gases. Methane is of key importance for TGO, 66 as ACS and NOMAD both aspire to make its irregular and controversial 67 detection in the Martian atmosphere definitive. However, at this time no 68 methane features have been observed at Mars by TGO instruments (Korablev 69 et al., 2019). 70

While individual contributions to the line lists are validated, they are 71 often done in laboratory settings, observing controlled gas samples, rather 72 than with observations of an atmosphere (e.g., Jacquinet-Husson et al., 2016; 73 Gordon et al., 2017, and references therein). Bailey (2009) previously made 74 a direct comparison between H₂O transitions in older versions of GEISA and 75 HITRAN, and qualitatively showed their differences using modelled spectra 76 for Venus at high temperatures and above 4000 cm^{-1} . A comprehensive vali-77 dation of the GEISA line list was done using TCCON and the Infrared Atmo-78 spheric Sounding Interferometer (IASI) (Clerbaux et al., 2009) by Armante 79 et al. (2016). They describe a technique used to determine whether spec-80 troscopic parameters should be used to update the GEISA database based 81

on comparisons of computed spectra to observations. They specifically show H₂O and HDO in the ExoMars region of interest and highlight improvements since GEISA 2011. They also compare CH_4 lines above 6000 cm⁻¹ to HI-TRAN 2012 and note an improvement to the residuals. This method was used in the compilation of GEISA 2015 (Jacquinet-Husson et al., 2016).

A comprehensive validation of the HITRAN 2012 line list was undertaken 87 by Toon et al. (2016) using the MkIV balloon-borne FTS (Toon, 1991). They 88 divided the spectral region between $670-5620 \text{ cm}^{-1}$ into fitting windows and 89 quantitatively evaluated the best-fit residuals across the spectral range and 90 with altitude for several versions of HITRAN released since 2000. They 91 noted specific errors in the data base, where improvements were made, and 92 where previous versions performed better. Their work was influential on the 93 compilation of the latest version of HITRAN evaluated here (Gordon et al., 94 2017). Updates to Toon et al. (2016) are included in Toon (2019) and include 95 evaluation of HITRAN 2016 and the TCCON internal line list, validation 96 with laboratory spectra, and a specific analysis of CO_2 features. This work 97 follows Toon et al. (2016) by using a similar quantitative evaluation technique 98 and covering part of the same spectral region. 99

100 2. HITRAN 2016

The HITRAN (high-resolution transmission molecular absorption) database was first compiled for the Air Force Geophysics Laboratory (AFGL) by Mc-Clatchey et al. (1973) and major updated editions have been released on a four year cycle since 1992 (Rothman et al., 1992). The 2016 version of the HI-TRAN database (Gordon et al., 2017) describes changes made since the 2012

edition (Rothman et al., 2013). Among the most significant additions to the 106 database have been the inclusion of spectroscopic parameters for collision-107 induced broadening from non-nitrogen based atmospheres and for non-Voigt 108 line profiles (Wilzewski et al., 2016). The need for line broadening param-109 eters in atmospheres primarily composed of gases other than N_2 has been 110 motivated by extra-terrestrial spectroscopic applications, e.g., Mars, which 111 is 96% CO₂. HITRAN 2016 includes a sparse set of broadening parameters 112 for atmospheres composed of H_2 , H_2 , or CO_2 for a subset of gases that in-113 cludes CO, OCS, SO₂, NH₃, HF and HCl, which are all sought at Mars by 114 the ExoMars TGO. For very high-resolution applications, HITRAN 2016 also 115 includes parameters for the speed-dependent Voigt, Galatry, and Hartman-116 Tran line shapes. These are again only available for a subset of wavenumbers 117 and only for H₂O, CO, H₂, O₂, N₂O, HF and HCl. Because of the complexity 118 of the newly included parameters, newly-developed online tools are now used 119 to create user-defined database versions. The 2016 version also expands the 120 list of available molecules with the addition of C_2N_2 and $COCl_2$. While the 121 number of additional lines, and the number of lines for which more accurate 122 measurements have been made, is vast, we will primarily focus on key species 123 relevant to Earth and Mars: CO_2 , H_2O and CH_4 . 124

For CO₂, Gordon et al. (2017) identifies the imperative for high-accuracy spectroscopic parameters driven by GOSAT, OCO-2, TCCON, and others, and identifies validated improvements between the 2008 and 2012 versions of the HITRAN database (Toon et al., 2016). The 2012 version of the database was largely built on theoretical fits of the effective Hamiltonian or effective dipole moments, compiled as the CDSD-296 database (Tashkun et al., 2015),

supplemented by higher-accuracy experimental measurements made by Toth 131 et al. (2007, 2008a,b). The line intensity calculations in CDSD-296 have 132 high uncertainties ($\sim 20\%$) and two new sets of theoretical computation have 133 been produced: the Ames list (Huang et al., 2014) and the UCL-IAO list 134 (Zak et al., 2016). These have been extensively validated experimentally, 135 and Gordon et al. (2017) refers to 14 such studies that show that the UCL-136 IAO list tends to be more accurate, and that the uncertainties for the 2016 137 version of HITRAN can be pushed down to the order of 0.5%. However, the 138 majority of the experimental work focuses on important CO_2 bands for Earth 139 observation (e.q., for OCO-2) that lie outside the range of high-resolution 140 solar occultation experiments on TGO, above 5000 cm⁻¹ (near 1.6 and 2 µm). 141 Only laboratory measurements presented in Lyulin et al. (2012) and Durry 142 et al. (2010) cover the 2300–4400 cm⁻¹ range, and the latter only does so near 143 3730 cm^{-1} . The 2016 HITRAN line list for CO₂ between 2300–4400 cm⁻¹ is 144 a combination of CDSD-296 theoretical calculations(Tashkun et al., 2015), 145 UCL-IAO or Ames theoretical calculations where better or newly available 146 (Huang et al., 2014; Zak et al., 2016), and laboratory measurements where 147 available and with low enough uncertainty (e.g., Toth et al., 2008b; Durry 148 et al., 2010; Lyulin et al., 2012). 149

For H₂O, the HITRAN 2012 line list was made up of *ab initio* calculations that comprised the BT2 line list (Barber et al., 2006), with updates, where available, from calculations using a more accurate method (Lodi et al., 2011; Lodi and Tennyson, 2012). Newer calculations using the methodology of Lodi and Tennyson (2012) have been made as part of an effort by the International Union of Pure and Applied Chemistry (IUPAC) task group (Tennyson et al., ¹⁵⁶ 2009, and references therein). The new calculations have been validated ¹⁵⁷ experimentally by Birk et al. (2017) and the results have been used to update ¹⁵⁸ both the IUPAC database and the HITRAN line list. Extensive laboratory ¹⁵⁹ measurements have also been made for the German Aerospace Agency (DLR) ¹⁶⁰ in the spectral range between 1850–4000 cm⁻¹ by Loos et al. (2017a,b). When ¹⁶¹ available, these replace the calculated line strengths of IUPAC and Lodi and ¹⁶² Tennyson (2012).

The CH_4 data in HITRAN 2012 was comprised of the data set described 163 in Brown et al. (2013), which was a combination of theoretical calculations 164 and experimental measurements. This data set replaced over 70% of the 165 HITRAN 2008 line list for CH_4 (Rothman et al., 2009). However, analysis 166 of high-resolution solar occultation measurements in the Earth's atmosphere 167 made by the MkIV interferometer (Toon, 1991) determined that there were 168 still several errors and omissions in the HITRAN 2012 CH_4 data (Toon et al., 169 2016), especially in the spectral region of the ν_2 transition critical to Exo-170 Mars, near 3000 cm^{-1} . Errors that were identified were replaced by either 171 the HITRAN 2008 values, or computations made by Tyuterev et al. (2013). 172 Several laboratory studies have been recently undertaken, but the results 173 have not yet been incorporated into the HITRAN line list, but an update to 174 the 2016 edition is expected in the interim (Gordon et al., 2017). 175

176 **3. GEISA 2015**

The GEISA line list was first compiled in the early 1970s at the Laboratoire de Météorologie Dynamique (LMD) to support their radiative transfer investigations (Chédin et al., 1982). Key motivations for the compilation

were to include new gases important for planetary atmospheric applications, 180 and to co-develop software tools to easily use the database. One distin-181 guishing feature is to treat certain isotopologues with distinct symmetries as 182 independent species (such as HDO for H₂O and CH₃D for CH₄) (Jacquinet-183 Husson et al., 2016). Comparing the available gases in current versions of 184 GEISA and HITRAN, GeH_4 , C_3H_8 , C_3H_4 , and C_6H_6 are unique to GEISA, 185 while HOBr, O, H₂, and CS are unique to HITRAN. There are also several 186 minor isotopologues of trace gases unique to both. Updates to GEISA are 187 made after evaluating the relevance of new data, the efficiency of including 188 it, and after undergoing a validation process as described in Armante et al. 189 (2016).190

For CO₂, the GEISA 2011 database was replaced by the CDSD-296 database (Tashkun et al., 2015). CDSD-296 is also the primary source of CO₂ parameters in the 2016 edition of HITRAN. GEISA also contains three isotopologues not contained in CDSD-296 from laboratory measurements by Jacquemart et al. (2012); Lyulin et al. (2012) (and others at at higher wavenumbers than 4400 cm⁻¹).

Extensive updates to H_2O were made empirically for GEISA 2015 by 197 a consortium of eight laboratories, nearly tripling the number of available 198 lines since the 2011 edition. In the spectral region of interest to ExoMars 199 $(\sim 2300-4400 \text{ cm}-1)$, these measurements were made by the Laboratoire 200 Inter-Universitaire des Systèmes Atmosphériques (LISA), the Institute of At-201 mospheric Optics (IAO), and University College, London (Jacquinet-Husson 202 et al., 2016). Updates to $H_2^{16}O$ come from (Coudert et al., 2014), and updates 203 for $H_2^{17}O$ and $H_2^{18}O$ come from Lodi et al. (2011); Lodi and Tennyson (2012) 204

and the IUPAC efforts, which is the same source as for HITRAN 2016. These
were supplemented or updated by measurements made by Coudert and Chelin (2016). GEISA 2015 also newly includes lines for two isotopologues of
D₂O not included in HITRAN.

Updates to CH_4 in this spectral range mainly come from the work of Niederer et al. (2013); Nikitin et al. (2013) which use the same methodology as Brown et al. (2013) (HITRAN 2012). The validation work of Armante et al. (2016) showed some imprecision in the new parameters, resulting in some CH_4 lines from GEISA 2011 being retained.

²¹⁴ 4. Methodology

In this study, we break the wavenumber range of the ExoMars solar occul-215 tation spectrometers up into discrete fitting windows and analyze terrestrial 216 solar occultation spectra recorded by ACE-FTS using the Jet Propulsion 217 Laboratory Gas Fitting (GFIT or GGG) software suite. 125 occultations 218 were analyzed. During an occultation, a series of observations of the sun 219 are made while the limb of the atmosphere lies between the solar disk and 220 the instrument. For each window, residuals were computed for each altitude 221 level. The means of the residuals were taken at levels of equal pressure, and 222 the root-mean-square (RMS) and standard deviation (σ) were computed for 223 each fitting window. The means of the residuals were taken, rather than 224 computing the residuals of mean spectra, due to variations in line depths be-225 tween occultations, especially for CH_4 lines. In general, the lower the results 226 RMS of the mean residuals is, the more accurate the spectroscopic parame-227 ters used in the fitting are. This methodology is very similar to that used by 228

²²⁹ Toon et al. (2016) who analyzed MkIV spectra.

ACE-FTS is a compact, double-pass interferometer with a spectral res-230 olution of 0.02 cm⁻¹ and a spectral range of 750–4400 cm⁻¹. It has been 231 operating continuously in low-Earth orbit since 2003. The 125 ACE-FTS 232 occultations analyzed were recorded between 2004 and 2012 and are unre-233 stricted in longitude and season. Most observations are at high latitudes 234 due to the ACE orbit (650 km with an inclination of 74°). A sequence of 235 measurements is made with an observation every 1–6.5 km, and on aver-236 age every 4 km. Two detectors provide an simultaneous spectral range of 237 $750-4400 \text{ cm}^{-1}$ (Bernath et al., 2005). 238

Spectral fitting in this study was done with GGG, which is also being 239 used to analyze solar occultation observations made by ACS on ExoMars. 240 GGG is developed from early Occultation Display Spectra (ODS) used by 241 the ATMOS FTS that flew on the space shuttle (Norton and Rinsland, 1991; 242 Irion et al., 2002). It is a robust software suite adaptable for solar occultations 243 (Toon, 1991; Toon et al., 2016; Olsen et al., 2015), ground based observations 244 (Wunch et al., 2011), or laboratory measurements. For each altitude and 245 each fitting window, GGG computes a spectrum from a set of parameters 246 that include the calculated optical path, vertical profiles of pressure and 247 temperature, and *a priori* gas volume mixing ratio (VMR) vertical profiles. 248 GGG then performs non-linear least squares fitting to adjust VMR scaling 249 factors (as well as other optional parameters such as continuum level and 250 frequency shift) to obtain a best fit. Retrieved VMR vertical profiles can be 251 obtained by inverting the matrix of VMR scale factors for each target gas at 252 each altitude, with the matrix of slant paths (Sen et al., 1996; Wunch et al., 253

254 2011).

A priori temperature, pressure, and specific humidity vertical profiles
 were derived from National Centers for Environmental Prediction (NCEP)
 reanalysis data (Kalnay et al., 1996) up to 40 km. The US standard atmo sphere was used above 40 km.

For this work, we consider the fitting residuals for each window and focus on three pressure levels where we take the means of the residuals: 0.052, 0.0029, and 0.00023 atm, corresponding to 20,40 and 60 km respectively. For each occultation, fitting was performed at all altitudes and in all spectral windows. The closest altitude level to the predetermined pressure levels was identified. The residuals were computed for each window and the RMS and standard deviation were computed from the residual as:

RMS² =
$$\sum x_i^2 / N$$
,
 $\sigma^2 = \sum (x_i - \bar{x})^2 / (N - 1)$, (1)

where N is the number of spectral points, x_i is the residual value at the i^{th} spectral point, and \bar{x} is the mean of the residual. In general, for this application $\bar{x} \sim 0$ and RMS² $\sim \sigma^2$. For strong deviations between the computed and observed spectra, σ^2 will reflect the magnitude of deviations from the mean of the residuals, while the RMS will reflect the deviation from zero, which is the expected outcome for a good fit. Therefore, the presented results will use the RMS values.

The fitting windows used are given in Tables 1 and 2, and panel a in Figure 1 shows their distribution over a sample of ACE-FTS solar occultation transmission spectrum. Panels b-e in Figure 1 illustrate the locations and




Figure 1: A look at ACE-FTS observations in the ExoMars spectral region of interest: a) mean ACE-FTS spectra at the 0.052 atm pressure level (near 20 km), the colours indicate different fitting windows; b) contributions from CO_2 ; c) contributions from H_2O ; d) contributions from CH_4 ; e) contributions from O_3 and N_2O .

²⁶⁹ magnitudes of absorption features due to major gas species in the Earth's

atmosphere: CO_2 , H_2O , CH_4 , O_3 , and N_2O .

271 5. Results

We begin with an overview of the differences between the HITRAN 2016 272 and GEISA 2015 line lists in the ExoMars spectral region of interest, 2325– 273 $4350 \,\mathrm{cm}^{-1}$. Figure 2 shows mean ACE-FTS spectra averaged at three differ-274 ent pressure levels corresponding to approximately 20, 40, and 60 km tan-275 gent altitudes. Each primary panel, for each pressure level, shows the mean 276 ACE-FTS spectra, averaged over 125 occultations, for each fitting window 277 (Figure 2 does not show continuous ACE-FTS spectra). Shown over top of 278 the mean ACE-FTS spectra, is the mean of the calculated best fits for each 279 window when using the HITRAN 2016 line list (as an example). It is im-280 portant to note that the noise level of the ACE-FTS spectra is not constant 281 with wavenumber (Boone et al., 2005), and the noise can be seen increasing 282 towards higher wavenumbers in Figure 2, even after averaging the ACE-FTS 283 spectra. 284

The secondary panels in Figure 2 show the mean residuals for each fitting 285 window at each pressure level. Shown are mean residuals when fitting with 286 HITRAN 2012, GEISA 2015, and HITRAN 2016. HITRAN 2012 tends to 287 have the largest numbers of errors and both newer line lists improve upon 288 it. The most significant errors are in the CO_2 band centred at 3508 cm⁻¹, 289 which were corrected in the 2016 edition (and not present in GEISA 2015). 290 Difficulty in fitting strong CO_2 lines in the region between 3500–3600 cm⁻¹ 291 persists when using all three line lists, but this is also due to a strong increase 292 in detector noise in that region, visible in the mean spectra, especially at the 293

Table 1: List of spectral fitting windows used to evaluate the HITRAN 2016 and GEISA 2015 line lists with ACE-FTS solar occultation observations of the Earth's atmosphere. Given for each fitting window are: centre wavenumber, window width, and gases fit in the window.

Centre $\tilde{\nu}$	Width	Gases fit
(cm^{-1})	(cm^{-1})	
2455.5	25.9	$CO_2, CH_4, H_2O, N_2O, O_3$
2491.5	47.9	$CO_2, CH_4, H_2O, N_2O, O_3$
2551.55	71.35	$H_2O, CO_2, O_3, N_2O, CH_4$
2615.74	56.2	$CO_2, CH_4, H_2O, N_2O, O_3, HCl, C_2H_6$
2666.6	44.76	$H_2O, CO_2, O_3, N_2O, CH_4, HCl, C_2H_6$
2689.8	0.62	HDO, CO_2 , O_3 , N_2O , CH_4
2692.76	0.55	HDO, CO_2 , O_3 , N_2O , CH_4
2708.17	0.54	HDO, CO_2 , O_3 , N_2O , CH_4
2722.25	52.0	CO_2 , CH_4 , C_2H_6 , H_2O , N_2O , O_3 , HCl , HDO
2780.74	65.15	CO_2 , CH_4 , C_2H_6 , H_2O , N_2O , O_3 , HCl , HDO
2801.6	0.49	HDO, CO_2 , O_3 , N_2O , CH_4
2825.0	22.95	$H_2O, O_3, N_2O, CH_4, HDO, HCl$
2849.15	24.55	$HDO, CO_2, H_2O, CH_4, C_2H_6, O_3, N_2O, HCl$
2904.43	85.10	$H_2O, O_3, N_2O, CH_4, HDO, HCl, NO_2, OCS$
2973.65	1.21	$C_2H_6, CO_2, H_2O, CH_4, O_3$
2978.2	62.0	$CO_2, CH_4, C_2H_6, C_2H_4, H_2O, O_3, HCl, HDO$
2983.49	0.78	C_2H_6 , CO_2 , O_3 , CH_4
2986.74	0.58	C_2H_6, CO_2, O_3
2989.98	0.80	C_2H_6 , CO_2 , O_3 , CH_4
2993.52	1.23	$C_2H_6, CO_2, O_3, CH_4, H_2O$
3022.13	18.14	$CH_4, H_2O, C_2H_{57}C_2H_4, O_3, HCl$
3035.08	9.2	$CH_4, H_2O, C_2H_6, C_2H_4, O_3$
3057.72	5.1	CH_4, H_2O, O_3
3065.86	3.35	CH_4, H_2O, O_3
3077.36	2.54	CH_4, H_2O, O_3

Table 2: List of spectral fitting windows used to evaluate the HITRAN 2016 and GEISA 2015 line lists with ACE-FTS solar occultation observations of the Earth's atmosphere. Given for each fitting window are: centre wavenumber, window width, and gases fit in the window.

Centre $\tilde{\nu}$	Width	Gases fit
(cm^{-1})	(cm^{-1})	
3089.75	17.5	$CH_4, H_2O, C_2H_6, C_2H_4, CO_2, O_3$
3126.65	58.0	$CO_2, CH_4, C_2H_4, H_2O, O_3, HDO$
3202.0	90.0	$H_2O, CO_2, CH_4, O_3, HCN$
3292.0	90.0	$H_2O, CO_2, CH_4, O_3, HCN, N_2O$
3391.15	108.6	CO_2 , H_2O , C_2H_2 , NH_3 , HCN , N_2O , O_3 , HDO
3489.0	86.0	H_2O, CO_2, O_3, N_2O
3577.0	86.0	$H_2O, CO_2, O_3, N_2O, HNO_3, HDO$
3665.0	86.0	$H_2O, CO_2, O_3, N_2O, HNO_3, HDO$
3753.0	86.0	$H_2O, CO_2, O_3, N_2O, HF, HDO$
3798.8	7.46	H_2O, CO_2, CH_4, O_3
3822.5	51.0	CO_2 , H_2O , N_2O , O_3 , CH_4 , HF , HDO
3869.14	42.0	$H_2O, CO_2, O_3, N_2O, CH_4, HF, HDO$
3895.36	10.18	H_2O, CO_2, CH_4, O_3
3903.93	6.17	H_2O, CO_2, CH_4, O_3
3936.15	58.0	CO_2 , H_2O , N_2O , O_3 , CH_4 , HF , HDO
3967.79	2.0	H_2O, CO_2, CH_4, O_3
4026.0	114.0	$H_2O, CO_2, O_3, N_2O, CH_4, HF, CO$
4085.69	3.4	HDO, CO, H_2O , O_3 , CH_4
4115.21	5.62	HDO, CO, O_3 , CH_4
4128.34	9.53	HDO, CO, H_2O , O_3 , CH_4
4132.1	72.5	$CO, H_2O, CO_{2,1}$ GH_4, O_3
4214.2	94.1	$\mathrm{CO},\mathrm{H}_{2}\mathrm{O},\mathrm{CO}_{2},\mathrm{CH}_{4},\mathrm{O}_{3}$
4300.4	76.6	CO, H_2O, CH_4, O_3
4377.0	75.4	$H_2O, O_3, CH_4, N_2O, CO$
4436.2	42.6	CO_2, H_2O, CH_4

²⁹⁴ lowest pressure level.

In general, HITRAN 2016 performs better than GEISA 2015, and larger 295 mean residuals are seen in Figure 2. The largest differences are observed the 296 lowest pressure levels, while both line lists perform similarly at higher tan-297 gent altitudes. This suggests that the errors are related to either increased 298 pressure and pressure broadening at lower altitudes, or (and) that the mag-299 nitude of the errors are related to line depth, and that when the line depths 300 are small, the errors are less than the instrument noise. When CH_4 or CO_2 301 lines are saturated, the residuals show the negative impact of untreated line 302 mixing, which was not implemented in this spectral region for this study, but 303 is available in GGG (Mendonca et al., 2016). Key areas that GEISA 2015 304 has difficulty with relative to HITRAN 2016 are between $2700-3200 \text{ cm}^{-1}$, 305 when strong CH_4 lines absorb totally, between 4100–4300 cm⁻¹, where errors 306 are related to O_3 lines and also CH_4 lines (shown in the following section). 307 These are also errors near 3800 cm^{-1} related to H₂O. Fitting the strong CO₂ 308 lines between $3500-3700 \text{ cm}^{-1}$ is challenging for GGG using any line list, 309 as shown in Figure 2, especially the middle pressure level. The ν_1 band of 310 HNO_3 is located in this region which is significant at 20 km. 311

At lower wavenumbers, where detector noise is lowest, there are systematic features observable in the mean residuals when using either line list. Near 2550 cm⁻¹, this is related to line widths in an N₂O absorption band. Near 2650 cm⁻¹, there is an observed absorption band of HNO₃ that is not included in either line list. Several HNO₃ bands are observable in ACE-FTS spectra that are not contained in the HITRAN or GEISA line lists. Weaker bands result in an apparent baseline curvature, while stronger bands show a distinct vibration-rotation band structure in the residuals. Examples are
shown in the following section.

Figure 3 shows the mean RMS for each fitting window, at each pressure 321 level. The RMS was computed for each ACE-FTS occultation in a given 322 window, and shown are the means of the RMS values, with the standard 323 deviation of the mean. At the highest pressure level (top panel, near 60 km), 324 all three line lists perform similarly. In the middle pressure level, near 40 km, 325 we observe strong increases in the mean RMS values, and their uncertainties, 326 where line depths extend beyond 50%, just above 3500 cm⁻¹ due to CO_2 , 327 and near 3000 $\rm cm^{-1}$ due to CH₄. At the lowest pressure level, the RMS 328 uncertainties increase strongly for all windows, and the differences between 329 line lists become most apparent. At this level, we see deviations between 330 HITRAN 2012 and 2016, at the same locations observed in Figure 2. This 331 analysis also supports the observations made from Figure 2 regarding GEISA 332 2015. Specific examples and windows are explored in the following section. 333

334 6. Specific examples

335 6.1. $2440 - 2660 \text{ cm}^{-1}$: N_2O and HNO_3

The spectral region between $2440 - 2660 \text{ cm}^{-1}$ was covered by four broad fitting windows centred at 2455.5, 2491.5, 2551.55, and 2615.74 cm⁻¹. This region is characterized primarily by the *P* and *R* branches of two vibrationrotation bands of N₂O, centred near 2462 and 2562 cm⁻¹, and two vibrationrotation bands of CO₂, centred near 2501 and 2614 cm⁻¹. For these bands, all three spectroscopic line lists perform similarly. In the 2491.5 cm⁻¹ window, small, but visible, improvements are apparent where CO₂ lines are present in

the two updated editions of the line lists when compared to HITRAN 2012. 343 Both the GEISA 2015 and HITRAN 2016 line lists perform almost equiv-344 alently in this region. However, there are apparent problems in the fitting, 345 and these problems persist in both data sets. At the lower pressure level, the 346 N_2O fits produce large mean residuals whose shape is indicative of errors in 347 line width. These errors do not persist at the higher pressure levels and are 348 likely due to errors in the broadening parameters in the line lists. The mean 349 ACE-FTS spectra and mean residuals for the 2551.55 cm^{-1} window, which 350 are shown in Figure 4. The lines in this window are mainly due to N_2O , with 351 some CH_4 lines throughout, and the edge of an R branch of CO_2 on the left 352 side. 353

Figure 5 shows the same information as Figure 4, but for the 2615.74 cm^{-1} 354 window. Again, both the GEISA 2015 and HITRAN 2016 line lists perform 355 equivalently, and, again, there are systematic differences between the obser-356 vations and the computed spectra. These differences are due to HNO₃ lines 357 not included in either line list. The broad curvature of the baseline in the 358 residuals is due to a weaker band, while the distinct peaks to the right side 359 of Figure 4 are the P branch of a stronger HNO₃ vibration-rotation band. 360 There is a corresponding R branch in the adjacent 2666.6 cm⁻¹ window. The 361 feature of another weak HNO_3 band is also present in the 2491.5 cm⁻¹ win-362 dow, and stronger missing lines are seen in the 2978.2 cm^{-1} window, between 363 $2985-3010 \text{ cm}^{-1}$, and in the 3391.15 cm^{-1} window, between $3390-3415 \text{ cm}^{-1}$. 364 That these are due to HNO_3 is verified by measurements made for the line list 365 distributed by the Pacific Northwest National Laboratory (PNNL) (Sharpe 366 et al., 2004; Johnson et al., 2010). Supplementary HNO₃ line lists are used 367

³⁶⁸ for ACE-FTS and TCCON retrievals.

369 6.2. $2660 - 3440 \text{ cm}^{-1}$: CH_4

This wavenumber region is characterized by strong CH₄ absorption fea-370 tures, but also contains important bands of O_3 , N_2O and CO_2 . This region 371 was covered by several narrow windows and 12 wide windows ranging in 372 width between $18-108 \text{ cm}^{-1}$. The first window centred at 2722.25 cm^{-1} fea-373 tures three strong CH₄ lines, and many associated weaker lines, and there are 374 significant residual errors about each due to unaccounted line mixing. Toon 375 et al. (2016) pointed out a positional error in a CH_4 line at 2742.3 cm⁻¹ 376 that was introduced into HITRAN 2012 after the 2008 version. This error 377 is present in GEISA 2015 and HITRAN 2016, and is shown in Figure 6a. 378 While positive changes have been made to the HITRAN 2016 line list, cor-379 recting the positional error, strong residual features remain, but these are 380 most likely due to unaccounted line mixing for such strong lines fit at a low 381 altitude. This window also features several weak O_3 lines that are well fit by 382 both line lists, except a small region around $2705-2710 \text{ cm}^{-1}$ where fitting 383 with GEISA 2015 results in larger mean residuals than fitting with HITRAN 384 2016, on the order of 0.005. 385

The window centred at 2780.74 cm⁻¹ contains weaker CH₄ lines and a large O₃ band. Both line lists perform similarly here, but there is what appears to be a single missing line in the GEISA 2015 list. This is an ozone line at 2773.15 cm⁻¹ that is not missing, but has an error in line strength, shown in Figure 6b. Toon et al. (2016) pointed out an error in position in an O₃ resonance transition at 2761.42 cm⁻¹ that is seen in HITRAN 2012 and GEISA 2015, but has been corrected in HITRAN 2016. However, there are ³⁹³ new O_3 positional errors at 2763.86 and 2798.0 cm⁻¹ in the HITRAN 2016 ³⁹⁴ line list that were not present in HITRAN 2012.

The fitting window centred at 2825.0 cm^{-1} presents one of the largest dis-395 crepancies between HITRAN 2016 and GEISA 2015. The mean ACE-FTS 396 spectra and mean residuals when fitting with the three line lists are shown in 397 Figure 7 for the lowest pressure level. These discrepancies are characteristic 398 of the strong CH_4 lines throughout this region, and the systematic differenti-399 ation between fitting results using the two line lists is seen in Figure 3. There 400 is little difference between the two versions of HITRAN, and both result in 401 mean residual errors on the order of ± 0.01 about strong CH₄ lines. In sev-402 eral positions, however, when fitting with GEISA 2015, these residuals can 403 be twice as large. 404

Windows centred at 2849.15, 2904.43, 2978.2 cm, and 3126.65^{-1} are similar to those preceding, predominantly featuring strong CH₄ lines, with line mixing errors apparent in the mean residuals when using either line list, but the largest residuals are found when using GEISA 2015. In the 2978.2 cm⁻¹ window, there are several saturated (at low altitude) CH₄ lines, and the beginning of a broad, strong band of O₃ lines, but also a set of HNO₃ lines that are missing in both line lists.

The 3022.13 cm⁻¹ window contains a mixture of strong O_3 and CH_4 lines. There is an opaque region about 5 cm⁻¹ wide at the lower pressure level, which is the *Q*-branch of this CH_4 band. This feature is critically important for ExoMars, as it is the strongest and broadest CH_4 feature in the available wavenumber range, and where the ExoMars instruments will focus their search for a CH_4 signature. Mean residuals on the right side of

the Q-branch (3018 $\rm cm^{-1}$) are nearly equivalent when using GEISA 2015 or 418 HITRAN 2016. On the left side (3015 cm^{-1}) , mean residuals when using 419 GEISA 2015 are larger than when using HITRAN 2016 by 0.01–0.02. Most 420 of the fitting differences in this region can be attributed to CH₄, but there is 421 also a weaker HCl line at 3014.4 cm^{-1} that contributes to these differences. 422 Note that the residuals for both line lists are significant (~ 0.002) even at 423 the highest pressure level (near 60 km), where line depths are much weaker 424 and only extend to 0.9. Of particular interest to ExoMars is the recently 425 observed, weak CO_2 band centred near 3000 cm⁻¹ that overlaps with these 426 strong CH₄ features (Bertaux et al., 2008; Villanueva et al., 2008). This 427 band is not visible in terrestrial solar occultation observations, its lines are 428 too weak relative to the abundant absorption features of CH_4 and O_3 . 429

Figure 8 shows the mean spectra and mean residuals for fitting window 3089.75 cm⁻¹. This region contains a set of three CH₄ lines near 3090 cm⁻¹ that are poorly fit with either line list. When using HITRAN 2012 and HITRAN 2016, the magnitude of the mean residuals is 0.04, which is on the order of the line mixing errors seen when fitting stronger lines. When using GEISA 2015, the mean residuals are 50% larger. Figure 8 also shows a pair of saturated CH₄ lines, and fitting errors characteristic of such lines.

The window centred at 3126.65 cm⁻¹ has some of the strongest CH₄ lines, and, therefore, the largest residuals. GEISA 2015 and HITRAN 2016 perform similarly here. The window centred at 3202.0 cm⁻¹ contains the right edge of CH₄ ν_2 band. At higher wavenumbers, H₂O absorption becomes dominant. This window also features overlapping CO₂ and O₃ bands, the edge of the strong CH₄ band, and several water vapour lines. The 3292.0 cm⁻¹ window

contains H_2O and CO_2 lines, with an H_2O line strength error at 3254.15 cm⁻¹ 443 that has been reduced between HITRAN 2012 and HITRAN 2016, but is 444 still significant in both HITRAN 2016 and GEISA 2015. This window con-445 tains several other H₂O lines where significant improvements were made to 446 both line lists since HITRAN 2012 (e.g., at 3273.4 and 3276.5 cm⁻¹). The 447 3391.15 cm^{-1} window is similar, but hosts another set of HNO₃ lines missing 448 from both line lists. There is also an H_2O line strength error at 3367.65 cm⁻¹ 440 in both GEISA 2015 and HITRAN 2016 that was not significant in HITRAN 450 2012. 451

452 6.3. $3440 - 3770 \ cm^{-1}$: CO_2

This region was covered by five wide windows centred at 3391.15, 3489.0, 453 $3577.0, 3665.0, \text{ and } 3753.0 \text{ cm}^{-1}$. These windows cover the strongest CO_2 454 vibration-rotation bands observed by the ExoMars instruments. Throughout 455 this region, there are only small differences between fits using GEISA 2015 456 and HITRAN 2016. However, there are significant improvements to several 457 lines throughout since HITRAN 2012. Figure 9 shows the mean spectra and 458 residuals for the window centred at 3489.0 cm^{-1} , where the most dramatic 459 improvement is seen. The spectroscopic parameters for an entire band have 460 been updated, resulting in significant improvements to fitting. 461

462 6.4. $3770 - 4080 \ cm^{-1}$: H_2O

This spectral region, covered by four broad fitting windows centred at 3822.5, 3869.14, 3936.15, and 4026.0 cm⁻¹, features the strongest set of water vapour lines in the ExoMars region of interest. It is in this region where we again find that spectral fitting with the HITRAN 2016 results in smaller

residuals than when using GEISA 2015, as seen in Figure 3. Figure 10 467 shows the window centred at 3869.14 cm^{-1} . The primary features are broad, 468 saturated H_2O lines, but there are also many smaller CH_4 and N_2O lines, 469 and many very weak lines from CO_2 and O_3 . The lines where fitting with 470 GEISA 2015 resulted in systematic residual errors are largely attributable 471 to weaker O_3 lines. Similar behaviour is seen in the window centred at 472 3822.5 cm^{-1} , where several O₃ lines are not contained in GEISA 2015. Note 473 the marked improvement in the strong H_2O line between HITRAN 2012 and 474 the newer line lists near 3886 cm^{-1} , as shown in Figure 6c, but clearly visible 475 in Figure 10. 476

The two windows at 3936.15 and 4026.0 cm⁻¹ show improvements over 477 the previous two windows when comparing GEISA 2015 and HITRAN 2016. 478 The 3936.15 cm⁻¹ window contains a portion of an O₃ *P*-branch. Significant 479 residuals when using GEISA 2015 are from widely spaced CH_4 lines (e.g., at 480 3912.15, 3914.6, and 3914.9 cm^{-1}), rather than O₃. Two of these features 481 near 3914.6 $\rm cm^{-1}$ are shown in Figure 6d. There is an H₂O line strength 482 error in the HITRAN 2016 line list at 3925.15 cm^{-1} that was not present 483 in HITRAN 2012, nor GEISA 2015. The 4026.0 $\rm cm^{-1}$ window hosts an O₃ 484 band, for which all line lists have difficulty accurately fitting over the region 485 of the Q-branch. The O_3 band in this region is much better characterized by 486 GEISA 2015 than that covered by the 3822.5 and 3869.14 cm⁻¹ windows, but 487 there remain small discrepancies in some minor CH₄ lines, especially towards 488 the right edge of the window at 4080.65 and 4082.8 cm⁻¹. 489

490 6.5. $4080 - 4420 \ cm^{-1}$: CH_4

Above 4100 $\rm cm^{-1}$, the ACE-FTS noise increases, as can be seen in Fig-491 ure 2, and it becomes difficult to evaluate the line lists further. This region 492 is characterized by a decreasing density of H_2O lines, increasingly stronger, 493 and more dense CH₄ absorption features, and a band of broadly spaced CO 494 lines. We evaluated five wide fitting windows in this region centred at 4132.1, 495 4214.2, 4300.4, 4377.0, and 4436.2 cm⁻¹. At 4115.65 cm⁻¹, a CH₄ line miss-496 ing in HITRAN 2012, as identified by Toon et al. (2016), was added (also 497 included in GEISA 2015). There are CH_4 line strength errors in the GEISA 498 2015 line list at 4133.35 cm^{-1} and 4103.2 cm^{-1} that result in mean residuals 499 on the order of 0.1 at lower pressure levels. The latter is also apparent in 500 HITRAN 2016, despite not being present in HITRAN 2012. 501

As shown in Figure 3, the mean RMS values dramatically increase in this 502 spectral region for all evaluated line lists. At the lowest pressure level, fitting 503 with HITRAN 2016 results in the smallest residuals and the lowest mean 504 RMS values. It must be noted that the magnitude of the difference between 505 results using HITRAN 2016 and GEISA 2015 is on the order of the difference 506 between changing pressure levels, and that is only $\sim 1/5$ of the magnitude 507 of the mean RMS. Therefore, errors due to differences in the spectroscopic 508 parameters are much, much smaller than the noise level of the instrument in 509 this region. 510

The window centred at 4214.2 cm⁻¹ features the most dramatic difference between fitting using GEISA 2015 and fitting using HITRAN 2016. Mean residuals with magnitudes greater than 0.1 come from several CH₄ lines near $4208, 4229, \text{ and } 4255 \text{ cm}^{-1}.$

515 7. Conclusions

This study was motivated by the release of two new editions of spectro-516 scopic line lists, the 2015 version of GEISA and the 2016 version of HITRAN, 517 and the launch and arrival of the ExoMars Trace Gas Orbiter as Mars, 518 equipped with two suits of spectroscopic instruments dedicated to charac-519 terizing the Martian atmosphere. The largest efforts made recently towards 520 updating infrared spectroscopic databases has been in support of terrestrial 521 greenhouse gas observatories such as OCO-2, GOSAT, and TCCON. Since 522 the Martian atmosphere in composed of 96.5% CO₂, these updates are very 523 significant for the ExoMars mission. Our objective was to validate the two 524 line lists in the range of 2325-4350 cm⁻¹ by examining spectral fitting results 525 for terrestrial solar occultation observations made by ACE-FTS. 526

This work follows that of Toon et al. (2016) who compared different 527 versions of HITRAN, up to the 2012 release, in the spectral range of 670-528 5620 cm^{-1} using the solar occultation measurements made by the MkIV FTS. 529 They identified several errors in HITRAN 2012, some persisting from previ-530 ous releases, and others newly introduced. The analysis in Toon et al. (2016) 531 is expanded in Toon (2019), which includes a detailed analysis of HITRAN 532 2016 using laboratory and solar occultation spectra. Because spectroscopic 533 parameters taken from previous HITRAN versions for some gases in some 534 spectral regions perform better, and because HITRAN may be incomplete 535 in some spectral regions $(e.q., HNO_3)$, the TCCON and GGG development 536 teams maintain a custom line list, as do other spectroscopic analysis teams, 537 such as ACE-FTS. 538

539

The 2016 edition of the HITRAN line list addressed several errors identi-

fied in the 2012 edition by Toon et al. (2016), such as the positional error in an O₃ resonance transition at 2761.42 cm⁻¹ (still persists in GEISA 2015). We have observed, however, a few minor errors introduced into HITRAN 2016 since the 2012 edition, such as the H₂O line strength errors at 3367.65 cm⁻¹ (also in GEISA 2015) and 3925.15 cm⁻¹.

For ExoMars, the gases of primary interest are CO₂, H₂O, CO, and CH₄. 545 Changes to line position and strength have been made to CO_2 lines across 546 our spectral region. For terrestrial spectra, the strongest improvements seen 547 in fitting coincide with the strongest absorption features, and the greatest 548 improvement is seen between 3470-3530 cm⁻¹ for both GEISA 2015 and 549 HITRAN 2016. In no region were increased residuals seen for CO_2 lines 550 when using the updated line list editions when compared to HITRAN 2012. 551 In the terrestrial observations, we also observe significant improvements to a 552 subset of H_2O lines, especially at higher wavenumbers, such as near 3093.7 553 or 3885.5 cm⁻¹. With the exception of individual CH₄ line errors, little 554 difference is observed in the CH_4 or CO transitions in this spectral region 555 between HITRAN 2012 and 2016. 556

Of key interest to us was the CO_2 vibration-rotation band centred at 557 2982 cm $^{-1}$ and partially overlapping the critically important CH $_4$ ν_2 band. 558 When comparing synthetic spectra generated with HITRAN 2016 or GEISA 559 2015, significant differences in these lines are seen. This band is absent from 560 GEISA 2015, but present in HITRAN 2012 and 2016. The lines included in 561 HITRAN 2016 have significantly increased line strengths relative to HITRAN 562 2012. Unfortunately, in terrestrial observations, these lines are too weak 563 relative to interfering species, especially CH_4 , and noise. It is not observed 564

in the ACE-FTS spectra examined here above background noise levels, so
residuals between spectral fits using HITRAN 2012 and 2016 have not been
compared.

A critical difference between the application of spectroscopic calculations 568 for Earth and Mars is that the because the Martian atmosphere is predom-569 inantly CO_2 rather than N_2 , the collision-induced broadening parameters 570 computed for HITRAN and GEISA will not be applicable to the Martian at-571 mosphere. There is ongoing work to determine spectroscopic parameters for 572 a CO_2 -rich atmosphere: e.g., Gamache et al. (2016); Devi et al. (2017) for wa-573 ter vapour; and Li et al. (2015) for CO. However, this study does not attempt 574 to validate these parameters, nor does it evaluate the CO_2 self-broadening 575 parameters. 576

⁵⁷⁷ When comparing the 2015 version of the GEISA line list to the latest, ⁵⁷⁸ 2016, release of HITRAN, we observe that lower RMS values are found for ⁵⁷⁹ residuals from the majority of the spectral windows between $2325-4350 \text{ cm}^{-1}$ ⁵⁸⁰ used here. We find that these are primarily due to differences in line strength ⁵⁸¹ or position for strong O₃ and CH₄ lines. There are some minor errors in ⁵⁸² specific lines noted as well.

⁵⁸³ We were surprised to find a large number of O_3 lines missing from GEISA ⁵⁸⁴ 2015 in the 3830–3870 cm⁻¹ region that were present in HITRAN 2012. ⁵⁸⁵ The primary source of O_3 lines both HITRAN 2016 and GEISA 2015 is ⁵⁸⁶ the Spectroscopy and Molecular Properties of Ozone (S&MPO) informa-⁵⁸⁷ tion system (Babikov et al., 2014) maintained by Reims University and the ⁵⁸⁸ Institute of Atmospheric Optics (Tomsk). For GEISA 2015, new measure-⁵⁸⁹ ments of lines around this region were made at Reims University by Barbe et al. (1997, 2012), but those lines precisely between $3830-3870 \text{ cm}^{-1}$ are attributed to a private communication from Barbe (2011). O₃ line parameters in HITRAN 2016 are also included in the S&MPO database. In the region $3623-4229 \text{ cm}^{-1}$, HITRAN also includes an updated hot band from Barbe et al. (2013).

Our analysis fit the hydrogen halides HCl (between $2600-3050 \text{ cm}^{-1}$) 595 and HF (between $3700-4100 \text{ cm}^{-1}$). Parameters for these gases were not 596 updated in the 2011 or 2015 editions of GEISA, but new calculations were 597 implemented in the 2012 edition of HITRAN (Li et al., 2013). The result is 598 differences in line position when performing spectral fitting with HITRAN 599 2016 or GEISA 2015. Mean differences are very small relative to the noise 600 of the ACE-FTS observations, less than 1%, with HITRAN 2016 performing 601 slightly better at these line locations (e.g., 2925.9 cm^{-1} or 2944.93 cm^{-1} for 602 HCl, and 3877.7 cm^{-1} or 3920.3 cm^{-1} for HF). 603

In conclusion, we have noted consistent improvement in both line lists 604 since HITRAN 2012, have noted errors and deficiencies in both line lists 605 where found, and we hope that the collaborations in charge of both line 606 lists will find this analysis useful when compiling the next release. However, 607 for the purposes of the ExoMars TGO ACS and NOMAD instruments, we 608 recommend HITRAN 2016 for use. HITRAN 2016 shows marked improve-609 ment over HITRAN 2012 in CO_2 and H_2O transitions (as does GEISA 2015). 610 GEISA 2015 currently produces larger residuals for strong CH₄ lines that are 611 critical for ExoMars, while an important CO_2 band centred at 2982 cm⁻¹ has 612 not yet been introduced. 613

614 8. Acknowledgements

All spectral fitting was performed by KSO using the GGG software suite. 615 The ACE-FTS spectra were provided by CDB, who also provided valuable 616 input towards their use and fitting. The GGG software suite is maintained 617 by GCT at JPL (tccon-wiki.caltech.edu). Input on interpreting the results 618 and the spectroscopy in the target region was provided by CDB and GCT. 619 The HITRAN line list is hosted by the Harvard-Smithsonian Center for As-620 trophysics under the continued direction of Dr Laurence S. Rothman (hi-621 tran.org). The GEISA line list is compiled by the Atmospheric Radiation 622 Analysis group at LMD and hosted by the Institut Pierre Simon Laplace (cds-623 espri.ipsl.upmc.fr/GEISA/geisa_raie_2015.php). Tools hosted by the Earth 624 Observation Data Group were used to reform the GEISA 2015 line list into 625 the format of the HITRAN line list (eodg.atm.ox.ac.uk/RFM/geihit.html). 626 This work was performed in support of the ExoMars TGO ACS instrument 627 and funded by the National Centre for Space Studies of France (CNES) and 628 the Natural Sciences and Engineering Research Council of Canada (NSERC) 629 (PDF - 516895 - 2018). 630

631 References

Armante, R., Scott, N., Crevoisier, C., Capelle, V., Crepeau, L., Jacquinet,
N., Chédin, A., Sep. 2016. Evaluation of spectroscopic databases through
radiative transfer simulations compared to observations. Application to the
validation of GEISA 2015 with IASI and TCCON. J. Mol. Spectrosc. 327,
180–192.

- 637 Babikov, Y. L., Mikhailenko, S. N., Barbe, A., Tyuterev, V. G., Sep. 2014.
- ⁶³⁸ S&MPO An information system for ozone spectroscopy on the WEB. J.
- G39 Quant. Spectrosc. Radiat. Transfer 145, 169–196.
- Bailey, J., Jun. 2009. A comparison of water vapor line parameters for modeling the Venus deep atmosphere. Icarus 201, 444–453.
- Barbe, A., De Backer, M.-R., Starikova, E., Tashkun, S. A., Thomas, X.,
 Tyuterev, V. G., Jul. 2012. FTS high resolution spectra of ¹⁶O₃ in 3500 and 5500 cm⁻¹ regions. First example of new theoretical modelling for a
 polyad of strongly coupled states. J. Quant. Spectrosc. Radiat. Transfer
 113, 829–839.
- Barbe, A., Mikhailenko, S., Starikova, E., De Backer, M.-R., Tyuterev,
 V. G., Mondelain, D., Kassi, S., Campargue, A., Janssen, C., Tashkun, S.,
 Kochanov, R., Gamache, R., Orphal, J., Nov. 2013. Ozone spectroscopy in
 the electronic ground state: High-resolution spectra analyses and update
 of line parameters since 2003. J. Quant. Spectrosc. Radiat. Transfer 130,
 172–190.
- ⁶⁵³ Barbe, A., Plateaux, J. J., Mikhailenko, S., Tyuterev, V. G., Oct. 1997. ⁶⁵⁴ Infrared Spectrum of Ozone in the 4600 and 5300 cm ⁻¹Regions: High ⁶⁵⁵ Order Accidental Resonances through the Analysis of $\nu_1 + 2\nu_2 + 3\nu_3 - \nu_2$ ⁶⁵⁶ $\nu_1 + 2\nu_2 + 3\nu_3$, and $4\nu_1 + \nu_3$ Bands. J. Mol. Spectrosc. 185, 408–416.
- Barber, R. J., Tennyson, J., Harris, G. J., Tolchenov, R. N., May 2006. A
 high-accuracy computed water line list. Mon. Not. R. Astron. Soc. 368,
 1087–1094.

- Bernath, P. F., McElroy, C. T., Abrams, M. C., Boone, C. D., Butler, 660 M., Camy-Peyret, C., Carleer, M., Clerbaux, C., Coheur, P.-F., Colin, 661 R., DeCola, P., DeMazière, M., Drummond, J. R., Dufour, D., Evans, 662 W. F. J., Fast, H., Fussen, D., Gilbert, K., Jennings, D. E., Llewellyn, 663 E. J., Lowe, R. P., Mahieu, E., McConnell, J. C., McHugh, M., McLeod, 664 S. D., Michaud, R., Midwinter, C., Nassar, R., Nichitiu, F., Nowlan, C., 665 Rinsland, C. P., Rochon, Y. J., Rowlands, N., Semeniuk, K., Simon, P., 666 Skelton, R., Sloan, J. J., Soucy, M.-A., Strong, K., Tremblay, P., Turn-667 bull, D., Walker, K. A., Walkty, I., Wardle, D. A., Wehrle, V., Zander, R., 668 Zou, J., Jun. 2005. Atmospheric Chemistry Experiment (ACE): Mission 669 overview. Geophys. Res. Lett. 32, L15S01. 670
- Bertaux, J.-L., Vandaele, A. C., Wilquet, V., Montmessin, F., Dahoo, R., Villard, E., Korablev, O., Fedorova, A., May 2008. First observation of 628 CO $_2$ isotopologue band at 3.3 μ m in the atmosphere of Venus by solar occultation from Venus Express. Icarus 195, 28–33.
- Birk, M., Wagner, G., Loos, J., Lodi, L., Polyansky, O. L., Kyuberis, A. A.,
 Zobov, N. F., Tennyson, J., Dec. 2017. Accurate line intensities for water transitions in the infrared: Comparison of theory and experiment. J.
 Quant. Spectrosc. Radiat. Transfer 203, 88–102.
- Boone, C. D., Nassar, R., Walker, K. A., Rochon, Y., McLeod, S. D., Rinsland, C. P., Bernath, P. F., Nov. 2005. Retrievals for the atmospheric chemistry experiment Fourier-transform spectrometer. Appl. Opt. 44, 7218–
 7231.

- Brown, L. R., Sung, K., Benner, D. C., Devi, V. M., Boudon, V., Gabard, 683 T., Wenger, C., Campargue, A., Leshchishina, O., Kassi, S., Monde-684 lain, D., Wang, L., Daumont, L., Régalia, L., Rey, M., Thomas, X., 685 Tyuterev, V. G., Lyulin, O. M., Nikitin, A. V., Niederer, H. M., Albert, 686 S., Bauerecker, S., Quack, M., O'Brien, J. J., Gordon, I. E., Rothman, 687 L. S., Sasada, H., Coustenis, A., Smith, M. A. H., Carrington, T., Wang, 688 X.-G., Mantz, A. W., Spickler, P. T., Nov. 2013. Methane line parameters 689 in the HITRAN2012 database. J. Quant. Spectrosc. Radiat. Transfer 130, 690 201 - 219.691
- ⁶⁹² Chédin, A., Husson, N., Scott, N. A., Feb. 1982. GEISA a Data Base for
 ⁶⁹³ the Study of Phenomena of Radiative Transfer in Planetary Atmospheres.
 ⁶⁹⁴ Bulletin d'Information du Centre de Donnees Stellaires 22, 121.
- ⁶⁹⁵ Clarke, J. T., Mayyasi, M., Bhattacharyya, D., Schneider, N. M., McClin⁶⁹⁶ tock, W. E., Deighan, J. I., Stewart, A. I. F., Chaufray, J.-Y., Chaffin,
 ⁶⁹⁷ M. S., Jain, S. K., Stiepen, A., Crismani, M., Holsclaw, G. M., Montmessin,
 ⁶⁹⁸ F., Jakosky, B. M., Feb. 2017. Variability of D and H in the Martian upper
 ⁶⁹⁹ atmosphere observed with the MAVEN IUVS echelle channel. J. Geophys.
 ⁷⁰⁰ Res. 122, 2336–2344.
- ⁷⁰¹ Clerbaux, C., Boynard, A., Clarisse, L., George, M., Hadji-Lazaro, J.,
 ⁷⁰² Herbin, H., Hurtmans, D., Pommier, M., Razavi, A., Turquety, S., We⁷⁰³ spes, C., Coheur, P.-F., Aug. 2009. Monitoring of atmospheric composition
 ⁷⁰⁴ using the thermal infrared IASI/MetOp sounder. Atmos. Chem. Phys. 9,
 ⁷⁰⁵ 6041–6054.

- ⁷⁰⁶ Coudert, L. H., Chelin, P., Aug. 2016. Line position and line intensity anal-⁷⁰⁷ yses of the high-resolution spectrum of $H_2^{18}O$ up to the First Triad and J ⁷⁰⁸ = 17. J. Mol. Spectrosc. 326, 130–135.
- Coudert, L. H., Martin-Drumel, M.-A., Pirali, O., Sep. 2014. Analysis of the high-resolution water spectrum up to the Second Triad and to J = 30. J. Mol. Spectrosc. 303, 36–41.
- Crisp, D., Atlas, R. M., Breon, F.-M., Brown, L. R., Burrows, J. P., Ciais,
 P., Connor, B. J., Doney, S. C., Fung, I. Y., Jacob, D. J., Miller, C. E.,
 O'Brien, D., Pawson, S., Randerson, J. T., Rayner, P., Salawitch, R. J.,
 Sander, S. P., Sen, B., Stephens, G. L., Tans, P. P., Toon, G. C., Wennberg,
 P. O., Wofsy, S. C., Yung, Y. L., Kuang, Z., Chudasama, B., Sprague, G.,
 Weiss, B., Pollock, R., Kenyon, D., Schroll, S., Jan. 2004. The Orbiting
 Carbon Observatory (OCO) mission. Adv. Space Res. 34, 700–709.
 Crisp, D., Pollock, H. R., Rosenberg, R., Chapsky, L., Lee, R. A. M., Oya-
- Crisp, D., Pollock, H. R., Rosenberg, R., Chapsky, L., Lee, R. A. M., Oyafuso, F. A., Frankenberg, C., O'Dell, C. W., Bruegge, C. J., Doran, G. B.,
 Eldering, A., Fisher, B. M., Fu, D., Gunson, M. R., Mandrake, L., Osterman, G. B., Schwandner, F. M., Sun, K., Taylor, T. E., Wennberg, P. O.,
 Wunch, D., Jan. 2017. The on-orbit performance of the Orbiting Carbon Observatory-2 (OCO-2) instrument and its radiometrically calibrated
 products. Atmos. Meas. Tech. 10, 59–81.
- ⁷²⁶ Devi, V. M., Benner, D. C., Sung, K., Crawford, T. J., Gamache, R. R., ⁷²⁷ Renaud, C. L., Smith, M. A. H., Mantz, A. W., Villanueva, G. L., Dec. ⁷²⁸ 2017. Line parameters for CO₂- and self-broadening in the ν_3 band of ⁷²⁹ HD¹⁶O. J. Quant. Spectrosc. Radiat. Transfer 203, 158–174.

- Durry, G., Li, J. S., Vinogradov, I., Titov, A., Joly, L., Cousin, J., Decarpenterie, T., Amarouche, N., Liu, X., Parvitte, B., Korablev, O., Gerasimov,
 M., Zéninari, V., Apr. 2010. Near infrared diode laser spectroscopy of C₂H₂, H₂O, CO₂ and their isotopologues and the application to TDLAS, a tunable diode laser spectrometer for the martian PHOBOS-GRUNT space mission. Appl. Phys. B 99, 339–351.
- Encrenaz, T., DeWitt, C., Richter, M. J., Greathouse, T. K., Fouchet, T.,
 Montmessin, F., Lefèvre, F., Bézard, B., Atreya, S. K., Aoki, S., Sagawa,
 H., May 2018. New measurements of D/H on Mars using EXES aboard
 SOFIA. Astron. Astrophys. 612, A112.
- Formisano, V., Atreya, S., Encrenaz, T., Ignatiev, N., Giuranna, M., Dec.
 2004. Detection of Methane in the Atmosphere of Mars. Science 306, 1758–
 1761.
- Gamache, R. R., Farese, M., Renaud, C. L., Aug. 2016. A spectral line list for water isotopologues in the 1100-4100 cm⁻¹ region for application to CO_2 -rich planetary atmospheres. J. Mol. Spectrosc. 326, 144–150.
- Giuranna, M., Viscardy, S., Daerden, F., Neary, L., Etiope, G., Oehler,
 D., Formisano, V., Aronica, A., Wolkenberg, P.and Aoki, S., CardesnMoinelo, A., Marn-Yaseli de la Parra, J., Merritt, D., Amoroso, M., 2019.
 Independent confirmation of a methane spike on Mars and a source region
 east of Gale Crater. Nat. Geosci., 1752–0908.
- ⁷⁵¹ Gordon, I. E., Rothman, L. S., Hill, C., Kochanov, R. V., Tan, Y., Bernath,
- P. F., Birk, M., Boudon, V., Campargue, A., Chance, K. V., Drouin, B. J.,

- ⁷⁵³ Flaud, J.-M., Gamache, R. R., Hodges, J. T., Jacquemart, D., Perevalov,
- V. I., Perrin, A., Shine, K. P., Smith, M.-A. H., Tennyson, J., Toon,
- G. C., Tran, H., Tyuterev, V. G., Barbe, A., Császár, A. G., Devi, V. M.,
- ⁷⁵⁶ Furtenbacher, T., Harrison, J. J., Hartmann, J.-M., Jolly, A., Johnson,
- T. J., Karman, T., Kleiner, I., Kyuberis, A. A., Loos, J., Lyulin, O. M.,
- ⁷⁵⁸ Massie, S. T., Mikhailenko, S. N., Moazzen-Ahmadi, N., Müller, H. S. P.,
- ⁷⁵⁹ Naumenko, O. V., Nikitin, A. V., Polyansky, O. L., Rey, M., Rotger, M.,
- ⁷⁶⁰ Sharpe, S. W., Sung, K., Starikova, E., Tashkun, S. A., Auwera, J. V.,
- 761 Wagner, G., Wilzewski, J., Wcisło, P., Yu, S., Zak, E. J., Dec. 2017.
- The HITRAN2016 molecular spectroscopic database. J. Quant. Spectrosc.
- ⁷⁶³ Radiat. Transfer 203, 3–69.
- ⁷⁶⁴ Huang, X., Gamache, R. R., Freedman, R. S., Schwenke, D. W., Lee, T. J., ⁷⁶⁵ Nov. 2014. Reliable infrared line lists for 13 CO₂ isotopologues up to ⁷⁶⁶ $E'=18,000 \text{ cm}^{-1}$ and 1500 K, with line shape parameters. J. Quant. Spec-⁷⁶⁷ trosc. Radiat. Transfer 147, 134–144.
- Irion, F. W., Gunson, M. R., Toon, G. C., Chang, A. Y., Eldering, A.,
 Mahieu, E., Manney, G. L., Michelsen, H. A., Moyer, E. J., Newchurch,
 M. J., Osterman, G. B., Rinsland, C. P., Salawitch, R. J., Sen, B., Yung,
 Y. L., Zander, R., Nov. 2002. Atmospheric Trace Molecule Spectroscopy
 (ATMOS) Experiment Version 3 data retrievals. Appl. Opt. 41, 6968–6979.
- Jacquemart, D., Gueye, F., Lyulin, O. M., Karlovets, E. V., Baron, D., Perevalov, V. I., Jul. 2012. Infrared spectroscopy of CO_2 isotopologues from 2200 to 7000 cm⁻¹: I-Characterizing experimental uncertainties of

positions and intensities. J. Quant. Spectrosc. Radiat. Transfer 113, 961–
975.

Jacquinet-Husson, N., Armante, R., Scott, N. A., Chédin, A., Crépeau, L., 778 Boutammine, C., Bouhdaoui, A., Crevoisier, C., Capelle, V., Boonne, C., 779 Poulet-Crovisier, N., Barbe, A., Chris Benner, D., Boudon, V., Brown, 780 L. R., Buldyreva, J., Campargue, A., Coudert, L. H., Devi, V. M., Down, 781 M. J., Drouin, B. J., Fayt, A., Fittschen, C., Flaud, J.-M., Gamache, 782 R. R., Harrison, J. J., Hill, C., Hodnebrog, Ø., Hu, S.-M., Jacquemart, D., 783 Jolly, A., Jiménez, E., Lavrentieva, N. N., Liu, A.-W., Lodi, L., Lyulin, 784 O. M., Massie, S. T., Mikhailenko, S., Müller, H. S. P., Naumenko, O. V., 785 Nikitin, A., Nielsen, C. J., Orphal, J., Perevalov, V. I., Perrin, A., Polovt-786 seva, E., Predoi-Cross, A., Rotger, M., Ruth, A. A., Yu, S. S., Sung, 787 K., Tashkun, S. A., Tennyson, J., Tyuterev, V. G., Vander Auwera, J., 788 Voronin, B. A., Makie, A., Sep. 2016. The 2015 edition of the GEISA 789 spectroscopic database. J. Mol. Spectrosc. 327, 31-72. 790

Johnson, T. J., Profeta, L. T. M., Sams, R. L., Griffith, D. W. T., Yokelson, R. L., May 2010. An infrared spectral database for detection of gases
emitted by biomass burning. Vib. Spectrosc. 53, 97–102.

Kalnay, E., Kanamitsu, M., Kistler, R., Collins, W., Deaven, D., Gandin,
L., Iredell, M., Saha, S., White, G., Woollen, J., Zhu, Y., Leetmaa, A.,
Reynolds, B., Chelliah, M., Ebisuzaki, W., Higgins, W., Janowiak, J.,
Mo, K. C., Ropelewski, C., Wang, J., Jenne, R., Joseph, D., Mar. 1996.
The NCEP/NCAR 40-Year Reanalysis Project. Bull. Am. Astron. Soc. 77,
437–472.

Korablev, O., Montmessin, F., Trokhimovskiy, A., Fedorova, A. A., Shakun, 800 A. V., Grigoriev, A. V., Moshkin, B. E., Ignatiev, N. I., Forget, F., Lefèvre, 801 F., Anufreychik, K., Dzuban, I., Ivanov, Y. S., Kalinnikov, Y. K., Ko-802 zlova, T. O., Kungurov, A., Makarov, V., Martynovich, F., Maslov, I., 803 Merzlyakov, D., Moiseev, P. P., Nikolskiy, Y., Patrakeev, A., Patsaev, D., 804 Santos-Skripko, A., Sazonov, O., Semena, N., Semenov, A., Shashkin, V., 805 Sidorov, A., Stepanov, A. V., Stupin, I., Timonin, D., Titov, A. Y., Vik-806 torov, A., Zharkov, A., Altieri, F., Arnold, G., Belyaev, D. A., Bertaux, 807 J. L., Betsis, D. S., Duxbury, N., Encrenaz, T., Fouchet, T., Gérard, 808 J.-C., Grassi, D., Guerlet, S., Hartogh, P., Kasaba, Y., Khatuntsev, I., 809 Krasnopolsky, V. A., Kuzmin, R. O., Lellouch, E., Lopez-Valverde, M. A., 810 Luginin, M., Määttänen, A., Marcq, E., Martin Torres, J., Medvedev, 811 A. S., Millour, E., Olsen, K. S., Patel, M. R., Quantin-Nataf, C., Rodin, 812 A. V., Shematovich, V. I., Thomas, I., Thomas, N., Vazquez, L., Vin-813 cendon, M., Wilquet, V., Wilson, C. F., Zasova, L. V., Zelenyi, L. M., 814 Zorzano, M. P., Feb. 2018. The Atmospheric Chemistry Suite (ACS) of 815 Three Spectrometers for the ExoMars 2016 Trace Gas Orbiter. Space Sci. 816 Rev. 214, 7. 817

Korablev, O., Vandaele, A. C., Montmessin, F., Fedorova, A. A., Trokhi-818 movskiy, A., Forget, F., Lefévre, F., Daerden, F., Thomas, I. R., Trompet, 819 L., Erwin, J. T., Aoki, S., Robert, S., Neary, L., Viscardy, S., Grigoriev, 820 A., Ignatiev, N., Shakun, A., Patrakeev, A., Belyaev, D., Bertaux, J.-L., 821 Olsen, K. S., Baggio, L., Alday, J., Ivanov, Y. S., Bojan, R., et al., 2019. 822 No detection of methane on Mars from early ExoMars Trace Gas Orbiter 823 observations. Nature.

824

40

- ⁸²⁵ Krasnopolsky, V. A., Sep. 2015. Variations of the HDO/H_2O ratio in the ⁸²⁶ martian atmosphere and loss of water from Mars. Icarus 257, 377–386.
- Krasnopolsky, V. A., Maillard, J. P., Owen, T. C., Dec. 2004. Detection of
 methane in the Martian atmosphere: evidence for life? Icarus 172, 537–
 547.
- Li, G., Gordon, I. E., Hajigeorgiou, P. G., Coxon, J. A., Rothman, L. S.,
 Nov 2013. Reference spectroscopic data for hydrogen halides, Part II: The
 line lists. J. Quant. Spectrosc. Radiat. Transfer 130, 284–295.
- Li, G., Gordon, I. E., Rothman, L. S., Tan, Y., Hu, S.-M., Kassi, S., Campargue, A., Medvedev, E. S., Jan. 2015. Rovibrational Line Lists for Nine Isotopologues of the CO Molecule in the X ${}^{1}\Sigma^{+}$ Ground Electronic State. Astrophys. J. Suppl. Ser. 216, 15.
- Lodi, L., Tennyson, J., Jul. 2012. Line lists for $H_2^{18}O$ and $H_2^{17}O$ based on empirical line positions and ab initio intensities. J. Quant. Spectrosc. Radiat. Transfer 113, 850–858.
- Lodi, L., Tennyson, J., Polyansky, O. L., Jul. 2011. A global, high accuracy
 ab initio dipole moment surface for the electronic ground state of the water
 molecule. J. Chem. Phys. 135 (3), 034113–034113.
- Loos, J., Birk, M., Wagner, G., Dec. 2017a. Measurement of air-broadening line shape parameters and temperature dependence parameters of H_2O lines in the spectral ranges 1850-2280 cm⁻¹ and 2390-4000 cm⁻¹. J. Quant. Spectrosc. Radiat. Transfer 203, 103–118.

- ⁸⁴⁷ Loos, J., Birk, M., Wagner, G., Dec. 2017b. Measurement of positions, in-⁸⁴⁸ tensities and self-broadening line shape parameters of H_2O lines in the ⁸⁴⁹ spectral ranges 1850-2280 cm⁻¹ and 2390-4000 cm⁻¹. J. Quant. Spectrosc. ⁸⁵⁰ Radiat. Transfer 203, 119–132.
- Lyulin, O. M., Karlovets, E. V., Jacquemart, D., Lu, Y., Liu, A. W.,
 Perevalov, V. I., Nov. 2012. Infrared spectroscopy of 17O- and 18Oenriched carbon dioxide in the 1700-8300cm-1 wavenumber region. J.
 Quant. Spectrosc. Radiat. Transfer 113, 2167–2181.
- McClatchey, R. A., Benedict, W. S., Clough, S. A., Burch, D. E., Calfee,
 R. F., Fox, K., Rothman, L. S., Garing, J. S., 1973. AFCRL atmospheric
 absorption line parameters compilation. Air Force Cambridge Research
 Laboratories, Bedford, Ma.
- Mendonca, J., Strong, K., Toon, G. C., Wunch, D., Sung, K., Deutscher,
 N. M., Griffith, D. W. T., Franklin, J. E., May 2016. Improving atmospheric CO₂ retrievals using line mixing and speed-dependence when fitting high-resolution ground-based solar spectra. J. Mol. Spectrosc. 323,
 15–27.
- Mumma, M. J., Villanueva, G. L., Novak, R. E., Hewagama, T., Bonev, B. P.,
 DiSanti, M. A., Mandell, A. M., Smith, M. D., Feb. 2009. Strong Release
 of Methane on Mars in Northern Summer 2003. Science 323, 1041–1045.
- Niederer, H.-M., Wang, X.-G., Carrington, T., Albert, S., Bauerecker, S.,
 Boudon, V., Quack, M., Sep. 2013. Analysis of the rovibrational spectrum of ¹³CH₄ in the Octad range. J. Mol. Spectrosc. 291, 33–47.

- Nikitin, A. V., Boudon, V., Wenger, C., Albert, S., Brown, L. R., Bauerecker,
 S., Quack, M., 2013. High resolution spectroscopy and the first global
 analysis of the Tetradecad region of methane 12CH4. Phys. Chem. Chem.
 Phys. 15, 10071.
- Norton, R. H., Rinsland, C. P., Feb. 1991. ATMOS data processing and
 science analysis methods. Appl. Opt. 30, 389–400.
- Olsen, K. S., Toon, G. C., Boone, C. D., Strong, K., 2015. New temperature and pressure retrieval algorithm for high-resolution infrared solar occultation spectrometry: analysis and validation against ACE-FTS and COSMIC. Atmos. Meas. Tech. Disc. 8, 10823–10873.
- Rothman, L. S., Gamache, R. R., Tipping, R. H., Rinsland, C. P., Smith,
 M. A. H., Benner, D. C., Devi, V. M., Flaud, J.-M., Camy-Peyret, C.,
 Perrin, A., 1992. The HITRAN molecular data base Editions of 1991 and
 1992. J. Quant. Spectrosc. Radiat. Transfer 48, 469–507.
- Rothman, L. S., Gordon, I. E., Babikov, Y., Barbe, A., Chris Benner, D., 884 Bernath, P. F., Birk, M., Bizzocchi, L., Boudon, V., Brown, L. R., Cam-885 pargue, A., Chance, K., Cohen, E. A., Coudert, L. H., Devi, V. M., Drouin, 886 B. J., Fayt, A., Flaud, J.-M., Gamache, R. R., Harrison, J. J., Hartmann, 887 J.-M., Hill, C., Hodges, J. T., Jacquemart, D., Jolly, A., Lamouroux, J., Le 888 Roy, R. J., Li, G., Long, D. A., Lyulin, O. M., Mackie, C. J., Massie, S. T., 889 Mikhailenko, S., Müller, H. S. P., Naumenko, O. V., Nikitin, A. V., Or-890 phal, J., Perevalov, V., Perrin, A., Polovtseva, E. R., Richard, C., Smith, 891 M. A. H., Starikova, E., Sung, K., Tashkun, S., Tennyson, J., Toon, G. C., 892

- Tyuterev, V. G., Wagner, G., Nov. 2013. The HITRAN2012 molecular
 spectroscopic database. J. Quant. Spectrosc. Radiat. Transfer 130, 4–50.
- Rothman, L. S., Gordon, I. E., Barbe, A., Benner, D. C., Bernath, P. F., 895 Birk, M., Boudon, V., Brown, L. R., Campargue, A., Champion, J.-P., 896 Chance, K., Coudert, L. H., Dana, V., Devi, V. M., Fally, S., Flaud, J.-897 M., Gamache, R. R., Goldman, A., Jacquemart, D., Kleiner, I., Lacome, 898 N., Lafferty, W. J., Mandin, J.-Y., Massie, S. T., Mikhailenko, S. N., 899 Miller, C. E., Moazzen-Ahmadi, N., Naumenko, O. V., Nikitin, A. V., 900 Orphal, J., Perevalov, V. I., Perrin, A., Predoi-Cross, A., Rinsland, C. P., 901 Rotger, M., Šimečková, M., Smith, M. A. H., Sung, K., Tashkun, S. A., 902 Tennyson, J., Toth, R. A., Vandaele, A. C., Vander Auwera, J., Jun. 2009. 903 The HITRAN 2008 molecular spectroscopic database. J. Quant. Spectrosc. 904 Radiat. Transfer 110, 533–572. 905
- Sen, B., Toon, G. C., Blavier, J.-F., Fleming, E. L., Jackman, C. H., Apr.
 1996. Balloon-borne observations of midlatitude fluorine abundance. J.
 Geophys. Res. 101, 9045–9054.
- Sharpe, S. W., Johnson, T. J., Sams, R. L., Chu, P. M., Rhoderick, G. C.,
 Johnson, P. A., Dec. 2004. Gas-Phase Databases for Quantitative Infrared
 Spectroscopy. Appl. Spectrosc. 58, 1452–1461.
- Tashkun, S. A., Perevalov, V. I., Gamache, R. R., Lamouroux, J., Feb. 2015.
 CDSD-296, high resolution carbon dioxide spectroscopic databank: Version for atmospheric applications. J. Quant. Spectrosc. Radiat. Transfer
 152, 45–73.

917	Császár, A. G., Gamache, R. R., Hodges, J. T., Jenouvrier, A., Naumenko,
918	O. V., Polyansky, O. L., Rothman, L. S., Toth, R. A., Carine Vandaele, A.,
919	Zobov, N. F., Daumont, L., Fazliev, A. Z., Furtenbacher, T., Gordon, I. E.,
920	Mikhailenko, S. N., Shirin, S. V., Jun. 2009. IUPAC critical evaluation of

Tennyson, J., Bernath, P. F., Brown, L. R., Campargue, A., Carleer, M. R.,

- ⁹²¹ the rotational-vibrational spectra of water vapor. Part I–Energy levels and
- $_{922}$ transition wavenumbers for $H_2^{17}O$ and $H_2^{18}O$. J. Quant. Spectrosc. Radiat.
- ⁹²³ Transfer 110, 573–596.

916

- Toon, G., 2019. CO_2 Spectroscopy Evaluation: 670 to 7000 cm⁻¹. Tech. rep., Jet Propulsion Laboratory.
- 926 URL mark4sun.jpl.nasa.gov/toon/atm18/NDACC_TCCON_2019_ 927 Toon-compressed.pdf
- Toon, G. C., Oct. 1991. The JPL MkIV interferometer. Opt. Photonics News
 2, 19–21.
- Toon, G. C., Blavier, J.-F., Sung, K., Rothman, L. S., E. Gordon, I., Oct.
 2016. HITRAN spectroscopy evaluation using solar occultation FTIR spectra. J. Quant. Spectrosc. Radiat. Transfer 182, 324–336.
- Toth, R. A., Brown, L. R., Miller, C. E., Malathy Devi, V., Benner, D. C., Apr. 2008a. Spectroscopic database of CO_2 line parameters: 4300 7000 cm⁻¹. J. Quant. Spectrosc. Radiat. Transfer 109, 906–921.
- Toth, R. A., Miller, C. E., Brown, L. R., Devi, V. M., Benner, D. C., May 2007. Line positions and strengths of ${}^{16}O$ ${}^{12}C$ ${}^{18}O$, ${}^{18}O$ ${}^{12}C$ ${}^{18}O$ and ${}^{17}O$ ${}^{12}C$ ${}^{18}O$ between 2200 and 7000 cm ${}^{-1}$. J. Mol. Spectrosc. 243, 43–61.

- 939 Toth, R. A., Miller, C. E., Brown, L. R., Devi, V. M., Benner, D. C., Sep.
- $_{940}$ 2008b. Line strengths of ^{16}O ^{13}C ^{16}O , ^{16}O ^{13}C ^{18}O , ^{16}O ^{13}C ^{17}O and ^{18}O
- $_{941}$ $^{13}{\rm C}$ $^{18}{\rm O}$ between 2200 and 6800 cm $^{-1}.$ J. Mol. Spectrosc. 251, 64–89.
- Tyuterev, V., Tashkun, S., Rey, M., Kochanov, R., Nikitin, A., Delahaye, T.,
 Dec. 2013. Accurate Spectroscopic Models for Methane Polyads Derived
 from a Potential Energy Surface Using High-Order Contact Transformations. J. Phys. Chem. A 117, 13779–13805.
- Vandaele, A. C., Lopez-Moreno, J.-J., Patel, M. R., Bellucci, G., Daer-946 den, F., Ristic, B., Robert, S., Thomas, I. R., Wilquet, V., Allen, M., 947 Alonso-Rodrigo, G., Altieri, F., Aoki, S., Bolsée, D., Clancy, T., Cloutis, 948 E., Depiesse, C., Drummond, R., Fedorova, A., Formisano, V., Funke, 949 B., González-Galindo, F., Geminale, A., Gérard, J.-C., Giuranna, M., 950 Hetey, L., Ignatiev, N., Kaminski, J., Karatekin, O., Kasaba, Y., Leese, 951 M., Lefèvre, F., Lewis, S. R., López-Puertas, M., López-Valverde, M., 952 Mahieux, A., Mason, J., McConnell, J., Mumma, M., Neary, L., Neefs, 953 E., Renotte, E., Rodriguez-Gomez, J., Sindoni, G., Smith, M., Stiepen, 954 A., Trokhimovsky, A., Vander Auwera, J., Villanueva, G., Viscardy, S., 955 Whiteway, J., Willame, Y., Wolff, M., Aug. 2018. NOMAD, an Integrated 956 Suite of Three Spectrometers for the ExoMars Trace Gas Mission: Techni-957 cal Description, Science Objectives and Expected Performance. Space Sci. 958 Rev. 214, 80. 959
- Vandaele, A. C., Neefs, E., Drummond, R., Thomas, I. R., Daerden, F.,
- Lopez-Moreno, J.-J., Rodriguez, J., Patel, M. R., Bellucci, G., Allen, M.,
- Altieri, F., Bolsée, D., Clancy, T., Delanoye, S., Depiesse, C., Cloutis, E.,

- Fedorova, A., Formisano, V., Funke, B., Fussen, D., Geminale, A., Gérard, 963 J.-C., Giuranna, M., Ignatiev, N., Kaminski, J., Karatekin, O., Lefèvre, 964 F., López-Puertas, M., López-Valverde, M., Mahieux, A., McConnell, J., 965 Mumma, M., Neary, L., Renotte, E., Ristic, B., Robert, S., Smith, M., 966 Trokhimovsky, S., Vander Auwera, J., Villanueva, G., Whiteway, J., Wil-967 quet, V., Wolff, M., Dec. 2015. Science objectives and performances of 968 NOMAD, a spectrometer suite for the ExoMars TGO mission. Planet. 969 Space Sci. 119, 233–249. 970
- ⁹⁷¹ Villanueva, G. L., Mumma, M. J., Novak, R. E., Hewagama, T., May 2008. ⁹⁷² Identification of a new band system of isotopic CO $_2$ near 3.3 μ m: Impli-⁹⁷³ cations for remote sensing of biomarker gases on Mars. Icarus 195, 34–44.
- Webster, C. R., Mahaffy, P. R., Atreya, S. K., Flesch, G. J., Mischna, M. A.,
 Meslin, P.-Y., Farley, K. A., Conrad, P. G., Christensen, L. E., Pavlov,
 A. A., et al., Jan. 2015. Mars methane detection and variability at Gale
 crater. Science 347, 415–417.
- Webster, C. R., Mahaffy, P. R., Atreya, S. K., Moores, J. E., Flesch, G. J., 978 Malespin, C., McKay, C. P., Martinez, G., Smith, C. L., Martin-Torres, 979 J., Gomez-Elvira, J., Zorzano, M.-P., Wong, M. H., Trainer, M. G., Steele, 980 A., Archer, D., Sutter, B., Coll, P. J., Freissinet, C., Meslin, P.-Y., Gough, 981 R. V., House, C. H., Pavlov, A., Eigenbrode, J. L., Glavin, D. P., Pear-982 son, J. C., Keymeulen, D., Christensen, L. E., Schwenzer, S. P., Navarro-983 Gonzalez, R., Pla-García, J., Rafkin, S. C. R., Vicente-Retortillo, A., Ka-984 hanpää, H., Viudez-Moreiras, D., Smith, M. D., Harri, A.-M., Genzer, 985
- 986 M., Hassler, D. M., Lemmon, M., Crisp, J., Sander, S. P., Zurek, R. W.,

- Vasavada, A. R., Jun. 2018. Background levels of methane in Mars' atmosphere show strong seasonal variations. Science 360, 1093–1096.
- Wilzewski, J. S., Gordon, I. E., Kochanov, R. V., Hill, C., Rothman, L. S.,
 Jan. 2016. H₂, He, and CO₂ line-broadening coefficients, pressure shifts
 and temperature-dependence exponents for the HITRAN database. Part
 1: SO₂, NH₃, HF, HCl, OCS and C₂H₂. J. Quant. Spectrosc. Radiat.
 Transfer 168, 193–206.
- Wunch, D., Toon, G. C., Blavier, J. L., Washenfelder, R. A., Notholt, J.,
 Connor, B. J., Griffith, D. W. T., Sherlock, V., Wennberg, P. O., May
 2011. The Total Carbon Column Observing Network. Phil. Trans. R. Soc.
 A 369, 2087–2112.
- Yokota, T., Yoshida, Y., Eguchi, N., Ota, Y., Tanaka, T., Watanabe, H.,
 Maksyutov, S., 2009. Global concentrations of co₂ and ch₄ retrieved from
 gosat: First preliminary results. Sci. Online Lett. Atmos. 5, 160–163.
- Zak, E., Tennyson, J., Polyansky, O. L., Lodi, L., Zobov, N. F., Tashkun,
 S. A., Perevalov, V. I., Jul. 2016. A room temperature CO₂ line list with
 ab initio computed intensities. J. Quant. Spectrosc. Radiat. Transfer 177,
 31–42.
- Zurek, R. W., Chicarro, A., Allen, M. A., Bertaux, J.-L., Clancy, R. T.,
 Daerden, F., Formisano, V., Garvin, J. B., Neukum, G., Smith, M. D.,
 Feb. 2011. Assessment of a 2016 mission concept: The search for trace
 gases in the atmosphere of Mars. Planet. Space Sci. 59, 284–291.




Figure 2: Mean ACE-FTS spectra, mean best-fit computed spectra, and mean residuals for each fitting window. Mean residuals are shown using HITRAN 2012 (green), HITRAN 2016 (blue) and GEISA 2015 (orange). Mean fitted spectra are shown only for when using HITRAN 2016. a) mean residuals from 0.00023 atm (~ 60 km), b) mean spectra and mean fits from 0.00023 atm, c) mean residuals from 0.0029 atm (~ 40 km), d) mean spectra and mean fits from 0.0029 atm, e) mean residuals from 0.052 atm (~ 20 km), f) mean spectra and mean fits from 0.052 atm.




Figure 3: Mean RMS values computes for each fitting window when using each HITRAN 2012, HITRAN 2016, and GEISA 2015 at three pressure levels: a) 0.00023 atm (~ 60 km),
b) 0.0029 atm (~ 40 km), c) 0.052 atm (~ 20 km).




Figure 4: a) Mean residuals for the 2551.55 cm⁻¹ window at 0.052 atm (~ 20 km) with HITRAN 2012, HITRAN 2016, and GEISA 2015. b) Mean measured ACE-FTS spectrum and mean computed spectrum (for HITRAN 2016). The primary features in this window are N₂O lines and the residuals correspond to the N₂O lines.




Figure 5: a) Mean residuals for the 2615.74 cm⁻¹ window at 0.052 atm (~ 20 km) with HITRAN 2012, HITRAN 2016, and GEISA 2015. b) Mean measured ACE-FTS spectrum and mean computed spectrum (for HITRAN 2016). The main features are from N₂O towards the left edge, a CO₂ band across the entire window, and several strong CH₄ lines. The residuals are due to HNO₃.




Figure 6: Zoom of the residuals and mean spectra (as in Figures 4 and 5) where errors are present, for the windows: a) 2722.25 cm⁻¹, b) 2780.74 cm⁻¹, c) 3869.14 cm⁻¹, d) 3936.15 cm⁻¹.




Figure 7: a) Mean residuals for the 2825.0 cm⁻¹ window at 0.052 atm (~ 20 km) with HITRAN 2012, HITRAN 2016, and GEISA 2015. b) Mean measured ACE-FTS spectrum and mean computed spectrum (for HITRAN 2016). Features are primarily CH₄ lines.




Figure 8: a) Mean residuals for the 3089.75 cm⁻¹ window at 0.052 atm (~ 20 km) with HITRAN 2012, HITRAN 2016, and GEISA 2015. b) Mean measured ACE-FTS spectrum and mean computed spectrum (for HITRAN 2016). Absorption are due to, in order of prominence, CH₄, H₂O, and O₃. Large residuals near 3090 cm⁻¹ are from CH₄ lines.




Figure 9: a) Mean residuals for the 3489.0 cm⁻¹ window at 0.052 atm (~ 20 km) with HITRAN 2012, HITRAN 2016, and GEISA 2015. b) Mean measured ACE-FTS spectrum and mean computed spectrum (for HITRAN 2016). The primary features are an N₂O band on the left side, CO₂ bands on the right, and several H₂O lines. The strong residuals are due to CO₂ when using the HITRAN 2012 line list.




Figure 10: a) Mean residuals for the 3869.14 cm⁻¹ window at 0.052 atm (~ 20 km) with HITRAN 2012, HITRAN 2016, and GEISA 2015. b) Mean measured ACE-FTS spectrum and mean computed spectrum (for HITRAN 2016). The primary features are H₂O lines. The strong residuals near 3860 cm⁻¹ are due to O₃ when using GEISA 2015. Those near 3886 cm⁻¹ are due to H₂O and are shown in Figure 6c.