



Atmospheric Pollution from Shipping and Oil platforms of West Africa (APSOWA) observed during the airborne DACCIWA campaign

Gisèle Krysztofiak-Tong, Vanessa Brocchi, Valéry Catoire, Greta Stratmann, Daniel Sauer, Adrien Deroubaix, Konrad Deetz, Hans Schlager

► To cite this version:

Gisèle Krysztofiak-Tong, Vanessa Brocchi, Valéry Catoire, Greta Stratmann, Daniel Sauer, et al.. Atmospheric Pollution from Shipping and Oil platforms of West Africa (APSOWA) observed during the airborne DACCIWA campaign. 19th EGU General Assembly, Apr 2017, Vienne, Austria. pp.7901. insu-03568146

HAL Id: insu-03568146

<https://insu.hal.science/insu-03568146>

Submitted on 13 Feb 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

Atmospheric Pollution from Shipping and Oil platforms of West Africa (APSOWA) observed during the airborne DACCIIWA campaign

Gisèle Krysztofiak-Tong (1), Vanessa Brocchi (1), Valéry Catoire (1), Greta Stratmann (2), Daniel Sauer (2), Adrien Deroubaix (3), Konrad Deetz (4), and Hans Schlager (2)

(1) LPC2E, CNRS – University of Orléans, France, France, (2) Institut für Physik der Atmosphäre, DLR, Germany, (3) LMD, IPSL, Ecole Polytechnique, France, (4) KIT, Institute for Meteorology and Climate Research, Germany

In the framework of the European DACCIIWA (Dynamics-Aerosol-Chemistry-Cloud Interactions in West Africa) project, the airborne study APSOWA (Atmospheric Pollution from Shipping and Oil platforms of West Africa) has been conducted in July 2016 to study emissions from oil rigs and maritime traffic in the Gulf of Guinea. The measurements were performed during four flights of about 3-4 hours including meandering transects through emission plumes in the planetary boundary layer (around 300 m asl) off the coast of West Africa from Ivory Coast to Togo.

Several instruments have been used on-board the DLR Falcon-20, providing measurements of the pollutants O_3 , CO, NO_2 , SO_2 , aerosol content and meteorological parameters. This set of trace gases can be used to fingerprint different sources of local air pollution.

The first part of our study is focused on the FPSO Kwame Nkrumah facility operating in the Jubilee oil field off the coast of Ghana. Aircraft observations have been combined with a nested-grid regional scale Lagrangian particle dispersion model (FLEXPART) to estimate surface emission fluxes from this platform. A simplified inverse method is used and repeated until the modelling output and aircraft observations converged. The estimated fluxes of CO, SO_2 , NO_2 are compared to global (EDGAR, MACCity) and regional (Deetz and Vogel, 2017, in press) inventories. A second part of the study provides the first results of the APSOWA flights for the study of the impact of shipping emissions on the regional air quality. Using data from Marine Traffic, ship positions during the campaign are identified. Then, FLEXPART is used to quantify the contributions of the ship emissions to the aircraft observations. Finally, direct measurements in the MBL around $4^\circ N$ latitude along the Ghana coast show no strong evidence of the presence of an atmospheric pollution maritime corridor simulated by MACCity.