



**HAL**  
open science

## Modeling the variability of Martian O<sup>+</sup> ion escape due to Solar Wind forcing

Ronan Modolo, François Leblanc, Jean-Yves Chaufray, Norberto Romanelli, Eduard Dubinin, Vincent Génot, Claire Baskevitch, David Brain, Shannon Curry, Robert Lillis

► **To cite this version:**

Ronan Modolo, François Leblanc, Jean-Yves Chaufray, Norberto Romanelli, Eduard Dubinin, et al.. Modeling the variability of Martian O<sup>+</sup> ion escape due to Solar Wind forcing. EGU General Assembly 2022, May 2022, Online, Austria. 10.5194/egusphere-egu22-7665 . insu-03643844

**HAL Id: insu-03643844**

**<https://insu.hal.science/insu-03643844v1>**

Submitted on 16 Apr 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

EGU22-7665

<https://doi.org/10.5194/egusphere-egu22-7665>

EGU General Assembly 2022

© Author(s) 2022. This work is distributed under the Creative Commons Attribution 4.0 License.



## Modeling the variability of Martian O<sup>+</sup> ion escape due to Solar Wind forcing

**Ronan Modolo**<sup>1</sup>, Francois Leblanc<sup>1</sup>, Jean-Yves Chaufray<sup>1</sup>, Norberto Romanelli<sup>2,3</sup>, Eduard Dubinin<sup>4</sup>, Vincent Génot<sup>5</sup>, Claire Baskevitch<sup>1</sup>, David Brain<sup>6</sup>, Shannon Curry<sup>7</sup>, and Robert Lillis<sup>7</sup>

<sup>1</sup>LATMOS / university of Versailles, LATMOS, GUYANCOURT, France (ronan.modolo@latmos.ipsl.fr)

<sup>2</sup>NASA Goddard Space Flight Center, Greenbelt, Maryland, USA

<sup>3</sup>CRESST II, University of Maryland, Baltimore County, USA

<sup>4</sup>Max Planck Institute, MPS, Gottingen, Germany

<sup>5</sup>IRAP / U. Paul Sabatier / CNRS / CDPP, 9 avenue du Colonel Roche, 31400 Toulouse, France

<sup>6</sup>LASP / Univ. of Colorado, Boulder, Colorado, USA

<sup>7</sup>SSL / Univ. of Berkeley, Berkeley, California, USA

During the last decade, MAVEN space mission have emphasized a widespread spatial distribution of escaping O<sup>+</sup> ions (Brain et al., 2015; Dong et al., 2015; Curry et al., 2015). Statistical studies have demonstrated that such structure is constant and present an asymmetry with respect to the solar wind convective electric field direction. In the Mars Solar Ecliptic coordinate system, continuous large O<sup>+</sup> ion fluxes have been observed from the Martian wake to the Northward hemisphere. Global hybrid models have been developed since more than fifteen years (Modolo et al., 2005, 2016; Brecht and Ledvina, 2006; Kallio et al., 2006) predicting and reproducing successfully the main characteristics of these escaping ion signatures. To further characterize this heavy-ion escape and its variability due to the solar wind forcing, global hybrid simulations have been performed with different set of upstream solar wind parameters. The impact of the solar wind drivers on the dynamics of O<sup>+</sup> ion fluxes are reported and compared to the statistical ion fluxes maps derived from MAVEN/STATIC observations (Dong et al., 2015).

Brain, D. A., McFadden, J. P., Halekas, J. S., Connerney, J. E. P., Bougher, S. W., Curry, S., et al. (2015). The spatial distribution of planetary ion fluxes near Mars observed by MAVEN. *Geophys. Res. Lett.* 42, 9142–9148. doi:10.1002/2015GL065293

Dong, Y., Fang, X., Brain, D. A., McFadden, J. P., Halekas, J. S., Connerney, J. E., et al. (2015). Strong plume fluxes at Mars observed by MAVEN: An important planetary ion escape channel. *Geophys. Res. Lett.* 42, 8942–8950. doi:10.1002/2015GL065346

Curry, S. M., Luhmann, J. G., Ma, Y. J., Dong, C. F., Brain, D., Leblanc, F., et al. (2015). Response of Mars O<sup>+</sup> pickup ions to the 8 March 2015 ICME: Inferences from MAVEN data-based models. *Geophys. Res. Lett.* 42, 9095–9102. doi:10.1002/2015GL065304

Modolo, R., Chanteur, G. M., Dubinin, E., and Matthews, A. P. (2005). Influence of the solar EUV flux

on the Martian plasma environment. *Annales Geophysicae* 23, 433–444.  
doi:10.5194/angeo-23-433-2005

Brecht, S. H. and Ledvina, S. A. (2006). The Solar Wind Interaction With the Martian Ionosphere/Atmosphere 126, 15–38. doi:10.1007/s11214-006-9084-z

Kallio, E., Fedorov, A., Budnik, E., Saïles, T., Janhunen, P., Schmidt, W., et al. (2006). Ion escape at Mars: Comparison of a 3-D hybrid simulation with Mars Express IMA/ASPERA-3 measurements 182, 350–359. doi:10.1016/j.icarus.2005.09.018