

Nitrosat, a satellite mission concept for mapping reactive nitrogen at the landscape scale

Pierre-François Coheur, Pieternel Levelt, Lieven Clarisse, Martin van Damme, Henk Eskes, Pepijn Veefkind, Cathy Clerbaux, Frank Dentener, Jan Erisman, Martijn Schaap, et al.

▶ To cite this version:

Pierre-François Coheur, Pieternel Levelt, Lieven Clarisse, Martin van Damme, Henk Eskes, et al.. Nitrosat, a satellite mission concept for mapping reactive nitrogen at the landscape scale. EGU General Assembly 2021, Apr 2021, Online, Unknown Region. $10.5194/{\rm egusphere-egu21-9932}$. insu-03649559

HAL Id: insu-03649559 https://insu.hal.science/insu-03649559v1

Submitted on 22 Apr 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



EGU21-9932 https://doi.org/10.5194/egusphere-egu21-9932 EGU General Assembly 2021 © Author(s) 2022. This work is distributed under the Creative Commons Attribution 4.0 License.



Nitrosat, a satellite mission concept for mapping reactive nitrogen at the landscape scale

Pierre-Francois Coheur¹, Pieternel Levelt^{2,3}, Lieven Clarisse¹, Martin Van Damme¹, Henk Eskes², Pepijn Veefkind², Cathy Clerbaux^{4,1}, Frank Dentener⁵, Jan Willem Erisman⁶, Martijn Schaap^{7,8}, Mark A Sutton⁹, and Michel Van Roozendael¹⁰

¹Université libre de Bruxelles, Spectroscopy, Quantum Chemistry and Atmospheric Remote Sensing (SQUARES), Brussels, Belgium

²Royal Netherlands Meteorological Institute, De Bilt, The Netherlands

³Delft University of Technology, Delft, The Netherlands

⁴LATMOS/IPSL, Sorbonne Université, UVSQ, CNRS, Paris, France

⁵Joint Research Centre (JRC), Ispra, Italy

⁶Institute of Environmental Sciences, Leiden University, Leiden, The Netherlands

⁷Department of Climate, Air and Sustainability, TNO, Utrecht, The Netherlands

⁸Institute for Meteorology, Freie Universität Berlin, Berlin, Germany

⁹UK Centre for Ecology and Hydrology, Edinburgh, UK

¹⁰Royal Belgian Institute for Space Aeronomy, Brussels, Belgium

The nitrogen cycle has been heavily perturbed due to ever growing agriculture, industry, transport and domestic production. It is believed that we now have reached a point where the nitrogen biochemical flow has exceeded its planetary boundary for a safe operating zone. This goes together with a cascade of impacts on human health and ecosystems. To better understand and address these impacts, there is a critical need to quantify the global nitrogen cycle and monitor its perturbations on all scales, down to the urban or agricultural source.

The Nitrosat concept, which was proposed most recently in the framework of ESA's Earth Explorer 11 call, has for overarching objective to simultaneously identify the emission contributions of NH_3 and NO_2 from farming activities, industrial complexes, transport, fires and urban areas. The specific Nitrosat science goals are to:

- Quantify the emissions of NH₃ and NO₂ on the landscape scales, to expose individual sources and characterize the temporal patterns of their emissions.
- Quantify the relative contribution of agriculture, in its diversity of sectors and practices, to the total emissions of reactive nitrogen.
- Quantify the contribution of reactive nitrogen to air pollution and its impact on human health.
- Constrain the atmospheric dispersion and surface deposition of reactive nitrogen and its impacts on ecosystems and climate; and contribute to monitoring policy progress to reduce nitrogen deposition in Natura 2000 areas in Europe.
- Reduce uncertainties in the contribution of reactive nitrogen to climate forcing, atmospheric

chemistry and interactions between biogeochemical cycles.

To achieve these objectives, Nitrosat would consist of an infrared Imaging Fourier Transform Spectrometer and a Visible Imaging Pushbroom Spectrometer. These imaging spectrometers will measure NH₃ and NO₂ (respectively) at 500 m, which is the required spatial scale to differentiate, identify and quantify the main point and area sources in a single satellite overpass. Source regions would be probed from once a week to once a month to reveal the seasonal patterns. Combined with air quality models, assimilation and inverse modelling, these measurements would allow assessing the processes that are relevant for the human disruption of the nitrogen cycle and their resulting effects, in much more detail than what will be achieved with the satellite missions that are planned in the next decade. In this way, Nitrosat would enable informed evaluations of future policies on nitrogen emission control.