

# Introductory paper of the 8th International Symposium on Andean Geodynamics (ISAG) special number

S. Carretier, F. Audemard, Laurence Audin, S. Hidalgo, J. -L. Le Pennec, H.

Mora, Jean-Mathieu Nocquet, Pablo Samaniego

# ▶ To cite this version:

S. Carretier, F. Audemard, Laurence Audin, S. Hidalgo, J. -L. Le Pennec, et al.. Introductory paper of the 8th International Symposium on Andean Geodynamics (ISAG) special number. Journal of South American Earth Sciences, 2022, 116, pp.103802. 10.1016/j.jsames.2022.103802. insu-03684622

# HAL Id: insu-03684622 https://insu.hal.science/insu-03684622

Submitted on 22 Jul 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

# Introductory paper of the 8th International Symposium on Andean Geodynamics (ISAG) Special Number

## S. Carretier<sup>1</sup>, F. Audemard<sup>2</sup>, L. Audin<sup>3</sup>, S. Hidalgo<sup>4</sup>, J-L. Le Pennec<sup>5</sup>, H. Mora<sup>6</sup>, J-M. Nocquet<sup>7,8</sup>, P. Samaniego<sup>9</sup>

<sup>1</sup> Geosciences Environnement Toulouse, OMP, UPS, CNRS, IRD, Université de Toulouse, France

<sup>2</sup>Venezuelan Foundation for Seismological Research -FUNVISIS-,

Earth Sciences Dpt., Final Prolongación Calle Mara, El Llanito, Caracas 1070, Venezuela

<sup>3</sup> Université Grenoble Alpes, IRD, ISTerre, CNRS, Grenoble, France

<sup>4</sup>Escuela Politécnica Nacional, Instituto Geofísico,

Ladrón de Guevara E11-253 y Andalucía, Quito, Ecuador

<sup>5</sup>Geo-Ocean, Institut Universitaire Européen de la Mer, Université de Bretagne Occidentale,

CNRS-UBO-Ifremer-UBS, Rue Dumont d'Urville, 29280 Plouzané, France

<sup>6</sup>ColombianGeological Survey, Space Geodesy Research Group, Bogotá, Colombia.

<sup>7</sup>Geoazur, Université Côte d'Azur, IRD, CNRS, Observatoire de la Côte d'Azur,

250 Rue Albert Einstein, 0650, Valbonne, France

<sup>8</sup> Université Paris Cité, Institut de Physique du Globe de Paris, 1,

Rue Jussieu, 75005, Paris, France.

<sup>9</sup> Université Clermont Auvergne, CNRS, IRD, OPGC,

Laboratoire Magmas et Volcans, F-63000 Clermont-Ferrand, France

March 25, 2022

The International Symposium on Andean Geodynamics (ISAG) is an international con-1 ference that was held, on average, every 3-4 years in different European cities between 1990 2 (Grenoble) and 2008 (Nice). These symposia usually offer an opportunity for researchers 3 from Latin American countries and Europe as well as other countries to review the state of knowledge in geosciences on the Andes. After a long period without an edition, the 8th 5 ISAG was organized for the first time in a Latin American country, Ecuador, from 24th 6 to 26th September 2019. The organizing committee led by Pablo Samaniego relied heavily 7 on the Instituto Geofísico of the Escuela Politécnica Nacional (IG-EPN) and the Institut 8 de Recherche pour le Développement (IRD), in particular through its office in Quito, and 9 through the Laboratoire Mixte International in France and Ecuador: "Seismes et Volcans 10 dans les Andes du Nord" (LMI-SVAN); and the French Embassy in Ecuador. Field trips in 11 tectonics, seismotectonics and volcanology at emblematic sites in Ecuador were organized 12

by researchers from the IRD (Isterre and LMV), the Institut de Radio Protection Nucléaire 13 (IRSN), IG-EPN and the University of Geneva. Four invited speakers gave presentations: 14 Peter Molnar (University of Boulder) on the mechanisms of the Andes uplift, Suzanne Kay 15 (Cornell University) on its magmatism, Victor Ramos (University of Buenos Aires) on the 16 scientific approaches developed through time for the Andean orogeny and Eric Calais (Ecole 17 Normale Supérieure de Paris) on the difficulty of dialogue between seismic risk specialists 18 and the authorities in Haiti. The symposium also provided an opportunity for more than 19 250 participants to meet, with more than 80 oral presentations and over 150 posters. As 20 a result of this conference, the Editor of the Journal of South American Earth Sciences 21 proposed to the organizing committee to publish a special issue on the contours of these 22 presentations. Following the peer review process, 19 papers are published in this special is-23 sue. These manuscripts reflect the various disciplinary fields, geophysics and deep imaging, 24 tectonics, volcanism, geomorphology and seismic hazard, from the local scale to the Andes 25 as a whole. Not surprisingly, a higher density of works is found in Ecuador and the northern 26 Andes (Figure 1). As this collection of articles reflects the outlines of a symposium and not 27 a specific scientific question, our aim here is not to develop a synthesis of current knowledge 28 on the Andes. We therefore present these articles in sequence, by discipline, although this 29 categorization may appear subjective since some articles are multidisciplinary. 30

### **31** Geophysics

Geophysical imagery is fundamental to constrain the current geometry of the Andean structure at depth and is still the most needed technique in many places where different geodynamical models have been proposed.

35

Based on P-wave receiver functions, Bianchi et al. (2021, 2022) show that the Nazca slab near the 20 degrees south latitude in the Central Andes flattens below the sub-Andes close to the 660 km discontinuity. This flattening makes the mantle colder and thickens the mantle transition zone (MTZ - classically between a depth of 410 and 660 km). Because the flattened Nazca slab is located just below the MTZ and not inside the MTZ in most of the region, the thickening of the MTZ results mainly from a lowering of the "660 km" discontinuity rather than from a modification of the "410 km" discontinuity.

43

The Ecuadorian Andes record a complex geological history. The fragmentation of the 44 Farallon plate at approximately 23 Ma gave birth to the Nazca and Coco plates. The subduc-45 tion of the Nazca in Ecuador has specific features due to the geological history and structure 46 of the overriding plate. Yet, there was no comprehensive tomography study of Ecuador down 47 to the slab until Araujo et al. (2021)'s study. By inverting the data of the Ecuadorian Seismic 48 Network RENSIG, they provide evidence for a continuous Wadati-Benioff zone in southern 49 Ecuador that clearly defines the topography of the Farallon plate. They also provide evi-50 dence for a tear in the Nazca plate along an axis oriented N110°E, that may have resulted 51 from the buckling of the plate at the sharp bend of the trench line between Peru and Ecuador. 52 53

54 Regions of propagating compressive deformation can present a significant seismic haz-

ard. Identifying geological seismogenic structures is key to analyze this hazard and this 55 identification requires a precise location of earthquakes. The faults under the Precordillera 56 located in the northern sector of the Pampean flat-slab (San Juan, Argentina), belong to 57 thin or thick skin tectonics, with an unclear distribution. By combining the analysis of 74 58 crustal events with other geophysical and geological data, Rivas et al. (2021) have built a 59 3D structural model, and identity this seismic deformation to be mostly concentrated in the 60 basement (thick skin) below the décollement of the Precordillera, with important implica-61 tions for seismic hazards with respect to these previously unconstrained structures. 62 63

Schmitz et al. (2021) review and add new wide-angle seismic data to map the Moho under
 Venezuela. They evidence significant variations in this complex region where the Caribbean
 meets the northern Andes.

67

Koch et al. (2021) studied the deep structure below the volcanic arc of Ecuador using seismic properties. They created two 3D models for the crust and the upper mantle in that region. They observe an anti-correlation of elevation and crustal thickness between the Western and Eastern Cordilleras that can be explained by lateral density variations. Their models show several low velocity zones within the crust beneath arc volcanoes with less than 14% melt and which that may correspond to the long-term storage of mush zones in the mid-crust.

### 75 Tectonics

<sup>76</sup> Sedimentary archives in the Andean forelands are powerful tools to reconstruct the chronol-<sup>77</sup> ogy of paleoenvironments and tectonic evolution. Santonja et al. (2021) coupled this analy-<sup>78</sup> sis with sedimentary petrography and U–Pb zircon geochronology data in the well-exposed <sup>79</sup> Miocene Ñirihuau Basin, North Patagonian Andes. They identified different alluvial, la-<sup>80</sup> custrine, deltaic and fluvial paleo-environments. Although a transition from extension to <sup>81</sup> compression was previously proposed, its precise dating was debated. New geochronological <sup>82</sup> information dates the compressive period from 13.4 Ma onwards.

83

The different geodynamic models of the Andes are constrained by the dating of the rapid exhumation periods. In the Northern-Eastern Cordillera of Colombia, Velandia et al. (2021) use low temperature thermochronology to confirm a first period of exhumation at around 50 Ma, probably along the Boyacá fault, and then the initiation of transpression at around 20 Ma along the Bucaramanga Fault system, which then appears to have migrated northwards with cooling peaks near 12 and 5 Ma. These data are consistent with reconstructions based on sedimentary facies.

91

The southern Colombian Andes host both Jurassic magmatism and metamorphism associated with subduction of the Farallon Plate; however, the mechanisms of this remain poorly understood. Restrepo et al. (2021) provide new U-Pb dating and geochemical data to conclude that magmatism and metamorphism took place around 160 Ma in a volcanic arc context. The metamorphic rocks probably correlate with those found further north, which <sup>97</sup> may correspond to different levels of metamorphism exhumed from different structural levels.

The Paleogene variation in the subduction direction and dip in the northern Andes led to the formation of a period of magmatism in the Amaga Basin of Colombia in the Miocene, the genesis and age of which remained poorly constrained. Bernet et al. (2020) used fission tracks on apatite and zircon to confirm an age of 12-6 Ma for this magmatism. Geochemistry also reveals that this magma was derived from the dehydration and melting of the slab, coupled with a magmatic evolution in the lower crust; the ascent of these magmas was probably favored by a pull-apart period around 12-9 Ma.

106

98

A masterpiece of this Special Issue is the manuscript by Ramos (2021) which presents a complete review of 50 years of Plate Tectonic concepts applied to Andean geodynamics. This remarkable review adopts a historical perspective by tracing the development of ideas on the evolution of the Andes proposed by different experts in Andean geology. This synthesis once again illustrates the need for cross disciplines so as to be able to understand a geological object such as the Andes.

113

A 2000 km-long dextral strike-slip fault system separates the North Andean Sliver from South America, from Ecuador to Venezuela. Audemard M et al. (2021) studied the cumulative displacement along this major discontinuity. Based on a synthesis of the existing geological and geophysical data, they quantify a maximum of 35 km of displacement of the North Andean Sliver with respect to South America since the Pliocene. Thus, despite its length, this fault system has accumulated a rather modest total displacement.

# 120 Volcanology

Several regions in the Andes are particularly threatened by volcanic phenomena. Reconstructing the history of eruptions is fundamental for hazard assessments and provides necessary data for risk evaluations.

124

Sumaco is a young-looking back-arc stratovolcano located in the northern SubAndean zone of Ecuador, 105 km east of Quito. By combining a geomorphological study and by dating ashes in a sediment core drilled in a close lagoon, Salgado Loza et al. (2021) identified notable activity in the last 4400 years, with at least six separate eruptive phases during the last century. The Sumaco should thus be considered a potentially active volcano.

130

Pululahua, 15 km north of Quito, is a potentially active dome complex for which the eruptive history was poorly constrained. Andrade et al. (2021) date three eruptive stages of activity at 18-12 ka BP, 2.6-2.3 ka BP and 2.2 ka BP, characterized by large explosive eruptions responsible for the formation of the current caldera-like depression. The lava geochemistry does not show significant variations through time. Interestingly, Andrade et al. were able to quantify the volume of dense rock equivalent material produced by these eruptions and to assess their magnitudes.

138

Volcanoes build up but they also collapse, producing debris avalanches, sometimes several 139 times through the volcano's lifespan. Based on a large geological study and several K-Ar 140 ages, Mariño et al. (2021) reconstructed the eruptive chronology of the Tutupaca volcanic 141 complex, located in Southern Peru. In addition, they studied the triggering mechanisms 142 of a collapse event that affected Tutupacau. By using cosmogenic nuclide 10Be dating on 143 feldspaths, they date the debris avalanche between  $6.0 \pm 0.7$  and  $7.8 \pm 1.5$  ka. Based on 144 the similarity with a younger debris avalanche, the authors conclude that the dome growth 145 process coupled with the effect of the hydrothermally-altered substratum was responsible 146 for these recurrent collapses. 147

### 148 Geomorphology

Geomorphic markers may be used to evidence and quantify recent tectonic activity. This analysis is complicated by large-scale rockslides, widespread Plio-Pleistocene volcanism, and glacial and fluvial erosion that mixed together to hamper tectonic imprint in the topography. Jagoe et al. (2021) address this issue in the northern Neuquen Basin (Argentina) with structural evidence of neotectonics. Using different geomorphic indices, they compare their measurements to known fault locations. They conclude that post-glacial rockfalls strongly hamper the local tectonic imprint on the landscape.

The dating of Quaternary sediments is fundamental both in terms of documenting recent tectonic activity on faults and analyzing the imprint of climate on geomorphology. Dating methods require the development of analytical laboratories, of which there are few in the Andean countries. Guzmán et al. (2021) positively test ESR ages of dated alluvial terraces of the Santo Domingo River in western Venezuela obtained in a new laboratory located in that country. Furthermore, their results confirm the overestimation of ESR ages obtained on debris flow deposits for which "bleaching" (inheritance zeroing) is not effective.

Analogical and numerical models predict variations of vertical movements in the Andes associated with variations in the subduction processes. Nevertheless, documenting these variations is challenging. Regard et al. (2021) map marine terraces and pediments and compile their ages along the coast of southern Peru to propose that surface uplift has been discontinuous over the last 12 Ma. They evidence a cycle of 4 Ma that was predicted by published numerical models simulating episodic tectonic underplating.

## <sup>171</sup> Seismic hazard

172 Earthquakes damage infrastructures. When these infrastructures are pre-Columbian histor-

<sup>173</sup> ical monuments, their conservation in the face of a seismic hazard is a particular challenge.

<sup>174</sup> Combey et al. (2021) have developed a database, RISC ("Seismic Risk, Incas and Society

<sup>175</sup> in Cusco"), which makes it possible to inventory the damage created by earthquakes on

<sup>176</sup> the pre-Columbian architecture in the Cusco area. This database is intended to become a

reference tool to monitor this damage in the future and facilitate conservation actions.

178

156

164

A critical issue for seismic and tsunami hazard assessments in the Caribbean is to know 179 whether large earthquakes can occur along the Caribbean plate subduction beneath the 180 North Andean Sliver. Although no mega-earthquakes have occurred in the last 500 years 181 along this convergent boundary, Lizarazo et al. (2021) compiled and analyzed GPS data 182 from the nationwide GPS array in Colombia to obtain a 3-dimensional velocity field. Using 183 these data, they identified a fully locked patch along the subduction interface south of the 184 city of Cartagena with potential for a Mw 8 and a 600-year return period earthquake. Their 185 model also appears to be consistent with the low strain rate determined from geological 186 markers. 187

#### Acknowledgement 188

The organising committee of the ISAG congress wishes to thank for their support: IRD 189 and its representation in Ecuador, Escuela Politécnica Nacional, Quito, LMV-Université 190 Clermont Auvergne, Université Cote d'Azur, Laboratoire Isterre, French Embassy in Quito, 191 Triboilgas, Raspberry Shake, InColor, Retsch, Minga Service, Sultana del Condor Minera 192 S.A 193

#### References 194

- Andrade, S. D., Müller, A. V., Vasconez, F. J., Beate, B., Aguilar, J., Santamaría, S., 2021. 195
- Pululahua dome complex, ecuador: eruptive history, total magma output and potential 196 hazards. Journal of South American Earth Sciences 106, 103046. 197
- URL https://www.sciencedirect.com/science/article/pii/S0895981120305897 198
- Araujo, S., Valette, B., Potin, B., Ruiz, M., 2021. A preliminary seismic travel time tomog-199
- raphy beneath ecuador from data of the national network. Journal of South American 200 Earth Sciences 111, 103486.
- 201
- URL https://www.sciencedirect.com/science/article/pii/S0895981121003321 202
- Audemard M, F. A., Mora-Páez, H., Fonseca P, H. A., 2021. Net right-lateral slip of the 203
- eastern frontal fault system, north andes sliver, northwestern south america. Journal of 204 South American Earth Sciences 109, 103286. 205
- URL https://www.sciencedirect.com/science/article/pii/S0895981121001334 206
- Bernet, M., Mesa Garcia, J., Chauvel, C., Ramírez Londoño, M. J., Marín-Cerón, M. I., 207
- 2020. Thermochronological, petrographic and geochemical characteristics of the combia 208
- formation, amagá basin, colombia. Journal of South American Earth Sciences 104, 102897. 209
- URL https://www.sciencedirect.com/science/article/pii/S0895981120304405 210
- Bianchi, M. B., Assumpção, M., Koch, C., Beck, S., 2021. Effect of the cold nazca slab on 211 the depth of the 660 km discontinuity in south america. Journal of South American Earth
- Sciences 112, 103607. 213

212

URL https://www.sciencedirect.com/science/article/pii/S0895981121004533 214



Figure 1: The geographical imprint of the papers published in the ISAG special issue of J. of South American Earth Sciences.

- Bianchi, M. B., Assumpção, M., Koch, C., Beck, S., 2022. Corrigendum to "effect of the
  cold nazca slab on the depth of the 660 km discontinuity in south america" [j. s. am. earth
- sci. (2021) 112, 103607]. Journal of South American Earth Sciences 114, 103685.

Combey, A., Tricoche, A., Audin, L., Gandreau, D., Benavente Escóbar, C., Bastante
Abuhadba, J., Tavera, H., Ángel Rodríguez-Pascua, M., 2021. Monumental inca remains
and past seismic disasters: A relational database to support archaeoseismological investigations and cultural heritage preservation in the andes. Journal of South American Earth

- Sciences 111, 103447.
- URL https://www.sciencedirect.com/science/article/pii/S0895981121002947
- Guzmán, O., Díaz, M., Campos, C., González, A., Vassallo, R., Aranda, N., Conicelli,
  B., González-Laprea, J., 2021. First esr dating of quaternary sediments in mérida andes,

western venezuela. Journal of South American Earth Sciences 106, 103089.

URL https://www.sciencedirect.com/science/article/pii/S0895981120306325

- <sup>229</sup> Jagoe, L., Sagripanti, L., Colavitto, B., Folguera, A., 2021. Landscape evolution in the
- <sup>230</sup> guañacos fold and thrust belt (37 s): Insights from geomorphological and morphometric
- analysis. Journal of South American Earth Sciences 111, 103484.
- URL https://www.sciencedirect.com/science/article/pii/S089598112100331X
- <sup>233</sup> Koch, C. D., Delph, J., Beck, S. L., Lynner, C., Ruiz, M., Hernandez, S., Samaniego, P.,

Meltzer, A., Mothes, P., Hidalgo, S., 2021. Crustal thickness and magma storage beneath

- the ecuadorian arc. Journal of South American Earth Sciences 110, 103331.
- URL https://www.sciencedirect.com/science/article/pii/S0895981121001784
- <sup>237</sup> Lizarazo, S. C., Sagiya, T., Mora-Páez, H., 2021. Interplate coupling along the caribbean

coast of colombia and its implications for seismic/tsunami hazards. Journal of South

- American Earth Sciences 110, 103332.
- URL https://www.sciencedirect.com/science/article/pii/S0895981121001796
- <sup>241</sup> Mariño, J., Samaniego, P., Manrique, N., Valderrama, P., Roche, O., van Wyk de Vries,
- B., Guillou, H., Zerathe, S., Arias, C., Liorzou, C., 2021. The tutupaca volcanic complex
- 243 (southern peru): Eruptive chronology and successive destabilization of a dacitic dome
- <sup>244</sup> complex. Journal of South American Earth Sciences 109, 103227.
- URL https://www.sciencedirect.com/science/article/pii/S0895981121000742
- Ramos, V. A., 2021. Fifty years of plate tectonics in the central andes. Journal of South
  American Earth Sciences 105, 102997.
- 248 URL https://www.sciencedirect.com/science/article/pii/S089598112030540X
- Regard, V., Martinod, J., Saillard, M., Carretier, S., Leanni, L., Hérail, G., Audin, L.,
   Pedoja, K., 2021. Late miocene quaternary forearc uplift in southern peru: new insights
   from 10be dates and rocky coastal sequences. Journal of South American Earth Sciences
- 109, 103261.
- URL https://www.sciencedirect.com/science/article/pii/S0895981121001073

URL https://www.sciencedirect.com/science/article/pii/S0895981121005307

- Restrepo, M., Bustamante, C., Cardona, A., Beltrán-Triviño, A., Bustamante, A.,
   Chavarría, L., Valencia, V. A., 2021. Tectonic implications of the jurassic magmatism
- and the metamorphic record at the southern colombian andes. Journal of South Ameri-
- <sup>257</sup> can Earth Sciences 111, 103439.
- URL https://www.sciencedirect.com/science/article/pii/S0895981121002868

Rivas, C., Alcacer, J. M., Ortiz, G., Bilbao, I., Ammirati, J.-B., Podesta, M., Alvarado, P.,
Perucca, L. P., Pérez, I., 2021. Crustal structure of the northern andean precordillera,
argentina, based on seismological and gravity data. Journal of South American Earth

- 262 Sciences 111, 103478.
- URL https://www.sciencedirect.com/science/article/pii/S0895981121003254
- Salgado Loza, J. A., Mothes, P. A., Córdova, M. D., 2021. New observations on the recent
   eruptive activity of sumaco volcano (ecuador), based on geochronology, stratigraphy and
   petrography. Journal of South American Earth Sciences 112, 103568.
- URL https://www.sciencedirect.com/science/article/pii/S0895981121004144
- Santonja, C., Bechis, F., Suriano, J., Falco, J. I., Encinas, A., Olaizola, E. R., Valencia,
  V. A., Litvak, V. D., Ramos, V. A., 2021. Tectono-stratigraphic evolution of the northeastern sector of the Ñirihuau basin, north patagonian andes, argentina: Insights from
  sedimentology and geochronology data of the Ñirihuau formation. Journal of South American Earth Sciences 111, 103487.
- URL https://www.sciencedirect.com/science/article/pii/S0895981121003333
- 274 Schmitz, M., Ramírez, K., Mazuera, F., Ávila, J., Yegres, L., Bezada, M., Levander, A.,
- 2021. Moho depth map of northern venezuela based on wide-angle seismic studies. Journal
  of South American Earth Sciences 107, 103088.
- URL https://www.sciencedirect.com/science/article/pii/S0895981120306313
- Velandia, F., Bermúdez, M. A., Kohn, B., Bernet, M., Zuluaga, C. A., Brichau, S., 2021.
- 279 Cenozoic exhumation patterns in the northern andes: Constraints from the southern bu-
- 280 caramanga fault, eastern cordillera, colombia. Journal of South American Earth Sciences
- <sup>281</sup> 111, 103473.
- URL https://www.sciencedirect.com/science/article/pii/S0895981121003205