



# Assessing and mitigating alignment defects of the pyramid wavefront sensor: a translation insensitive control method (Corrigendum)

V. Deo, É. Gendron, G. Rousset, F. Vidal, T. Buey, M. Cohen

## ► To cite this version:

V. Deo, É. Gendron, G. Rousset, F. Vidal, T. Buey, et al.. Assessing and mitigating alignment defects of the pyramid wavefront sensor: a translation insensitive control method (Corrigendum). *Astronomy and Astrophysics - A&A*, 2019, 626, 10.1051/0004-6361/201833685e . insu-03717030

HAL Id: insu-03717030

<https://insu.hal.science/insu-03717030v1>

Submitted on 16 Nov 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

## Assessing and mitigating alignment defects of the pyramid wavefront sensor: a translation insensitive control method (*Corrigendum*)

V. Deo<sup>1</sup>, É. Gendron<sup>1</sup>, G. Rousset<sup>1</sup>, F. Vidal<sup>1</sup>, T. Buey<sup>1</sup>, and M. Cohen<sup>2</sup>

<sup>1</sup> LESIA, Observatoire de Paris, Université PSL, CNRS, Sorbonne Université, Univ. Paris Diderot, Sorbonne Paris Cité,  
5 place Jules Janssen, 92195 Meudon, France  
e-mail: vincent.deo@obspm.fr

<sup>2</sup> GEPI, Observatoire de Paris, Université PSL, CNRS, 5 place Jules Janssen, 92195 Meudon, France

A&A 619, A56 (2018), <https://doi.org/10.1051/0004-6361/201833685>

**Key words.** instrumentation: adaptive optics – techniques: high angular resolution – telescopes – errata, addenda

An error has occurred during the production of the published article. Before Eq. (4), second column, fourth line, it is written: “Normalized quadrants, either local or global, are”, but it should read “Normalized quadrants, either local or global, are rearranged into measurement terms depending on the PWFS operation method. Conventionally, quad-cell SH-like terms X, Y are used as follows:”

$$\begin{bmatrix} X_{\text{norm}} \\ Y_{\text{norm}} \end{bmatrix}[k] = \begin{bmatrix} A_{\text{norm}} - B_{\text{norm}} + C_{\text{norm}} - D_{\text{norm}} \\ A_{\text{norm}} + B_{\text{norm}} - C_{\text{norm}} - D_{\text{norm}} \end{bmatrix}[k]$$
$$= \begin{bmatrix} [r]1 & -1 & 1 & -1 \\ 1 & 1 & -1 & -1 \end{bmatrix} \cdot \begin{bmatrix} A_{\text{norm}} \\ B_{\text{norm}} \\ C_{\text{norm}} \\ D_{\text{norm}} \end{bmatrix}[k],$$

where  $\text{norm} \in \{\text{Loc}, \text{Glob}\}$ . (4)