



The "memory" of the Oort cloud (Corrigendum)

Marc Fouchard, Arika Higuchi, Takashi Ito, Lucie Maquet

► To cite this version:

Marc Fouchard, Arika Higuchi, Takashi Ito, Lucie Maquet. The "memory" of the Oort cloud (Corrigendum). *Astronomy & Astrophysics - A&A*, 2019, 623, <10.1051/0004-6361/201833435e>. <insu-03718967>

HAL Id: insu-03718967

<https://insu.hal.science/insu-03718967v1>

Submitted on 11 Jul 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



HAL Authorization

The “memory” of the Oort cloud (Corrigendum)

Marc Fouchard¹, Arika Higuchi², Takashi Ito³, and Lucie Maquet¹

¹ LAL-IMCCE, Observatoire de Paris, PSL Research University, CNRS, Sorbonne Universités, UPMC Univ. Paris 06, Univ. Lille.,
 1 Impasse de l’Observatoire, 59000 Lille, France
 e-mail: marc.fouchard@univ-lille1.fr

² RISE Project Office, National Astronomical Observatory of Japan, 2-12 Hoshigaoka-cho, Mizusawa, Iwate 023-0816, Japan

³ CfCA, NAOJ, Mitaka, Tokyo 181-8588, Japan

A&A, 620, A45 (2018), <https://doi.org/10.1051/0004-6361/201833435>

Key words. comets: general – Oort Cloud – errata, addenda

The q axes of Figs. 1 and 3 are oriented downward, whereas they should be oriented upward. The figures themselves are correct, only the orientation of the axes is wrong.




Fig. 1. From top to bottom panels: distribution of comets in (a, q) , $(a, \cos(i_E))$, (a, ω_G) and (a, Ω_G) planes at four different epochs $t = 250$ Myr and 1, 2 and 4 Gyr. For visibility, the bin sizes are constant along any axis. However the density function is computed in number of comets per au for the perihelion distance and per au^{-1} for the semi-major axis. The data comes from the evolution of the 10 proto-Oort cloud.




Fig. 3. As Fig. 1 but for the D0 proto-Oort cloud.