

Author Correction: Efficient generative modeling of protein sequences using simple autoregressive models

Jeanne Trinquier, Guido Uguzzoni, Andrea Pagnani, Francesco Zamponi, Martin Weigt

▶ To cite this version:

Jeanne Trinquier, Guido Uguzzoni, Andrea Pagnani, Francesco Zamponi, Martin Weigt. Author Correction: Efficient generative modeling of protein sequences using simple autoregressive models. Nature Communications, 2022, 13, 10.1038/s41467-022-29593-x. insu-03726408

HAL Id: insu-03726408 https://insu.hal.science/insu-03726408v1

Submitted on 10 Sep 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.







https://doi.org/10.1038/s41467-022-29593-x


OPFN

Author Correction: Efficient generative modeling of protein sequences using simple autoregressive models


Jeanne Trinquier, Guido Uguzzoni, Andrea Pagnani, Francesco Zamponi & Martin Weigt

Correction to: Nature Communications https://doi.org/10.1038/s41467-021-25756-4, published online 04 October 2021.

The original version of this Article contained an error in Fig. 3, in which the predictions presented were run with an incorrect regularization strength. The correct version of Fig. 3 is:



which replaces the previous incorrect version:



In addition, the sentence "Almost all dots are close to the diagonal (apart from few viral datasets), with 15/32 datasets having a better arDCA prediction and 17/32 giving an advantage to DeepSequence." has been corrected to "Almost all dots are close to the diagonal (apart from few viral datasets), with 17/32 datasets having a better arDCA prediction and 15/32 giving an advantage to DeepSequence". The sentence "We also add an L2 regularization, with a regularization strength of 0.0001 for the generative tests and 0.01 for mutational effects and contact prediction." has been corrected to "We also add an L2 regularization, with a regularization strength of $\lambda_J = 10^{-4}, \lambda_h = 10^{-6}$ for the generative tests and $\lambda_J = 10^{-2}, \lambda_h = 10^{-4}$ for mutational effects and contact prediction."

This has been corrected in both the PDF and HTML versions of the Article.

Published online: 01 April 2022

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/.

© The Author(s) 2022