

Turbulent vertical mixing of H2O and SO2 in the Venus cloud layer

Maxence Lefèvre, Emmanuel Marcq, Thérèse Encrenaz, Franck Lefèvre

▶ To cite this version:

Maxence Lefèvre, Emmanuel Marcq, Thérèse Encrenaz, Franck Lefèvre. Turbulent vertical mixing of H2O and SO2 in the Venus cloud layer. European Planetary Science Congress 2021, Sep 2021, Online, Unknown Region. pp.EPSC2021-631, 10.5194/epsc2021-631. insu-04437108

HAL Id: insu-04437108 https://insu.hal.science/insu-04437108

Submitted on 4 Feb 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Europlanet Science Congress 2021

Virtual meeting

13 September - 24 September 2021

Home > EPSC2021-631

EPSC Abstracts

Vol. 15, EPSC2021-631, 2021

https://doi.org/10.5194/epsc2021-631

European Planetary Science Congress 2021

© Author(s) 2021. This work is distributed under the Creative Commons Attribution 4.0 License.



Turbulent vertical mixing of H₂O and SO₂ in the Venus cloud layer

Maxence Lefèvre et al.

1. Introduction

Venus is hosting a global sulfuric acid cloud layer between 45 and 70 km which has been investi- gated by the Venus Express and Akatsuki mission as well as its coupling with the surface. One of the main questions that remains unclear about the dynamics of the Venusian atmosphere is how this convective cloud layer mixes momentum, heat, and chemical species and generates gravity waves. Several models have been developed to study these phenomenons. We proposed to use these models to study the impact of this turbulence on the chemical species, focusing on water and sulfuric dioxide.

2. Model

To study the convective layer, a Large Eddy Simulations (LES) model [1] has been developed using the Weather-Research Forecast (WRF) non-hydrostatic dynamical core [2] coupled with the IPSL Venus GCM physics package [3]. The model is able to resolve a realistic convective layer between 47 and 55 km as well as one convective layer at cloud top altitudes (70 km) at the substellar point (Fig 1).




Figure 1: Vertical cross-section of the vertical wind (m/s) at the Equator at noon. Between 47 and 55 km is the main convective layer, between 55 and 67 km are the gravity waves induced by convection and between 67 and 73 is the cloud top convective layer presents only at the substellar point.

Tracers has been included in the model representing H_2O and SO_2 , the chemistry and photodissociation sources and sinks are modeled by a linear relaxation of the tracer abundance toward a prescribed vertical profile with a characteristic time. The relaxation time ranges from 10^2 to 10^6 s. The prescribed vertical tracer profiles are constructed using observed abundance visible in Fig 2.




Figure 2: Vertical profile of the tracer abudance relaxation profile. The black represents the value for the deep atmosphre [4], the star is 04/02/2024 13:31

3. Results

This simple model is able to determine the vertical mixing for SO_2 and H_2O in the cloud layer, and for which chemical timescale the convection plays an important role. The resolution of 500 m allow an estimate of the horizontal turbulent spatial features, induced by the convection and gravity waves, for SO_2 and H_2O .

References

- [1] Lefèvre et al., JGR: Planets, 123, 2773-2789, 2018.
- [2] Skamarock, W. C. and J. B. Klemp, J., Comput. Phys., 227, 3465-3485, 2008
- [3] Garate-Lopez, I. and Lebonnois., S., Icarus, 314,1-11, 2018.
- [4] Bézard, B. and De Bergh, C., JGR: Planets, 112, 2007.
- [5] Encrenaz, T. et al., A. & A., 595, 2016.
- [6] Fedorova, A. et al., Icarus, 275, 143-162, 2016.
- [7] Cottini., V. et al., Icarus, 217, 561-569, 2012.

How to cite: Lefèvre, M., Marcq, E., Encrenaz, T., and Lefèvre, F.: Turbulent vertical mixing of H2O and SO2 in the Venus cloud layer, European Planetary Science Congress 2021, online, 13–24 Sep 2021, EPSC2021-631, https://doi.org/10.5194/epsc2021-631, 2021.



Contact

Imprint

Contact

Copernicus Meetings
The Professional Congress Organizer

Data protection

© 2021 Copernicus GmbH

Header image © Europlanet Society

2 sur 2 04/02/2024 13:31