



Availability of nightglow ground observations for atmospheric dynamics monitoring

Christophe Bellisario, Pierre Simoneau, Sophie Derelle, Ewen Jaffré,
Pierre-Yves Froissart, Philippe Keckhut, Alain Hauchecorne, Samuel
Tremoulu, Fabrice Chane-Ming

► To cite this version:

Christophe Bellisario, Pierre Simoneau, Sophie Derelle, Ewen Jaffré, Pierre-Yves Froissart, et al.. Availability of nightglow ground observations for atmospheric dynamics monitoring. EGU General Assembly 2024, Apr 2024, Vienna, Austria. pp.EGU24-10208, 2024, 10.5194/egusphere-egu24-10208 . insu-04515479

HAL Id: insu-04515479

<https://insu.hal.science/insu-04515479>

Submitted on 4 Jun 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

EGU24-10208, updated on 04 Jun 2024
<https://doi.org/10.5194/egusphere-egu24-10208>
EGU General Assembly 2024
© Author(s) 2024. This work is distributed under
the Creative Commons Attribution 4.0 License.



Availability of nightglow ground observations for atmospheric dynamics monitoring

Christophe Bellisario¹, Pierre Simoneau¹, Sophie Derelle¹, Ewen Jaffré¹, Pierre-Yves Froissart¹, Philippe Keckhut², Alain Hauchecorne², Samuel Tremoulu³, and Fabrice Chane-Ming³

¹ONERA/DOTA, Chemin de la Hunière, 91123, Palaiseau, France (christophe.bellisario@onera.fr)

²LATMOS-IPSL, CNRS/INSU, UMR 8190, Université Versailles St-Quentin, 78280 Guyancourt, France

³LACy, CNRS/Météo-France, UMR 8105, Université de la Réunion, 97744 Saint-Denis de La Réunion, France

The infrared emission lines observed between 80 and 100 km known as nightglow allow the investigation of dynamic phenomena such as gravity waves with adapted cameras. In particular, the OH nightglow emission peaking at 87 km can be observed with short wave infrared InGaAs cameras and most of studies use these observations to investigate dynamics at this height. In this study, we briefly describe the methodology to assess the availability of nightglow observations at ground level depending on the spectral bands and the local atmospheric conditions. The impact of clouds on the spectral radiance propagation is estimated by the use of radiative transfer models. Sensitivity tests are completed on clouds characteristics, such as vertical width or the type of clouds. In addition, we integrate directional fluxes on the celestial dome to assess the level of radiance available at the ground level for night vision imaging. Statistical temporal comparisons are performed using available observations campaigns at Observatory of Haute-Provence (OHP) and at Maïdo Observatory.