



**HAL**  
open science

# Adapting a multi-grid method to a numerical simulation model of the interaction between Venus and the solar wind

Erwan Jariel, Sae Aizawa, Ronan Modolo, Ludivine Leclercq, Claire Baskevitch, Nicolas Andre, Moa Persson

## ► To cite this version:

Erwan Jariel, Sae Aizawa, Ronan Modolo, Ludivine Leclercq, Claire Baskevitch, et al.. Adapting a multi-grid method to a numerical simulation model of the interaction between Venus and the solar wind. Europlanet Science Congress 2022, Sep 2022, Granada, Spain. pp.EPSC2022-417, 10.5194/epsc2022-417 . insu-04533416

**HAL Id: insu-04533416**

**<https://insu.hal.science/insu-04533416>**

Submitted on 4 Apr 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## Europlanet Science Congress 2022

Palacio de Congresos de Granada, Spain

18 September – 23 September 2022

EPSC Abstracts

Vol. 16, EPSC2022-417, 2022, updated on 23 Sep 2022

<https://doi.org/10.5194/epsc2022-417>

Europlanet Science Congress 2022

© Author(s) 2022. This work is distributed under the Creative Commons Attribution 4.0 License.



# Adapting a multi-grid method to a numerical simulation model of the interaction between the solar wind and the solar wind

Erwan Jariel et al.

Unlike Earth, Venus doesn't have an intrinsic magnetic field shielding it from the solar wind. However, a magnetic field is generated from the interaction of solar wind and the dense atmosphere of the planet. Venus flybys by the BepiColombo mission in October 2020 and August 2021, and by Parker Solar Probe Orbiter, are unique opportunities to further study the interaction between Venus and the Sun.

Observational data are essential in the study of this interaction but they are limited by the mission's trajectory offering a constrained view of the processes that take place. On the other hand, simulations offer a global view of the interactions, allowing us to get results with physical significance that would not have been possible with observational data only. LatHyS is a three-dimensional parallel multi-species model using the hybrid method for that represents the electrons as a massless fluid conserving the neutrality of the plasma, and the ions as macroparticles with variable weights. Ions and electrons are coupled together using the Maxwell equations. Macroscopic plasma parameters determine the evolution of the magnetic field (*Ledvina et al. 2008*). It was developed at LATMOS, Paris, France, for Mars (*Modolo et al. 2005*) and later parallelized (*Modolo et al. 2010*) for performance and optimization purposes. It has the advantage of having a self-consistently calculated ionospheric plasma. LatHyS was recently adapted to the simulations of the interaction between the solar wind and Venus at Toulouse, France (*Aizawa et al. 2022*).

The work conducted aims at adapting a multi-grid method, initially adapted to LatHyS by *Leclercq et al. 2018* for the study of Mars and Ganymede, to the case of Venus. The multi-grid refinement allows a more efficient use of computing resources and an improved accuracy of the simulation thanks to a spatial resolution equivalent to a lower ionospheric plasma scale height.

First, the multi-grid method is presented. Then, simulations using the multi-grid method on the solar w interaction with Venus are conducted, and their results are compared to simulations made using LatHyS single homogeneous grid.

Finally the outputs of the numerical simulations are compared to data on the magnetic field and charge from recent flybys and from the Venus Express mission, that orbited the planet from 2006 to 2014.

### References:

Aizawa et al. 2022. <https://doi.org/10.1016/j.pss.2022.105499>

Leclercq et al. 2016. <http://dx.doi.org/10.1016/j.jcp.2016.01.005>

Ledvina et al. 2008. <http://dx.doi.org/10.1007/s11214-008-9384-6>

Modolo et al. 2005. <https://doi.org/10.5194/angeo-23-433-2005>

Modolo et al. 2016. <http://dx.doi.org/10.1002/2015JA022324>

**How to cite:** Jariel, E., Aizawa, S., Modolo, R., Leclercq, L., Baskevitch, C., Andre, N., and Persson, M.: to a numerical simulation model of the interaction between Venus and the solar wind, Europlanet Science Conference, 18–23 Sep 2022, EPSC2022-417, <https://doi.org/10.5194/epsc2022-417>, 2022.

## Discussion

---

to access the discussion