



**HAL**  
open science

## First O<sub>3</sub> and NO<sub>2</sub> observations over the Indian Ocean by mobile Mini-SAOZ

Andrea Pazmino, Manuel Pinharanda, Ariane Bazureau, Florence Goutail, T  
Verhoelst

► **To cite this version:**

Andrea Pazmino, Manuel Pinharanda, Ariane Bazureau, Florence Goutail, T Verhoelst. First O<sub>3</sub> and NO<sub>2</sub> observations over the Indian Ocean by mobile Mini-SAOZ. ACTRIS Science Conference 2024, May 2024, Rennes, France. insu-04624250

**HAL Id: insu-04624250**

**<https://insu.hal.science/insu-04624250>**

Submitted on 25 Jun 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# First O<sub>3</sub> and NO<sub>2</sub> observations over the Indian Ocean by mobile Mini-SAOZ

A. Pazmiño<sup>1</sup>, M. Pinharanda<sup>1</sup>, A. Bazureau<sup>1</sup>, F. Goutail<sup>1</sup>, and T. Verhoelst<sup>2</sup>

<sup>1</sup>LATMOS/IPSL, UVSQ, Université Paris-Saclay, Sorbonne Université, CNRS, Guyancourt, France

<sup>2</sup>Royal Belgian Institute for Space Aeronomy (BIRA-IASB), Brussels, Belgium

Keywords: ozone, NO<sub>2</sub>, Indian Ocean, TROPOMI.

Presenting author email: andrea.pazmino@latmos.ipsl.fr

In the frame of the MAP-IO (Marion Dufresne Atmospheric Program - Indian Ocean) project a Mini-SAOZ (Système d'Analyse par Observation Zénithale) UV-Visible spectrometer was installed onboard Marion Dufresne vessel to provide simultaneous measurements of total ozone (O<sub>3</sub>) and nitrogen dioxide (NO<sub>2</sub>) columns. The analysis is done by DOAS (Differential Optical Absorption Spectroscopy) method following the NDACC (Network for the Detection of Atmospheric Composition Change) recommendations. Zenith sky measurements are performed from sunrise to sunset until a Solar Zenith Angle (SZA) of 94°. The exposure time is adjusted automatically between 0.01s to 60s in order to optimize the signal and the spectra are co-added in memory during a 60s duty cycle. The data from a GPS device is used for SZA, location and time calculation. The dark current of the detector is subtracted from each spectrum. O<sub>3</sub> and NO<sub>2</sub> morning and evening vertical columns are averaged between 86 and 91 SZA.




Figure 1. Left: GPS antenna and optical head installed outdoor at 30 m above the instrument. Right: Mini-SAOZ in Meteo room.

The Mini-SAOZ is working in an operational way since the beginning of the project in January 2021. It was considered as a pilot mobile platform for the Central processing of SAOZ UVVIS Unit in the frame of CREGARS (Centre for Reactive Trace Gases Remote Sensing) of ACTRIS.

In this presentation, three years of continuous measurements are shown and various studies are presented.

## An example: Satellite comparisons

Observations at ground are usually used as reference dataset for the validation of satellite observations in order to detect a systematic error or a drift or also to ensure a continuity and coherence between different spatial missions. The last satellite

mission monitoring O<sub>3</sub> and NO<sub>2</sub> columns with a very high-resolution is Sentinel 5 Precursor (S5P) mission (Veefkind et al., 2012) carrying onboard the TROPOMI (TROPOspheric Monitoring Instrument) instrument. The observations of TROPOMI were already compared to the measurements of SAOZ/NDACC instruments, for O<sub>3</sub> see Garane et al. (2019) and for NO<sub>2</sub> Verhoelst et al (2021).

The Mini-SAOZ of Marion Dufresne is also compared to the SAOZ instruments of Réunion (20.9°S, 55.5°E) and Kerguelen (49.3°S, 70.3°E) NDACC stations. The Mini-SAOZ was already compared to other UVVIS instruments in the frame of CINDI 2 campaign at Cabauw, The Netherlands. Its performances are within the expected UVVIS WG recommendations (Kreher et al., 2020). Figure 2 shows the intercomparison of ozone total columns between Mini-SAOZ observations at Marion Dufresne, TROPOMI co-located data.. The columns observed by SAOZ/Mini-SAOZ instruments are superimposed to the figure when the ship is close to both NDACC stations at  $\pm 0.2^\circ$  in latitude and longitude. A very good agreement is observed between the different measurements with a mean bias within  $\pm 1\%$ .




Figure 2. Evolution of the total ozone column observed by the Mini-SAOZ of Marion Dufresne, TROPOMI and NDACC SAOZ of Reunion and Kerguelen.

This work was supported by the Centre National de la Recherche Scientifique (CNRS/INSU), the Centre National de Recherche Spatiale (CNES), and the Institut Paul Emile Victor (IPEV).

Garane, K., et al. (2019) *Atmos. Meas. Tech.*, 12, 5263–5287.

Kreher et al. (2020) *Atmos. Meas. Tech.*, 13, 2169–2208.

Verhoelst, T., et al. (2021) *Atmos. Meas. Tech.*, 14, 481–510.

Veefkind, J. P., et al. (2012) *Rem. Sens. Env.*, 120, 70–83.