



HAL
open science

Shear localization in foliated media: numerical experiments with application to the Bethique (Spain).

Laetitia Le Pourhiet, Philippe Agard, Benjamin Huet, Loic Labrousse,
Laurent Jolivet

► To cite this version:

Laetitia Le Pourhiet, Philippe Agard, Benjamin Huet, Loic Labrousse, Laurent Jolivet. Shear localization in foliated media: numerical experiments with application to the Bethique (Spain).. EGU General Assembly 2010, 0000, à renseigner, Unknown Region. pp.10308. insu-04796296

HAL Id: insu-04796296

<https://insu.hal.science/insu-04796296v1>

Submitted on 21 Nov 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License



Laboratory experiments on primordial organic degradation at conditions relevant to ocean worlds interiors

Pauline Lévêque¹, Olivier Bollengier¹, Carlos Afonso³, Bruno Bujoli², Rémi Champallier⁵, Jasmine Hertzog⁴, Erwan Le Menn¹, Yves Marrocchi⁶, Clémence Queffelec², Isabelle Schmitz³, Aneta Slodczyk⁵, and Christophe Sotin¹

¹Nantes Université, Laboratoire de Planétologie et Géosciences, France (pauline.leveque@univ-nantes.fr)

²CEISAM, Nantes Université, UMR-CNRS 6230, F-44000, Nantes, France

³Normandie Université, COBRA, UMR 6014, FR 3038, Université de Rouen, INSA de Rouen-Normandie, CNRS, IRCOF, Mont Saint Aignan Cedex, France

⁴Laboratoire de Chimie et de Physique Approche Multi-échelles des Milieux Complexes, Institut de Chimie Physique et Matériaux, Université de Lorraine, F-57078 Metz, France

⁵Institut des Sciences de la Terre d'Orléans (ISTO), Univ. Orléans, CNRS, BRGM, UMR 7327, Orléans, France

⁶Centre de Recherches Pétrographiques et Géochimiques, UMR 7358 CNRS—Université de Lorraine, F-54501 Vandoeuvre-lès-Nancy, France

Recent interpretations of space observations suggest that the icy moons of Jupiter and Saturn and the dwarf planet Ceres formed by accreting silicates, sulfides, ices and primordial organics. During accretion and differentiation of these icy bodies, the primordial organics reacted with water. We have carried out laboratory experiments at (P,T) conditions relevant to the interiors of icy moons and dwarf planets to investigate the degradation of the organics with water. The goal is to determine the ions that are eventually dissolved in the ocean and the chemical composition and structure of the refractory organics that mix with silicates and sulfides to form the core of these bodies. The primordial organics are analogs made in the Nebulotron. A recent analysis (Lévêque et al., 2024) demonstrated that these organics have elementary and chemical composition close to that of the organic matter found in the Paris meteorite, which is a carbonaceous chondrite, one of less altered CM chondrites. These organic molecules were mixed with water and placed in three different pressuring devices covering a large domain of pressures (up to 2 GPa) and temperatures (at 200°C and 400°C) conditions relevant to the interior of icy bodies.

Gas chromatography has been carried out on sealed capsules reacted in internally heated pressure vessel. *In situ* Raman spectroscopy and *in situ* XRD have been carry out on samples pressurized in a Diamond Anvil Cell (DAC). Each device provides complementary information on the evolution of the organic matter solid residues and its byproducts. Gas analyzes and *in situ* Raman demonstrate that N₂ and CO₂ are released when OM:H₂O mixtures are heated up to 200°C, and CH₄ appears at 400°C. Organic matter (OM) evolves towards very condensed PAHs. Being denser than the ocean, that should mix with silicates and sulfides to form a refractory core that further evolves as the temperature raises due to the decay of the long-lived radioactive elements. The primordial OM reacts with water to produce ions which may form carbonates, as observed by our XRD analyzes. These experiments provide potential explanations for the presence of N₂ and CH₄ in Titan's atmosphere and for the presence of carbon-rich regions observed at the surface of Ceres, Europa and Ganymede.

