

Capillarity processes at Titan and beyond

Daniel Cordier, Gérard Liger-Belair, David Bonhommeau, Thomas Séon, Nathalie Carrasco

▶ To cite this version:

Daniel Cordier, Gérard Liger-Belair, David Bonhommeau, Thomas Séon, Nathalie Carrasco. Capillarity processes at Titan and beyond. Europlanet Science Congress 2022, Sep 2022, Granada, Spain. pp.EPSC2022-108, 10.5194/epsc2022-108. insu-03834671

HAL Id: insu-03834671 https://insu.hal.science/insu-03834671v1

Submitted on 30 Oct 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

EPSC Abstracts
Vol. 16, EPSC2022-108, 2022
https://doi.org/10.5194/epsc2022-108
Europlanet Science Congress 2022

© Author(s) 2022. This work is distributed under the Creative Commons Attribution 4.0 License.



Capillarity processes at Titan and beyond

Daniel Cordier et al.

The manifestations of capillarity are countless in daily life, going from liquids ascension in fibers to the dynamics of bubbles and droplets. On a scientific point of view, hydrodynamics of capillarity is a rather old field, but it is still the subject of very active researches (de Gennes *et al.* 2004; Drelich *et al.* 2020) with a wide variety of applications like micro-lenses or blood circulation. The two last decades of space exploration have revealed the existence of several extraterrestrial liquid phases: liquid methane-ethane-nitrogen mixtures in Titan's polar regions (Stofan *et al.* 2007), liquid water on Enceladus (Porco *et al.* 2006) and probably on Europa (Sparks *et al.* 2017), while many evidences speak in favor of the massive presence of liquid water at the surface of Mars, billions years ago (Nazari-Sharabian *et al.* 2020). In addition, the presence of a global, subsurface water ocean, is suspected in other major icy bodies: Ceres, Callisto, Ganymede, Pluto, etc. Important planetary processes are driven by capillarity: the floatability of small objects, the formation and size distribution of raindrops or the aerosol formation by bubbles burst at ocean surface. From one planetary context to another, the nature of the working liquid and the gravity changing together, the effect of capillarity may be significantly altered. However the impact of this process on the observations of extraterrestrial liquid phases has been few addressed yet.

In this work, we address largely the impact of capillarity in the frame of planetary exploration, with a particular focus on what could be observed by Dragonfly, the future Titan's in situ mission. We question the flotation of small solid particles at the surface of a liquid. We also investigate some properties of extraterrestrial rain droplets and their possible ground imprints. We discuss the interaction of floating films with bubbles bursting, and we close our purpose by considering raindrops absorption into a porous soil. All physical processes are questioned in the perspective of their potential geophysical implications.

An example of process: the floatability by capillarity

The presence of some floating material, over an interface between a liquid phase and a gaseous phase, can yield to major consequences by affecting exchanges of energy, momentum and matter between the phases. The form of this floating material may vary from a tiny monomolecular microlayer to a thick layer similar to sea ice. At the surface of terrestrial oceans, the presence of a thin floating film, produced by biological activity (Lin *et al.* 2003), has a damping effect on wave activity; marine films is an important topic, and constitutes a full-fledged academic discipline (Gade *et al.* 2006). Broadly speaking, a solid material is able to float at a liquid surface with the help a two physical processes: (1) the well known Archimede's buyoancy force, for materials less dense than the liquid, (2) capillary forces. This is the second effect we study here. The floatability generated by capillarity has been studied for a long time since it is very relevant for flotation industrial processes (Chipfunhu *et al.* 2011; Mousumi & Venugopal 2016; Kyzas & Matis 2018). The sake of simplicity, classical studies of solid particles floatability consider idealized spherical particles (Scheludko *et al.* 1976; Crawford & Ralston 1988), we are following this approach here (see **Fig. 1**).




Fig. 1: Sketch of a spherical solid particle, of radius R and density ρ_{sol} , floating at the surface of a liquid with the density ρ_{liq} . The meniscus (blue line) is represented by the equation z = f(x), the surface tension of the interface is σ , while the contact angle between the solid and the liquid is denoted θ_c ; θ_f is the filling angle. The difference of height between the plan of flotation and the surface of the unperturbated liquid is h_0 . The local tangent to the meniscus has the angle ψ with the horizontal. The gravity is represented by g.

It can be easily shown (Scheludko et al. 1976; Crawford & Ralston 1988) that the radius has a maximum value R_{max} for $\theta_f = \theta_c / 2$ and follows the equation:

$$R_{\rm max} \sim \sqrt{\frac{3\sigma}{2(\rho_{\rm sol} - \rho_{\rm liq})g}} \sin \frac{\theta_c}{2}$$

The implications of this equation are discussed in the contexts of Titan, Enceladus and Europa. This analysis will be complemented by other discussions about bubbles and liquid droplets properties in extraterrestrial contexts.

How to cite: Cordier, D., Liger-Belair, G., Bonhommeau, D., Séon, T., and Carrasco, N.: Capillarity processes at Titan and beyond, Europlanet Science Congress 2022, Granada, Spain, 18–23 Sep 2022, EPSC2022-108, https://doi.org/10.5194/epsc2022-108, 2022.







Discussion

We are sorry, but the discussion is only available for users who registered for the conference. Thank you.